



The XePersian *Package*

Source documentation for version 24.8

to my Master, *Ferdowsi The Great*

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please use the issue tracker:

<https://github.com/kvafa/xepersian/issues>

In doing so, please always explain your issue well enough, and always include a minimal working example showing the issue.

You may also have conversations, ask questions and post answers without opening issues using the Discussions space:

<https://github.com/kvafa/xepersian/discussions>

The announcements for the new releases of the package will also appear in the Discussions space under the Announcements category.

Copyright (c) 2008–2022 Vafa Khalighi
Copyright (c) 2018–2020 bidi-tex GitHub Organization

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the L^AT_EX Project Public License, either version 1.3c of this license or (at your option) any later version.

The XePersian *Package*

Persian for L^AT_EX 2_ε, using XeT_EX engine

Source documentation for [version 24.8](#)

Vafa Khalighi*

October 30, 2022

Contents

1	File <code>algorithmic-xepersian.def</code>	2	19	File <code>breqn-xepersian.def</code>	6
2	File <code>algorithm-xepersian.def</code>	2	20	File <code>latex-localise-commands-xepersian.def</code>	7
3	File <code>amsart-xepersian.def</code>	2	21	File <code>color-localise-xepersian.def</code>	24
4	File <code>amsbook-xepersian.def</code>	2	22	File <code>xepersian-localise-commands-xepersian.def</code>	25
5	File <code>appendix-xepersian.def</code>	3	23	File <code>enumerate-xepersian.def</code>	26
6	File <code>article-xepersian.def</code>	3	24	File <code>enumitem-xepersian.def</code>	26
7	File <code>artikel1-xepersian.def</code>	3	25	File <code>latex-localise-environments-xepersian.def</code>	26
8	File <code>artikel2-xepersian.def</code>	3	26	File <code>xepersian-localise-environments-xepersian.def</code>	27
9	File <code>artikel3-xepersian.def</code>	3	27	File <code>extarticle-xepersian.def</code>	28
10	File <code>backref-xepersian.def</code>	4	28	File <code>extbook-xepersian.def</code>	28
11	File <code>beamer-xepersian.def</code>	4	29	File <code>extrafootnotefeatures-xepersian.def</code>	28
12	File <code>beamerbasetranslator-xepersian.def</code>	5	30	File <code>extreport-xepersian.def</code>	28
13	File <code>bidituftesidenote-xepersian.def</code>	5	31	File <code>fancyref-xepersian.def</code>	28
14	File <code>bidimoderncv-xepersian.def</code>	5	32	File <code>footnote-xepersian.def</code>	31
15	File <code>boek3-xepersian.def</code>	5	33	File <code>framed-xepersian.def</code>	31
16	File <code>boek-xepersian.def</code>	5	34	File <code>glossaries-xepersian.def</code>	32
17	File <code>bookest-xepersian.def</code>	6	35	File <code>hyperref-xepersian.def</code>	32
18	File <code>book-xepersian.def</code>	6	36	File <code>imsproc-xepersian.def</code>	33

*Thanks to the bidi-tex GitHub organization consisted of David Carlisle and other members of the L^AT_EX team to maintain the package in the period 2018–2020.

37	File kashida-xepersian.def	33	52	File refrep-xepersian.def	53
38	File listings-xepersian.def	35	53	File report-xepersian.def	53
39	File loadingorder-xepersian.def	35	54	File scrartcl-xepersian.def	54
40	File localise-xepersian.def	35	55	File scrbook-xepersian.def	55
41	File memoir-xepersian.def	37	56	File scrreprt-xepersian.def	56
42	File latex-localise-messages-xepersian.def	37	57	File soul-xepersian.def	57
43	File minitoc-xepersian.def	37	58	File tkz-linknodes-xepersian.def	57
44	File latex-localise-misc-xepersian.def	38	59	File tocloft-xepersian.def	58
45	File natbib-xepersian.def	45	60	File varioref-xepersian.def	58
46	File packages-localise-xepersian.def	49	61	File xepersian.sty	59
47	File url-xepersian.def	51	62	File xepersian-magazine.cls	88
48	File persian-tex-text.map	52	63	File xepersian-mathdigitspec.sty	104
49	File persian-tex-text-nonnumbers.map	52	64	File xepersian-multiplechoice.sty	110
50	File rapport1-xepersian.def	53	65	File xepersian-persiancal.sty	113
51	File rapport3-xepersian.def	53			

1 File algorithmic-xepersian.def

```

1 \ProvidesFile{algorithmic-xepersian.def}[2010/07/25 v0.2 adaptations for algorithmic package]
2 \def\algorithmicrequire{\if@RTL\textbf{ :}\else\textbf{Require:}\fi}
3 \def\algorithmicensure{\if@RTL\textbf{ :}\else\textbf{Ensure:}\fi}

```

2 File algorithm-xepersian.def

```

4 \ProvidesFile{algorithm-xepersian.def}[2010/07/25 v0.2 adaptations for algorithm package]
5 \def\ALG@name{\if@RTL else\ Algorithm\fi}
6 \def\ALGS@name{ }
7 \def\listalgorithmname{\if@RTL \ALGS@name\else List of \ALG@name s\fi}

```

3 File amsart-xepersian.def

```

8 \ProvidesFile{amsart-xepersian.def}[2017/02/04 v0.4 adaptations for amsart class]
9 \renewcommand \thepart {\@tartibi\c@part}
10 \def\appendix{\par\c@section\z@ \c@subsection\z@
11 \let\sectionname\appendixname
12 \def\thesection{\@harfi\c@section}}
13

```

4 File amsbook-xepersian.def

```

14 \ProvidesFile{amsbook-xepersian.def}[2017/02/04 v0.5 adaptations for amsbook class]
15 \def\frontmatter{\cleardoublepage\pagenumbering{harfi}}

```



```

16 \renewcommand \thepart {\@tartibi\c@part}
17 \def\appendix{\par
18   \c@chapter\z@ \c@section\z@
19   \let\chaptername\appendixname
20   \def\thechapter{\@harfi\c@chapter}}
21
22

```

5 File appendix-xepersian.def

```

23 \ProvidesFile{appendix-xepersian.def}[2015/02/01 v0.1 adaptations for appendix package]
24 \renewcommand{\@resets@pp}{\par
25   \@ppsavesec
26   \stepcounter{@pps}
27   \setcounter{section}{0}%
28   \if@chapter@pp
29     \setcounter{chapter}{0}%
30     \renewcommand\@chapapp{\appendixname}%
31     \renewcommand\thechapter{\@harfi\c@chapter}%
32   \else
33     \setcounter{subsection}{0}%
34     \renewcommand\thesection{\@harfi\c@section}%
35   \fi
36   \restoreapp
37 }

```

6 File article-xepersian.def

```

38 \ProvidesFile{article-xepersian.def}[2010/07/25 v0.2 adaptations for standard article class]
39 \renewcommand \thepart {\@tartibi\c@part}
40 \renewcommand\appendix{\par
41   \setcounter{section}{0}%
42   \setcounter{subsection}{0}%
43   \gdef\thesection{\@harfi\c@section}}

```

7 File artikel1-xepersian.def

```

44 \ProvidesFile{artikel1-xepersian.def}[2010/07/25 v0.1 adaptations for artikel1 class]
45 \renewcommand*\thepart{\@tartibi\c@part}
46 \renewcommand*\appendix{\par
47   \setcounter{section}{0}%
48   \setcounter{subsection}{0}%
49   \gdef\thesection{\@harfi\c@section}}

```

8 File artikel2-xepersian.def

```

50 \ProvidesFile{artikel2-xepersian.def}[2010/07/25 v0.1 adaptations for artikel2 class]
51 \renewcommand*\thepart{\@tartibi\c@part}
52 \renewcommand*\appendix{\par
53   \setcounter{section}{0}%
54   \setcounter{subsection}{0}%
55   \gdef\thesection{\@harfi\c@section}}

```

9 File artikel3-xepersian.def



```

56 \ProvidesFile{artikel3-xepersian.def}[2010/07/25 v0.1 adaptations for artikel3 class]
57 \renewcommand*\thepart{\@tartibi\c@part}
58 \renewcommand*\appendix{\par
59   \setcounter{section}{0}%
60   \setcounter{subsection}{0}%
61   \gdef\thesection{\@harfi\c@section}}

```

10 File backref-xepersian.def

```

62 \ProvidesFile{backref-xepersian.def}[2010/07/25 v0.1 adaptations for backref package]
63 \def\backrefpagesname{\if@RTL else\ pages\fi}
64 \def\BR@Latincitex[#1]#2{%
65   \BRorg@Latincitex[#{#1}]#{#2}%
66   \ifBR@verbose
67     \PackageInfo{backref}{back Latin cite \string`#2\string'}%
68   \fi
69   \Hy@backout{#2}%
70 }
71 \AtBeginDocument{%
72   \@ifundefined{NAT@parse}{%
73     \global\let\BRorg@Latincitex\@Latincitex
74     \global\let\@Latincitex\BR@Latincitex
75   }{%
76     \@ifpackageloaded{hyperref}{%
77       \def\hyper@natlinkstart#1{\Hy@backout{#1}}%
78     }%
79     \PackageInfo{backref}{** backref set up for natbib **}%
80   }%
81 }%

```

11 File beamer-xepersian.def

```

82 \ProvidesFile{beamer-xepersian.def}[2022/06/27 v0.2 xepersian changes to beamer class]
83 \usefonttheme[stillsansserifmath]{serif}
84
85 \renewcommand*\{bidi@beamer@today}{%
86 \the\persianyear-\ifnum\persianmonth<10\relax0\fi\the\persianmonth-\ifnum\persianday<10\relax0\fi}
87
88

```

12 File beamerbasetranslator-xepersian.def

```

89 \ProvidesFile{beamerbasetranslator-xepersian.def}[2022/06/27 v0.3 xepersian changes to beamer class]
90 \newcommand*\{ProvidePersianTranslation}[2]{%
91   \providetranslation{#1}{\ifRtoL{#2}{#1}}%
92 }
93
94 \ProvidePersianTranslation{Corollary}{ }
95 \ProvidePersianTranslation{Definition}{ }
96 \ProvidePersianTranslation{Definitions}{ }
97 \ProvidePersianTranslation{Example}{ }
98 \ProvidePersianTranslation{Examples}{ }
99 \ProvidePersianTranslation{Fact}{ }
100 \ProvidePersianTranslation{From?}{ }

```



```

101 \ProvidePersianTranslation{Lemma}{ }
102 \ProvidePersianTranslation{Problem}{ }
103 \ProvidePersianTranslation{Section}{ }
104 \ProvidePersianTranslation{Solution}{ }
105 \ProvidePersianTranslation{Subsection}{ }
106 \ProvidePersianTranslation{Theorem}{ }
107 \ProvidePersianTranslation{When?}{ }
108 \ProvidePersianTranslation{Who?}{ }
109
110

```

13 File bidityftesidenote-xepersian.def

```

111 \ProvidesFile{bidityftesidenote-xepersian.def}[2017/02/04 v0.3 xepersian changes to bidityftesidenote]
112
113 \setLTRcitationfont{\resetlatinfont\footnotesize}
114
115 \renewcommand*{\@bidityftesidenote@LTRmarginfont}{\resetlatinfont\footnotesize}
116
117 \renewcommand*{\@bidityftesidenote@RTLmarginfont}{\setpersianfont\footnotesize}
118
119

```

14 File bidimoderncv-xepersian.def

```

120 \ProvidesFile{bidimoderncv-xepersian.def}[2010/07/25 v0.1 adaptations for bidimoderncv class]
121 \def\refname{\if@RTL else\ Publications\fi}

```

15 File boek3-xepersian.def

```

122 \ProvidesFile{boek3-xepersian.def}[2010/07/25 v0.1 adaptations for boek3 class]
123 \renewcommand*\thepart{\@tartibi@c@part}
124 \renewcommand*\frontmatter{%
125 \cleardoublepage
126 \@mainmatterfalse
127 \pagenumbering{harfi}}
128 \renewcommand*\appendix{\par
129 \setcounter{chapter}{0}%
130 \setcounter{section}{0}%
131 \gdef\@chapapp{\appendixname}%
132 \gdef\thechapter{\@harfi@c@chapter}}

```

16 File boek-xepersian.def

```

133 \ProvidesFile{boek-xepersian.def}[2010/07/25 v0.1 adaptations for boek class]
134 \renewcommand*\thepart{\@tartibi@c@part}
135 \renewcommand*\frontmatter{%
136 \cleardoublepage
137 \@mainmatterfalse
138 \pagenumbering{harfi}}
139 \renewcommand*\appendix{\par
140 \setcounter{chapter}{0}%
141 \setcounter{section}{0}%
142 \gdef\@chapapp{\appendixname}%

```



```
143 \gdef\thechapter{\@harfi\c@chapter}}
```

17 File bookest-xepersian.def

```
144 \ProvidesFile{bookest-xepersian.def}[2010/07/25 v0.1 adaptations for bookest class]
145 \renewcommand \thepart {\@tartibi\c@part}
146 \renewcommand\appendix{\par
147 \setcounter{chapter}{0}%
148 \setcounter{section}{0}%
149 \gdef\@chapapp{\appendixname}%
150 \gdef\thechapter{\@harfi\c@chapter}
151 }%end appendix
```

18 File book-xepersian.def

```
152 \ProvidesFile{book-xepersian.def}[2010/07/25 v0.2 adaptations for standard book class]
153 \renewcommand\frontmatter{%
154 \cleardoublepage
155 \@mainmatterfalse
156 \pagenumbering{harfi}}
157 \renewcommand \thepart {\@tartibi\c@part}
158 \renewcommand\appendix{\par
159 \setcounter{chapter}{0}%
160 \setcounter{section}{0}%
161 \gdef\@chapapp{\appendixname}%
162 \gdef\thechapter{\@harfi\c@chapter}
163 }%end appendix
```

19 File breqn-xepersian.def

```
164 \ProvidesFile{breqn-xepersian.def}[2010/07/25 v0.1 adaptations for breqn package]
165 \def\@dmath[#1]{\ifRTL\RTLfalse\addfontfeatures{Mapping=farsidigits}\fi%
166 \everydisplay\expandafter{\the\everydisplay \display@setup}%
167 \if@noskipsec \leavevmode \fi
168 \if@inlabel \leavevmode \global\@inlabelfalse \fi
169 \if\eq@group\else\eq@prelim\fi
170 \setkeys{breqn}{#1}%
171 \the\eqstyle
172 \eq@setnumber
173 \begingroup
174 \eq@setup@a
175 \eq@startup
176 }
177 \def\@dgroup[#1]{\ifRTL\RTLfalse\addfontfeatures{Mapping=farsidigits}\fi%
178 \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
179 \global\GRP@queue\@emptytoks \global\setbox\GRP@box\box\voidb@x
180 \global\let\GRP@label\@empty
181 \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
182 \global\grp@linewidth\z@\global\grp@wdNum\z@
183 \global\let\grp@eqs@numbered\@False
184 \global\let\grp@aligned\@True
185 \global\let\grp@shiftnumber\@False
186 \eq@prelim
187 \setkeys{breqn}{#1}%
```



```

188 \if\grp@hasNumber \grp@setnumber \fi
189 }
190 \def@dseries[#1]{\if@RTL\@RTLfalse\addfontfeatures{Mapping=farsidigits}\fi%
191 \let\display@setup\dseries@display@setup
192 % Question: should this be the default for dseries???
193 \global\eq@wdCond\z@
194 \@dmath[layout={M},#1]%
195 \mathsurround\z@\@math \penalty\@Mi
196 \let\endmath\ends@math
197 \def\premath{%
198 \ifdim\lastskip<.3em \unskip
199 \else\ifnum\lastpenalty<\@M \dquad\fi\fi
200 }%
201 \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \@ignoretrue}%
202 \ignorespaces
203 }

```

20 File latex-localise-commands-xepersian.def

```

204 \ProvidesFile{latex-localise-commands-xepersian.def}[2014/02/05 v0.3 Persian localisation of
205 \eqcommand{ }{@arstrut}
206 \eqcommand{ }{above}
207 \eqcommand{ }{abovedisplayshortskip}
208 \eqcommand{ }{abovedisplayshortskip}
209 \eqcommand{ }{abstractname}
210 \eqcommand{ }{accent}
211 \eqcommand{ }{active}
212 \eqcommand{ }{addcontentsline}
213 \eqcommand{ }{addpenalty}
214 \eqcommand{ }{address}
215 \eqcommand{ }{addtocontents}
216 \eqcommand{ }{addtocounter}
217 \eqcommand{ }{addtolength}
218 \eqcommand{ }{addvspace}
219 \eqcommand{ }{adjdemerits}
220 \eqcommand{ }{advance}
221 \eqcommand{ }{afterassignment}
222 \eqcommand{ }{aftergroup}
223 \eqcommand{ }{aleph}
224 \eqcommand{ }{aliasfontfeature}
225 \eqcommand{ }{aliasfontfeatureoption}
226 \eqcommand{ }{allowbreak}
227 \eqcommand{ @}{alloc@}
228 \eqcommand{ }{allocationnumber}
229 \eqcommand{ }{allowdisplaybreaks}
230 \eqcommand{ }{Alpha}
231 \eqcommand{ }{alpha}
232 \eqcommand{ }{alsiname}
233 \eqcommand{ }{and}
234 \eqcommand{ }{angle}
235 \eqcommand{ }{appendixname}
236 \eqcommand{ }{approx}
237 \eqcommand{ }{arabic}
238 \eqcommand{ }{arg}

```




```

239 \eqcommand{ }{arrayrulecolor}
240 \eqcommand{ }{arraycolsep}
241 \eqcommand{ }{arrayrulewidth}
242 \eqcommand{ }{arraystretch}
243 \eqcommand{ }{AtBeginDocument}
244 \eqcommand{ }{AtEndDocument}
245 \eqcommand{ }{AtEndOfClass}
246 \eqcommand{ }{AtEndOfPackage}
247 \eqcommand{ }{author}
248 \eqcommand{ }{backmatter}
249 \eqcommand{ }{backslash}
250 \eqcommand{ }{badness}
251 \eqcommand{ }{bar}
252 \eqcommand{ }{baselineskip}
253 \eqcommand{ }{baselinestretch}
254 \eqcommand{ }{batchmode}
255 \eqcommand{ }{begin}
256 \eqcommand{ }{beginL}
257 \eqcommand{ }{beginR}
258 \eqcommand{ }{begingroup}
259 \eqcommand{ }{belowdisplayshortskip}
260 \eqcommand{ }{belowdisplayskip}
261 \eqcommand{ }{bf}
262 \eqcommand{ }{bfdefault}
263 \eqcommand{ }{bfseries}
264 \eqcommand{ }{bgroup}
265 \eqcommand{ }{bibitem}
266 \eqcommand{ }{bibliography}
267 \eqcommand{ }{bibliographystyle}
268 \eqcommand{ }{bibname}
269 \eqcommand{ }{bigskip}
270 \eqcommand{ }{bigskipamount}
271 \eqcommand{ }{botfigrule}
272 \eqcommand{ }{botmark}
273 \eqcommand{ }{bottompageskip}
274 \eqcommand{ }{bottomfraction}
275 \eqcommand{ }{box}
276 \eqcommand{ }{boxmaxdepth}
277 \eqcommand{ }{break}
278 \eqcommand{ }{bullet}
279 \eqcommand{ @ }{@cclv}
280 \eqcommand{ @ }{@cclvi}
281 \eqcommand{ }{caption}
282 \eqcommand{ }{catcode}
283 \eqcommand{ }{cc}
284 \eqcommand{ }{ccname}
285 \eqcommand{ }{cdot}
286 \eqcommand{ }{cdots}
287 \eqcommand{ }{centering}
288 \eqcommand{ }{centerline}
289 \eqcommand{ @ }{ch@ck}
290 \eqcommand{ }{chapter}
291 \eqcommand{ }{chaptername}
292 \eqcommand{ }{char}

```



```

293 \eqcommand{      }{chardef}
294 \eqcommand{      }{CheckCommand}
295 \eqcommand{ }{cite}
296 \eqcommand{      }{ClassError}
297 \eqcommand{      }{ClassInfo}
298 \eqcommand{      }{ClassWarning}
299 \eqcommand{      }{ClassWarningNoLine}
300 \eqcommand{      }{cleaders}
301 \eqcommand{      }{cleardoublepage}
302 \eqcommand{      }{clearpage}
303 \eqcommand{      }{cline}
304 \eqcommand{      }{closein}
305 \eqcommand{      }{closeout}
306 \eqcommand{ }{closing}
307 \eqcommand{      }{clubpenalty}
308 \eqcommand{ }{clubsuit}
309 \eqcommand{      }{colbotmark}
310 \eqcommand{      }{colfirstmark}
311 \eqcommand{ }{color}
312 \eqcommand{      }{colorbox}
313 \eqcommand{      }{coltopmark}
314 \eqcommand{      }{columncolor}
315 \eqcommand{      }{columnsep}
316 \eqcommand{      }{columnwidth}
317 \eqcommand{      }{columnseprule}
318 \eqcommand{      }{contentsline}
319 \eqcommand{      }{contentsname}
320 \eqcommand{ }{copy}
321 \eqcommand{      }{copyright}
322 \eqcommand{      }{count}
323 \eqcommand{      @}{count@}
324 \eqcommand{      }{countdef}
325 \eqcommand{ }{cr}
326 \eqcommand{      }{crr}
327 \eqcommand{      }{csname}
328 \eqcommand{      }{CurrentOption}
329 \eqcommand{      }{dashbox}
330 \eqcommand{      }{dashv}
331 \eqcommand{@}{@date}
332 \eqcommand{      }{date}
333 \eqcommand{ }{day}
334 \eqcommand{      }{dblbotfigrule}
335 \eqcommand{      }{dblbottomfraction}
336 \eqcommand{      }{dblfigrule}
337 \eqcommand{      }{dblfloatpagefraction}
338 \eqcommand{      }{dblfloatsep}
339 \eqcommand{      }{dblftlocatcode}
340 \eqcommand{      }{dbltextfloatsep}
341 \eqcommand{      }{dbltopfraction}
342 \eqcommand{      }{DeclareFixedFont}
343 \eqcommand{      }{DeclareGraphicsExtensions}
344 \eqcommand{      }{DeclareGraphicsRule}
345 \eqcommand{      }{DeclareOldFontCommand}
346 \eqcommand{      }{DeclareOption}

```



```

347 \eqcommand{      }{DeclareRobustCommand}
348 \eqcommand{      }{DeclareSymbolFont}
349 \eqcommand{      }{deadcycles}
350 \eqcommand{ }{def}
351 \eqcommand{ @  }{define@key}
352 \eqcommand{      }{definecolor}
353 \eqcommand{      }{deg}
354 \eqcommand{      }{delcode}
355 \eqcommand{      }{delimiter}
356 \eqcommand{      }{delimiterfactor}
357 \eqcommand{      }{depth}
358 \eqcommand{      }{diamondsuit}
359 \eqcommand{      }{dim}
360 \eqcommand{      }{dimen}
361 \eqcommand{ @} {dimen@}
362 \eqcommand{ @  }{dimen@i}
363 \eqcommand{ @  }{dimen@ii}
364 \eqcommand{      }{dimendef}
365 \eqcommand{      }{discretionary}
366 \eqcommand{      }{displaybreak}
367 \eqcommand{      }{displayindent}
368 \eqcommand{      }{displaystyle}
369 \eqcommand{      }{displaywidth}
370 \eqcommand{      }{divide}
371 \eqcommand{      }{documentclass}
372 \eqcommand{ }{do}
373 \eqcommand{      }{dospecials}
374 \eqcommand{      }{dot}
375 \eqcommand{      }{doteq}
376 \eqcommand{      }{dotfill}
377 \eqcommand{      }{dots}
378 \eqcommand{      }{doublebox}
379 \eqcommand{      }{doublerulesepcolor}
380 \eqcommand{      }{doublerulesep}
381 \eqcommand{      }{downarrow}
382 \eqcommand{ }{dp}
383 \eqcommand{      }{dump}
384 \eqcommand{ }{edef}
385 \eqcommand{      }{egroup}
386 \eqcommand{      }{eject}
387 \eqcommand{      }{else}
388 \eqcommand{      }{em}
389 \eqcommand{      }{emergencystretch}
390 \eqcommand{      }{emph}
391 \eqcommand{@  }{@empty}
392 \eqcommand{ }{empty}
393 \eqcommand{      }{emptyset}
394 \eqcommand{      }{end}
395 \eqcommand{      }{endL}
396 \eqcommand{      }{endR}
397 \eqcommand{      }{endcsname}
398 \eqcommand{      }{endfirsthead}
399 \eqcommand{      }{endfoot}
400 \eqcommand{      }{endgraf}

```



```

401 \eqcommand{ }{endgroup}
402 \eqcommand{ }{endhead}
403 \eqcommand{ }{endinput}
404 \eqcommand{ }{endlastfoot}
405 \eqcommand{ }{enlargethispage}
406 \eqcommand{ }{endline}
407 \eqcommand{ }{endlinechar}
408 \eqcommand{ }{enspace}
409 \eqcommand{ }{enskip}
410 \eqcommand{ }{eqcommand}
411 \eqcommand{ }{eqenvironment}
412 \eqcommand{ }{eqref}
413 \eqcommand{ }{errhelp}
414 \eqcommand{ }{errmessage}
415 \eqcommand{ }{errorcontextlines}
416 \eqcommand{ }{errorstopmode}
417 \eqcommand{ }{escapechar}
418 \eqcommand{ }{euro}
419 \eqcommand{ }{evensidemargin}
420 \eqcommand{ }{everycr}
421 \eqcommand{ }{everydisplay}
422 \eqcommand{ }{everyhbox}
423 \eqcommand{ }{everyjob}
424 \eqcommand{ }{everymath}
425 \eqcommand{ }{everypar}
426 \eqcommand{ }{everyvbox}
427 \eqcommand{ }{ExecuteOptions}
428 \eqcommand{ }{exhyphenpenalty}
429 \eqcommand{ }{expandafter}
430 \eqcommand{ }{extracolsep}
431 \eqcommand{@ }{@firstofone}
432 \eqcommand{@ }{@firstoftwo}
433 \eqcommand{ @ }{@ur}
434 \eqcommand{ }{fam}
435 \eqcommand{ }{fancy page}
436 \eqcommand{ }{fbox}
437 \eqcommand{ }{fboxrule}
438 \eqcommand{ }{fboxsep}
439 \eqcommand{ }{fcolorbox}
440 \eqcommand{ }{fi}
441 \eqcommand{ }{figurename}
442 \eqcommand{ }{filbreak}
443 \eqcommand{ }{fill}
444 \eqcommand{ }{firstmark}
445 \eqcommand{ }{flat}
446 \eqcommand{ }{floatpagefraction}
447 \eqcommand{ }{floatingpenalty}
448 \eqcommand{ }{floatsep}
449 \eqcommand{ }{flushbottom}
450 \eqcommand{ }{fmtname}
451 \eqcommand{ }{fmtversion}
452 \eqcommand{ }{fnsymbol}
453 \eqcommand{ }{font}
454 \eqcommand{ }{fontdimen}

```



```

455 \eqcommand{    }{fontencoding}
456 \eqcommand{    }{fontfamily}
457 \eqcommand{    }{fontname}
458 \eqcommand{    }{fontseries}
459 \eqcommand{    }{fontshape}
460 \eqcommand{    }{fontsize}
461 \eqcommand{    }{footheight}
462 \eqcommand{    }{footins}
463 \eqcommand{    }{footnote}
464 \eqcommand{    }{footnotemark}
465 \eqcommand{    }{footnoterule}
466 \eqcommand{    }{footnotesep}
467 \eqcommand{    }{footnotesize}
468 \eqcommand{    }{footnotetext}
469 \eqcommand{    }{footskip}
470 \eqcommand{ }{frame}
471 \eqcommand{    }{framebox}
472 \eqcommand{    }{frenchspacing}
473 \eqcommand{    }{frontmatter}
474 \eqcommand{    }{futurelet}
475 \eqcommand{@    }{@gobble}
476 \eqcommand{@    }{@gobbletwo}
477 \eqcommand{@    }{@gobblefour}
478 \eqcommand{@    }{@gtempa}
479 \eqcommand{@    }{@gtempb}
480 \eqcommand{ }{gdef}
481 \eqcommand{    }{GenericInfo}
482 \eqcommand{    }{GenericWarning}
483 \eqcommand{    }{GenericError}
484 \eqcommand{ }{global}
485 \eqcommand{    }{globaldefs}
486 \eqcommand{    }{glossary}
487 \eqcommand{    }{glossaryentry}
488 \eqcommand{    }{goodbreak}
489 \eqcommand{    }{graphpaper}
490 \eqcommand{    }{guillemotleft}
491 \eqcommand{    }{guillemotright}
492 \eqcommand{    }{guilsinglleft}
493 \eqcommand{    }{guilsinglright}
494 \eqcommand{ }{halign}
495 \eqcommand{ }{hang}
496 \eqcommand{    }{hangafter}
497 \eqcommand{    }{hangindent}
498 \eqcommand{    }{hbadness}
499 \eqcommand{ }{hbox}
500 \eqcommand{    }{headheight}
501 \eqcommand{    }{headsep}
502 \eqcommand{    }{headtoname}
503 \eqcommand{ }{heartsuit}
504 \eqcommand{ }{height}
505 \eqcommand{ }{hfil}
506 \eqcommand{ }{hfill}
507 \eqcommand{    }{hfilneg}
508 \eqcommand{    }{hfuzz}

```



```

509 \eqcommand{    }{hideskip}
510 \eqcommand{    }{hidewidth}
511 \bidi@csletcs{ }{hline}% this is an exception
512 \eqcommand{    }{hoffset}
513 \eqcommand{    }{holdinginserts}
514 \eqcommand{    }{hrboxsep}
515 \eqcommand{ }{hrule}
516 \eqcommand{ }{hrulefill}
517 \eqcommand{ }{hsize}
518 \eqcommand{ }{hskip}
519 \eqcommand{ }{hspace}
520 \eqcommand{ }{hss}
521 \eqcommand{ }{ht}
522 \eqcommand{ }{huge}
523 \eqcommand{ }{Huge}
524 \eqcommand{    }{hyperlink}
525 \eqcommand{    }{hypersetup}
526 \eqcommand{ }{hypertarget}
527 \eqcommand{    }{hyphenation}
528 \eqcommand{    }{hyphenchar}
529 \eqcommand{    }{hyphenpenalty}
530 \eqcommand{@    }{@ifclassloaded}
531 \eqcommand{@    }{@ifdefinable}
532 \eqcommand{@    }{@ifnextchar}
533 \eqcommand{@    }{@ifpackageloaded}
534 \eqcommand{@    }{@ifstar}
535 \eqcommand{@    }{@ifundefined}
536 \eqcommand{ }{if}
537 \eqcommand{ @ }{if@tempw}
538 \eqcommand{ }{ifcase}
539 \eqcommand{ }{ifcat}
540 \eqcommand{ }{ifdefined}
541 \eqcommand{ }{ifdim}
542 \eqcommand{ }{ifeof}
543 \eqcommand{ }{iff}
544 \eqcommand{    }{iffalse}
545 \eqcommand{    }{IfFileExists}
546 \eqcommand{ }{ifhbox}
547 \eqcommand{ }{ifhmode}
548 \eqcommand{ }{ifinner}
549 \eqcommand{    }{ifmmode}
550 \eqcommand{ }{ifnum}
551 \eqcommand{ }{ifodd}
552 \eqcommand{    }{ifthenelse}
553 \eqcommand{ }{iftrue}
554 \eqcommand{ }{ifvbox}
555 \eqcommand{ }{ifvmode}
556 \eqcommand{ }{ifvoid}
557 \eqcommand{ }{ifx}
558 \eqcommand{    }{ignorespaces}
559 \eqcommand{ }{immediate}
560 \eqcommand{ }{include}
561 \eqcommand{    }{includegraphics}
562 \eqcommand{    }{includeonly}

```



```

563 \eqcommand{ }{indent}
564 \eqcommand{ }{index}
565 \eqcommand{ }{indexentry}
566 \eqcommand{ }{indexname}
567 \eqcommand{ }{indexspace}
568 \eqcommand{ }{input}
569 \eqcommand{ }{InputIfFileExists}
570 \eqcommand{ }{inputlineno}
571 \eqcommand{ }{insert}
572 \eqcommand{ }{insertpenalties}
573 \eqcommand{ }{interfootnotelinepenalty}
574 \eqcommand{ }{interdisplaylinepenalty}
575 \eqcommand{ }{interlinepenalty}
576 \eqcommand{ }{intertext}
577 \eqcommand{ }{intertextsep}
578 \eqcommand{ }{invisible}
579 \eqcommand{ }{itdefault}
580 \eqcommand{ }{itshape}
581 \eqcommand{ }{item}
582 \eqcommand{ }{itemindent}
583 \eqcommand{ }{itemsep}
584 \eqcommand{ }{iterate}
585 \eqcommand{ }{itshape}
586 \eqcommand{ }{jobname}
587 \eqcommand{ }{jot}
588 \eqcommand{ }{kern}
589 \eqcommand{ }{kill}
590 \eqcommand{ }{label}
591 \eqcommand{ }{labelenumi}
592 \eqcommand{ }{labelenumii}
593 \eqcommand{ }{labelenumiii}
594 \eqcommand{ }{labelenumiv}
595 \eqcommand{ }{labelitemi}
596 \eqcommand{ }{labelitemii}
597 \eqcommand{ }{labelitemiii}
598 \eqcommand{ }{labelitemiv}
599 \eqcommand{ }{labelsep}
600 \eqcommand{ }{labelwidth}
601 \eqcommand{ }{language}
602 \eqcommand{ }{large}
603 \eqcommand{ }{Large}
604 \eqcommand{ }{LARGE}
605 \eqcommand{ }{lastbox}
606 \eqcommand{ }{lastkern}
607 \eqcommand{ }{lastpenalty}
608 \eqcommand{ }{lastskip}
609 \eqcommand{ }{LaTeX}
610 \eqcommand{ }{LaTeXe}
611 \eqcommand{ }{lccode}
612 \eqcommand{ }{ldots}
613 \eqcommand{ }{leaders}
614 \eqcommand{ }{leavevmode}
615 \eqcommand{ }{left}
616 \eqcommand{ }{leftmargin}

```



```

617 \eqcommand{ }{leftmargini}
618 \eqcommand{ }{leftmarginii}
619 \eqcommand{ }{leftmarginiii}
620 \eqcommand{ }{leftmarginiv}
621 \eqcommand{ }{leftmarginv}
622 \eqcommand{ }{leftmarginvi}
623 \eqcommand{ }{leftmark}
624 \eqcommand{ }{leftpageskip}
625 \eqcommand{ }{leftskip}
626 \eqcommand{ }{let}
627 \eqcommand{ }{line}
628 \eqcommand{ }{linebreak}
629 \eqcommand{ }{linepenalty}
630 \eqcommand{ }{lineskip}
631 \eqcommand{ }{lineskiplimit}
632 \eqcommand{ }{linespread}
633 \eqcommand{ }{linethickness}
634 \eqcommand{ }{linewidth}
635 \eqcommand{ }{listfigurename}
636 \eqcommand{ }{listfiles}
637 \eqcommand{ }{listoffigures}
638 \eqcommand{ }{listoftables}
639 \eqcommand{ }{listparindent}
640 \eqcommand{ }{listtablename}
641 \eqcommand{ }{LoadClass}
642 \eqcommand{ }{LoadClassWithOptions}
643 \eqcommand{ }{location}
644 \eqcommand{ }{long}
645 \eqcommand{ }{looseness}
646 \eqcommand{ }{lower}
647 \eqcommand{@ }{@makeother}
648 \eqcommand{@ }{@m}
649 \eqcommand{ @ }{@M}
650 \eqcommand{ @ }{@Mi}
651 \eqcommand{ @ }{@Mii}
652 \eqcommand{ @ }{@Miii}
653 \eqcommand{ @ }{@Miv}
654 \eqcommand{ @ }{@MM}
655 \eqcommand{ @ }{@m@ne}
656 \eqcommand{ }{mag}
657 \eqcommand{ }{magstep}
658 \eqcommand{ }{magstephalf}
659 \eqcommand{ }{mainmatter}
660 \eqcommand{ }{makeatletter}
661 \eqcommand{ }{makeatother}
662 \eqcommand{ }{makebox}
663 \eqcommand{ }{makeglossary}
664 \eqcommand{ }{makeindex}
665 \eqcommand{ }{makelabel}
666 \eqcommand{ }{makelabels}
667 \eqcommand{ }{MakeLowercase}
668 \eqcommand{ }{maketitle}
669 \eqcommand{ }{MakeUppercase}
670 \eqcommand{ }{marginpar}

```




```

671 \eqcommand{      }{\marginparpush}
672 \eqcommand{      }{\marginparsep}
673 \eqcommand{      }{\marginparwidth}
674 \eqcommand{ }{\mark}
675 \eqcommand{      }{\markboth}
676 \eqcommand{      }{\markright}
677 \eqcommand{      }{\mathaccent}
678 \eqcommand{      }{\mathchar}
679 \eqcommand{      }{\mathchardef}
680 \eqcommand{      }{\mathcode}
681 \eqcommand{      }{\mathrm}
682 \eqcommand{      }{\maxdeadcycles}
683 \eqcommand{      }{\maxdepth}
684 \eqcommand{      }{\maxdimen}
685 \eqcommand{ }{\mbox}
686 \eqcommand{      }{\mdseries}
687 \eqcommand{ }{\meaning}
688 \eqcommand{ }{\mediumseries}
689 \eqcommand{      }{\medmuskip}
690 \eqcommand{      }{\medskip}
691 \eqcommand{      }{\medskipamount}
692 \eqcommand{      }{\medspace}
693 \eqcommand{ }{\message}
694 \eqcommand{      }{\MessageBreak}
695 \eqcommand{      }{\minrowclearance}
696 \eqcommand{      }{\mkern}
697 \eqcommand{ }{\month}
698 \eqcommand{      }{\moveleft}
699 \eqcommand{      }{\moveright}
700 \eqcommand{      }{\mskip}
701 \eqcommand{ @ }{\m@th}
702 \eqcommand{      }{\multicolumn}
703 \eqcommand{ }{\multiply}
704 \eqcommand{      }{\multispan}
705 \eqcommand{      }{\muskip}
706 \eqcommand{      }{\muskipdef}
707 \eqcommand{@ }{@namedef}
708 \eqcommand{@ }{@nameuse}
709 \eqcommand{ @ }{@one}
710 \eqcommand{ }{\name}
711 \eqcommand{      }{\natural}
712 \eqcommand{      }{\nearrow}
713 \eqcommand{      }{\nearrower}
714 \eqcommand{      }{\NeedsTeXFormat}
715 \eqcommand{ }{\neg}
716 \eqcommand{      }{\negmedspace}
717 \eqcommand{      }{\negthickspace}
718 \eqcommand{      }{\negthinspace}
719 \eqcommand{ }{\newboolean}
720 \eqcommand{      }{\newbox}
721 \eqcommand{      }{\newcommand}
722 \eqcommand{      }{\newcount}
723 \eqcommand{      }{\newcounter}
724 \eqcommand{      }{\newdimen}

```



```

725 \eqcommand{ }{newenvironment}
726 \eqcommand{ }{newfam}
727 \eqcommand{ }{newfont}
728 \eqcommand{ }{newhelp}
729 \eqcommand{ }{newinsert}
730 \eqcommand{ }{newlabel}
731 \eqcommand{ }{newlength}
732 \eqcommand{ }{newline}
733 \eqcommand{ }{newlinechar}
734 \eqcommand{ }{newmuskip}
735 \eqcommand{ }{newpage}
736 \eqcommand{ }{newread}
737 \eqcommand{ }{newsavebox}
738 \eqcommand{ }{newskip}
739 \eqcommand{ }{newtheorem}
740 \eqcommand{ }{newtoks}
741 \eqcommand{ }{newwrite}
742 \eqcommand{ }{noalign}
743 \eqcommand{ }{nobreak}
744 \eqcommand{ }{nobreakspace}
745 \eqcommand{ }{nocite}
746 \eqcommand{ }{noexpand}
747 \eqcommand{ }{nofiles}
748 \eqcommand{ }{noindent}
749 \eqcommand{ }{nointerlineskip}
750 \eqcommand{ }{nolimits}
751 \eqcommand{ }{nolinebreak}
752 \eqcommand{ }{nonstopmode}
753 \eqcommand{ }{nonfrenchspacing}
754 \eqcommand{ }{nonumber}
755 \eqcommand{ }{nopagebreak}
756 \eqcommand{ }{normalbaselines}
757 \eqcommand{ }{normalbaselineskip}
758 \eqcommand{ }{normalcolor}
759 \eqcommand{ }{normalfont}
760 \eqcommand{ }{normallineskip}
761 \eqcommand{ }{normallineskiplimit}
762 \eqcommand{ }{normalmarginpar}
763 \eqcommand{ }{normalsize}
764 \eqcommand{ }{notag}
765 \eqcommand{ }{null}
766 \eqcommand{ }{nullfont}
767 \eqcommand{ }{number}
768 \eqcommand{ }{numberline}
769 \eqcommand{ }{numberwithin}
770 \eqcommand{ }{@evenfoot}
771 \eqcommand{ }{@evenhead}
772 \eqcommand{ }{@oddfoot}
773 \eqcommand{ }{@oddhead}
774 \eqcommand{ }{@outeqtrue}
775 \eqcommand{ }{@outeqfalse}
776 \eqcommand{ }{obeylines}
777 \eqcommand{ }{obeyspaces}
778 \eqcommand{ }{oddsidemargin}

```



```

779 \eqcommand{ }{offinterlineskip}
780 \eqcommand{ }{omit}
781 \eqcommand{@ }{@onlypreamble}
782 \eqcommand{ }{onecolumn}
783 \eqcommand{ }{onlynotes}
784 \eqcommand{ }{onlyslides}
785 \eqcommand{ }{openin}
786 \eqcommand{ }{openout}
787 \eqcommand{ }{OptionNotUsed}
788 \eqcommand{ }{or}
789 \eqcommand{ }{outer}
790 \eqcommand{ }{output}
791 \eqcommand{ }{outputpenalty}
792 \eqcommand{ }{overfullrule}
793 \eqcommand{@ }{@preamblecmds}
794 \eqcommand{@ }{p@}
795 \eqcommand{ }{PackageError}
796 \eqcommand{ }{PackageInfo}
797 \eqcommand{ }{PackageWarning}
798 \eqcommand{ }{PackageWarningNoLine}
799 \eqcommand{ }{pagebreak}
800 \eqcommand{ }{pagecolor}
801 \eqcommand{ }{pagedepth}
802 \eqcommand{ }{pagefilllstretch}
803 \eqcommand{ }{pagefillstretch}
804 \eqcommand{ }{pagefilstretch}
805 \eqcommand{ }{pagegoal}
806 \eqcommand{ }{pagename}
807 \eqcommand{ }{pagenumbering}
808 \eqcommand{ }{pageref}
809 \eqcommand{ }{pagerulewidth}
810 \eqcommand{ }{pageshrink}
811 \eqcommand{ }{pagestretch}
812 \eqcommand{ }{pagestyle}
813 \eqcommand{ }{pagetotal}
814 \eqcommand{ }{paperheight}
815 \eqcommand{ }{paperwidth}
816 \bidi@csdefcs{ }{par}% this is an exception since \par is redefined only in some circumstances
817 \eqcommand{ }{paragraph}
818 \eqcommand{ }{parallel}
819 \eqcommand{ }{parbox}
820 \eqcommand{ }{parfillskip}
821 \eqcommand{ }{parindent}
822 \eqcommand{ }{parsep}
823 \eqcommand{ }{parshape}
824 \eqcommand{ }{parskip}
825 \eqcommand{ }{part}
826 \eqcommand{ }{partname}
827 \eqcommand{ }{partopsep}
828 \eqcommand{ }{PassOptionToClass}
829 \eqcommand{ }{PassOptionToPackage}
830 \eqcommand{ }{path}
831 \eqcommand{ }{patterns}
832 \eqcommand{ }{pausing}

```



```

833 \eqcommand{ }{penalty}
834 \eqcommand{ }{phantom}
835 \eqcommand{ }{poptabs}
836 \eqcommand{ }{postdisplaypenalty}
837 \eqcommand{ }{predisplaydirection}
838 \eqcommand{ }{predisplaypenalty}
839 \eqcommand{ }{predisplaysize}
840 \eqcommand{ }{pretolerance}
841 \eqcommand{ }{prevdepth}
842 \eqcommand{ }{prevgraf}
843 \eqcommand{ }{printindex}
844 \eqcommand{ }{ProcessOptions}
845 \eqcommand{ }{protect}
846 \eqcommand{ }{providecommand}
847 \eqcommand{ }{ProvidesClass}
848 \eqcommand{ }{ProvidesFile}
849 \eqcommand{ }{ProvidesPackage}
850 \eqcommand{ }{pushtabs}
851 \eqcommand{ }{quad}
852 \eqcommand{ }{qqquad}
853 \eqcommand{@ }{@outputpagerestore}
854 \eqcommand{ }{radical}
855 \eqcommand{ }{raggedbottom}
856 \eqcommand{ }{raggedleft}
857 \eqcommand{ }{raggedright}
858 \eqcommand{ }{raise}
859 \eqcommand{ }{raisebox}
860 \eqcommand{ }{raisetag}
861 \eqcommand{ }{rangle}
862 \eqcommand{ }{rceil}
863 \eqcommand{ }{read}
864 \eqcommand{ }{ref}
865 \eqcommand{ }{reflectbox}
866 \eqcommand{ }{refname}
867 \eqcommand{ }{refstepcounter}
868 \eqcommand{ }{relax}
869 \eqcommand{ }{removelastskip}
870 \eqcommand{ }{renewcommand}
871 \eqcommand{ }{renewenvironment}
872 \eqcommand{ }{RequirePackage}
873 \eqcommand{ }{RequirePackageWithOptions}
874 \eqcommand{ }{resizebox}
875 \eqcommand{ }{reversemarginpar}
876 \eqcommand{ }{rfloor}
877 \eqcommand{ }{right}
878 \eqcommand{ }{rightmargin}
879 \eqcommand{ }{rightmark}
880 \eqcommand{ }{rightpageskip}
881 \eqcommand{ }{rightskip}
882 \eqcommand{ }{rmdefault}
883 \eqcommand{ }{rmfamily}
884 \eqcommand{ }{Roman}
885 \eqcommand{ }{roman}
886 \eqcommand{ }{romannumeral}

```



```

887 \eqcommand{   }{rotatebox}
888 \eqcommand{   }{rowcolor}
889 \eqcommand{ }{rule}
890 \eqcommand{@   }{@secondoftwo}
891 \eqcommand{@   }{@spaces}
892 \eqcommand{   }{samepage}
893 \eqcommand{   }{savebox}
894 \eqcommand{   }{sbox}
895 \eqcommand{   }{scalebox}
896 \eqcommand{   }{scdefault}
897 \eqcommand{   }{scshape}
898 \eqcommand{   }{setkeys}
899 \eqcommand{   }{scriptfont}
900 \eqcommand{   }{scriptscriptfont}
901 \eqcommand{   }{scriptscriptstyle}
902 \eqcommand{   }{scriptsize}
903 \eqcommand{   }{scripstyle}
904 \eqcommand{   }{scrollmode}
905 \eqcommand{ }{section}
906 \eqcommand{   }{secdef}
907 \eqcommand{   }{see}
908 \eqcommand{   }{seealso}
909 \eqcommand{   }{seename}
910 \eqcommand{   }{selectfont}
911 \eqcommand{   }{setboolean}
912 \eqcommand{   }{setbox}
913 \eqcommand{   }{setcounter}
914 \eqcommand{   }{setlength}
915 \eqcommand{   }{setminus}
916 \eqcommand{   }{SetSymbolFont}
917 \eqcommand{   }{settodepth}
918 \eqcommand{   }{settoheight}
919 \eqcommand{   }{settowidth}
920 \eqcommand{   }{sfcode}
921 \eqcommand{   }{sfdefault}
922 \eqcommand{   }{sffamily}
923 \eqcommand{   }{shadowbox}
924 \eqcommand{ }{sharp}
925 \eqcommand{   }{shipout}
926 \eqcommand{   }{shortstack}
927 \eqcommand{   }{show}
928 \eqcommand{   }{showbox}
929 \eqcommand{   }{showboxbreadth}
930 \eqcommand{   }{showboxdepth}
931 \eqcommand{   }{showlists}
932 \eqcommand{   }{showthe}
933 \eqcommand{   }{simplefontmode}
934 \eqcommand{ @ }{sirt@n}
935 \eqcommand{   }{skewchar}
936 \eqcommand{   }{skip}
937 \eqcommand{ @ }{skip@}
938 \eqcommand{   }{skipdef}
939 \eqcommand{   }{sl}
940 \eqcommand{   }{sldefault}

```



```

941 \eqcommand{ }{slshape}
942 \eqcommand{ }{sloppy}
943 \eqcommand{ }{slshape}
944 \eqcommand{ }{small}
945 \eqcommand{ }{smallskip}
946 \eqcommand{ }{smallskipamount}
947 \eqcommand{ }{smash}
948 \eqcommand{ }{smile}
949 \eqcommand{ }{snglftlocatcode}
950 \eqcommand{ }{space}
951 \eqcommand{ }{spacefactor}
952 \eqcommand{ }{spaceskip}
953 \eqcommand{ }{spadesuit}
954 \eqcommand{ }{span}
955 \eqcommand{ }{special}
956 \eqcommand{ }{splitmaxdepth}
957 \eqcommand{ }{splittopskip}
958 \eqcommand{ }{star}
959 \eqcommand{ }{stepcounter}
960 \eqcommand{ }{stretch}
961 \eqcommand{ }{string}
962 \eqcommand{ }{strut}
963 \eqcommand{ }{strutbox}
964 \eqcommand{ }{subitem}
965 \eqcommand{ }{subparagraph}
966 \eqcommand{ }{subsection}
967 \eqcommand{ }{substack}
968 \eqcommand{ }{subsubitem}
969 \eqcommand{ }{subsubsection}
970 \eqcommand{ }{subset}
971 \eqcommand{ }{subseteq}
972 \eqcommand{ }{supereject}
973 \eqcommand{ }{suppressfloats}
974 \eqcommand{@ }{@tempa}
975 \eqcommand{@ }{@tempb}
976 \eqcommand{@ }{@tempc}
977 \eqcommand{@ }{@tempd}
978 \eqcommand{@ }{@tempe}
979 \eqcommand{@ }{@tempboxa}
980 \eqcommand{@ }{@tempcnta}
981 \eqcommand{@ }{@tempcntb}
982 \eqcommand{@ }{@tempdima}
983 \eqcommand{@ }{@tempdimb}
984 \eqcommand{@ }{@tempdimc}
985 \eqcommand{@ }{@tempskipa}
986 \eqcommand{@ }{@tempskipb}
987 \eqcommand{@ }{@tempwafalse}
988 \eqcommand{@ }{@tempwatrue}
989 \eqcommand{@ }{@temptokena}
990 \eqcommand{ }{@thefnmark}
991 \eqcommand{@ }{@thirdofthree}
992 \eqcommand{ }{tabbingsep}
993 \eqcommand{ }{tabcolsep}
994 \eqcommand{ }{tableofcontents}

```



```

995 \eqcommand{ }{tablename}
996 \eqcommand{ }{tabskip}
997 \eqcommand{ }{tabularnewline}
998 \eqcommand{ }{tag}
999 \eqcommand{ }{telephone}
1000 \eqcommand{ }{TeX}
1001 \eqcommand{ }{text}
1002 \eqcommand{ }{textbullet}
1003 \eqcommand{ }{textfont}
1004 \eqcommand{ }{textemdash}
1005 \eqcommand{ }{textendash}
1006 \eqcommand{ }{textexclamdown}
1007 \eqcommand{ }{textperiodcentered}
1008 \eqcommand{ }{textquestiondown}
1009 \eqcommand{ }{textquotedblleft}
1010 \eqcommand{ }{textquotedblright}
1011 \eqcommand{ }{textquoteleft}
1012 \eqcommand{ }{textquoteright}
1013 \eqcommand{ }{textvisiblespace}
1014 \eqcommand{ }{textbackslash}
1015 \eqcommand{ }{textbar}
1016 \eqcommand{ }{textgreater}
1017 \eqcommand{ }{textless}
1018 \eqcommand{ }{textbf}
1019 \eqcommand{ }{textcircled}
1020 \eqcommand{ }{textcolor}
1021 \eqcommand{ }{textcompwordmark}
1022 \eqcommand{ }{textfloatsep}
1023 \eqcommand{ }{textfraction}
1024 \eqcommand{ }{textheight}
1025 \eqcommand{ }{textindent}
1026 \eqcommand{ }{textit}
1027 \eqcommand{ }{textmd}
1028 \eqcommand{ }{textnormal}
1029 \eqcommand{ }{textregistered}
1030 \eqcommand{ }{textrm}
1031 \eqcommand{ }{textsc}
1032 \eqcommand{ }{textsf}
1033 \eqcommand{ }{textsl}
1034 \eqcommand{ }{textstyle}
1035 \eqcommand{ }{textsuperscript}
1036 \eqcommand{ }{texttrademark}
1037 \eqcommand{ }{texttt}
1038 \eqcommand{ }{textup}
1039 \eqcommand{ }{textwidth}
1040 \eqcommand{ }{thanks}
1041 \eqcommand{ }{the}
1042 \eqcommand{ }{thempfn}
1043 \eqcommand{ }{thicklines}
1044 \eqcommand{ }{thickmuskip}
1045 \eqcommand{ }{thinmuskip}
1046 \eqcommand{ }{thickspace}
1047 \eqcommand{ }{thinlines}
1048 \eqcommand{ }{thinspace}

```



```

1049 \eqcommand{      }{thisfancypage}
1050 \eqcommand{      }{thispagestyle}
1051 \eqcommand{ @}{thr@@}
1052 \eqcommand{ }{tilde}
1053 \eqcommand{ }{tiny}
1054 \eqcommand{ }{time}
1055 \eqcommand{ }{times}
1056 \eqcommand{ }{title}
1057 \eqcommand{ }{to}
1058 \eqcommand{ }{today}
1059 \eqcommand{ }{toks}
1060 \eqcommand{      }{toksdef}
1061 \eqcommand{      }{tolerance}
1062 \eqcommand{ }{top}
1063 \eqcommand{      }{topfigrule}
1064 \eqcommand{      }{topfraction}
1065 \eqcommand{      }{topmargin}
1066 \eqcommand{      }{topmark}
1067 \eqcommand{      }{toppageskip}
1068 \eqcommand{      }{topsep}
1069 \eqcommand{      }{topskip}
1070 \eqcommand{      }{totalheight}
1071 \eqcommand{      }{tracingall}
1072 \eqcommand{      }{tracingcommands}
1073 \eqcommand{      }{tracinglostchars}
1074 \eqcommand{      }{tracingmacros}
1075 \eqcommand{      }{tracingonline}
1076 \eqcommand{      }{tracingoutput}
1077 \eqcommand{      }{tracingpages}
1078 \eqcommand{      }{tracingparagraphs}
1079 \eqcommand{      }{tracingrestores}
1080 \eqcommand{      }{tracingstats}
1081 \eqcommand{ }{triangle}
1082 \eqcommand{      }{ttdefault}
1083 \eqcommand{      }{ttfamily}
1084 \eqcommand{ @}{tw@}
1085 \eqcommand{      }{twocolumn}
1086 \eqcommand{      }{typein}
1087 \eqcommand{      }{typeout}
1088 \eqcommand{      }{uccode}
1089 \eqcommand{      }{uchyph}
1090 \eqcommand{ }{underline}
1091 \eqcommand{      }{unhbox}
1092 \eqcommand{      }{unhcopy}
1093 \eqcommand{      }{unitlength}
1094 \eqcommand{      }{unkern}
1095 \eqcommand{      }{unpenalty}
1096 \eqcommand{      }{unskip}
1097 \eqcommand{      }{unvbox}
1098 \eqcommand{      }{unvcopy}
1099 \eqcommand{      }{updefault}
1100 \eqcommand{      }{upshape}
1101 \eqcommand{      }{usebox}
1102 \eqcommand{      }{usecounter}

```




```

1103 \eqcommand{      }{usefont}
1104 \eqcommand{      }{usepackage}
1105 \eqcommand{@     }{@vobeyspaces}
1106 \eqcommand{@     }{@void}
1107 \eqcommand{      }{vadjust}
1108 \eqcommand{      }{valign}
1109 \eqcommand{      }{value}
1110 \eqcommand{      }{vbadness}
1111 \eqcommand{      }{vbox}
1112 \eqcommand{      }{vcenter}
1113 \eqcommand{      }{verb}
1114 \eqcommand{      }{vfil}
1115 \eqcommand{      }{vfill}
1116 \eqcommand{      }{vfilneg}
1117 \eqcommand{      }{vfuzz}
1118 \eqcommand{      }{visible}
1119 \eqcommand{      }{vline}
1120 \eqcommand{      }{voffset}
1121 \eqcommand{@     }{voidb@x}
1122 \eqcommand{      }{vpageref}
1123 \eqcommand{      }{vrbboxsep}
1124 \eqcommand{      }{vref}
1125 \eqcommand{      }{vrule}
1126 \eqcommand{      }{vsize}
1127 \eqcommand{      }{vskip}
1128 \eqcommand{      }{vspace}
1129 \eqcommand{      }{vsplit}
1130 \eqcommand{      }{vss}
1131 \eqcommand{      }{vtop}
1132 \eqcommand{      }{wd}
1133 \eqcommand{      }{whiledo}
1134 \eqcommand{      }{widehat}
1135 \eqcommand{      }{widetilde}
1136 \eqcommand{      }{widowpenalty}
1137 \eqcommand{      }{width}
1138 \eqcommand{      }{wlog}
1139 \eqcommand{      }{write}
1140 \eqcommand{@     }{@xobeysp}
1141 \eqcommand{@     }{@xxxii}
1142 \eqcommand{      }{xdef}
1143 \eqcommand{      }{xleaders}
1144 \eqcommand{      }{xspaceskip}
1145 \eqcommand{      }{year}
1146 \eqcommand{@     }{z@}
1147 \eqcommand{@     }{z@skip}

```

21 File color-localise-xepersian.def

```

1148 color}          \-localise-xepersian.def}[2011/03/01 v0.1 localising color package]
1149 0}{rgb}{      } \0,,0}
1150 1}{rgb}{      } \1,,1}
1151 1}{rgb}{      } \0,,0}
1152 0}{rgb}{      } \1,,0}
1153 0}{rgb}{      } \0,,1}

```



```

1154 1}{cmyk}{ } \0,,0,0}
1155 0}{cmyk}{ } \1,,0,0}
1156 0}{cmyk}{ } \0,,1,0}

```

22 File xepersian-localise-commands-xepersian.def

```

1157 \ProvidesFile{xepersian-localise-commands-xepersian.def}[2012/07/25 v0.2 Persian localisation]
1158 \eqcommand{ }{autofooterule}
1159 \eqcommand{ }{AutoMathDigits}
1160 \eqcommand{ }{DefaultMathDigits}
1161 \eqcommand{ @ }{keyval@eq@alias@key}
1162 \eqcommand{ }{deflatinfont}
1163 \eqcommand{ }{defpersianfont}
1164 \eqcommand{ }{hboxL}
1165 \eqcommand{ }{hboxR}
1166 \eqcommand{ }{Latincite}
1167 \eqcommand{ }{latinfont}
1168 \eqcommand{ }{latintoday}
1169 \eqcommand{ }{leftfootnoterule}
1170 \eqcommand{ }{lr}
1171 \eqcommand{ }{LRE}
1172 \eqcommand{ }{LTRdblcol}
1173 \eqcommand{ }{LTRfootnote}
1174 \eqcommand{ }{LTRfootnotetext}
1175 \eqcommand{ }{LTRthanks}
1176 \eqcommand{ }{persianday}
1177 \eqcommand{ }{persianfont}
1178 \eqcommand{ }{PersianMathDigits}
1179 \eqcommand{ }{persianmonth}
1180 \eqcommand{ }{persianyear}
1181 \eqcommand{ }{plq}
1182 \eqcommand{ }{prq}
1183 \eqcommand{ }{rightfootnoterule}
1184 \eqcommand{ }{r1}
1185 \eqcommand{ }{RLE}
1186 \eqcommand{ }{RTLdblcol}
1187 \eqcommand{ }{RTLfootnote}
1188 \eqcommand{ }{RTLfootnotetext}
1189 \eqcommand{ }{RTLthanks}
1190 \eqcommand{@ }{@SepMark}
1191 \eqcommand{ }{SepMark}
1192 \eqcommand{ }{setdefaultbibitems}
1193 \eqcommand{ }{setdefaultmarginpar}
1194 \eqcommand{ }{setmathdigitfont}
1195 \eqcommand{ }{setfootnoteLR}
1196 \eqcommand{ }{setfootnoteRL}
1197 \eqcommand{ }{setlatintextfont}
1198 \eqcommand{ }{setLTR}
1199 \eqcommand{ }{setLTRbibitems}
1200 \eqcommand{ }{setLTRmarginpar}
1201 \eqcommand{ }{setRTL}
1202 \eqcommand{ }{setRTLbibitems}
1203 \eqcommand{ }{setRTLmarginpar}
1204 \eqcommand{ }{settextfont}

```




```

1250 \eqenvironment{ }{description}
1251 \eqenvironment{ }{displaymath}
1252 \EqEnvironment{ }{document}
1253 \eqenvironment{ }{enumerate}
1254 \eqenvironment{ }{figure}
1255 \eqenvironment{ *}{figure*}
1256 \eqenvironment{ }{filecontents}
1257 \eqenvironment{ *}{filecontents*}
1258 \eqenvironment{ }{flushleft}
1259 \eqenvironment{ }{flushright}
1260 \eqenvironment{ }{itemize}
1261 \eqenvironment{ }{letter}
1262 \eqenvironment{ }{list}
1263 \eqenvironment{ }{longtable}
1264 \eqenvironment{ }{lrbox}
1265 \eqenvironment{ }{math}
1266 \eqenvironment{ }{matrix}
1267 \eqenvironment{ }{minipage}
1268 \eqenvironment{ }{multline}
1269 \eqenvironment{ }{note}
1270 \eqenvironment{ }{overlay}
1271 \eqenvironment{ }{picture}
1272 \eqenvironment{ }{quotation}
1273 \eqenvironment{ }{quote}
1274 \eqenvironment{ }{slide}
1275 \eqenvironment{ }{sloppypar}
1276 \eqenvironment{ }{split}
1277 \eqenvironment{ }{subarray}
1278 \eqenvironment{ }{tabbing}
1279 \eqenvironment{ }{table}
1280 \eqenvironment{ *}{table*}
1281 \eqenvironment{ }{tabular}
1282 \eqenvironment{ *}{tabular*}
1283 \eqenvironment{ }{thebibliography}
1284 \eqenvironment{ }{theindex}
1285 \eqenvironment{ }{titlepage}
1286 \eqenvironment{ }{trivlist}
1287 \eqenvironment{ }{verse}

```

26 File xepersian-localise-environments-xepersian.def

```

1288 \ProvidesFile{xepersian-localise-environments-xepersian.def}[2010/07/25 v0.1 Persian localis
1289 \eqenvironment{ }{latin}
1290 \eqenvironment{ }{LTR}
1291 \eqenvironment{ }{LTRitems}
1292 \eqenvironment{ }{modernpoem}
1293 \eqenvironment{ *}{modernpoem*}
1294 \eqenvironment{ }{persian}
1295 \eqenvironment{ }{RTL}
1296 \eqenvironment{ }{RTLitems}
1297 \eqenvironment{ }{traditionalpoem}
1298 \eqenvironment{ *}{traditionalpoem*}

```



27 File extarticle-xepersian.def

```
1299 \ProvidesFile{extarticle-xepersian.def}[2010/07/25 v0.1 adaptations for extarticle class]
1300 \renewcommand\thepart      {\@tartibi\c@part}
1301 \renewcommand\appendix{\par
1302   \setcounter{section}{0}%
1303   \setcounter{subsection}{0}%
1304   \gdef\thesection{\@harfi\c@section}}
```

28 File extbook-xepersian.def

```
1305 \ProvidesFile{extbook-xepersian.def}[2010/07/25 v0.1 adaptations for extbook class]
1306 \renewcommand\frontmatter{%
1307   \cleardoublepage
1308   \@mainmatterfalse
1309   \pagenumbering{harfi}}
1310 \renewcommand \thepart {\@tartibi\c@part}
1311 \renewcommand\appendix{\par
1312   \setcounter{chapter}{0}%
1313   \setcounter{section}{0}%
1314   \gdef\@chapapp{\appendixname}%
1315   \gdef\thechapter{\@harfi\c@chapter}
1316 }%end appendix
```

29 File extrafootnotefeatures-xepersian.def

```
1317 \ProvidesFile{extrafootnotefeatures-xepersian.def}[2012/01/01 v0.2 footnote macros for extrafootnotefeatures]
1318 \renewcommand{\foottextfont}{\footnotesize\if@RTL@footnote\else\resetlatinfont\fi}
1319 \renewcommand{\LTRfoottextfont}{\footnotesize\resetlatinfont}
1320 \renewcommand{\RTLfoottextfont}{\footnotesize\setpersianfont}
```

30 File extreport-xepersian.def

```
1321 \ProvidesFile{extreport-xepersian.def}[2010/07/25 v0.1 adaptations for extreport class]
1322 \renewcommand\thepart      {\@tartibi\c@part}
1323 \renewcommand\appendix{\par
1324   \setcounter{chapter}{0}%
1325   \setcounter{section}{0}%
1326   \gdef\@chapapp{\appendixname}%
1327   \gdef\thechapter{\@harfi\c@chapter}}
```

31 File fancyref-xepersian.def

```
1328 \ProvidesFile{fancyref-xepersian.def}[2018/09/29 v0.1 bilingual captions for fancyref package]
1329 \renewcommand*\Frefchapname{\chaptername}
1330 \renewcommand*\Frefenumname{%
1331   \if@RTL
1332 %
1333   \else
1334   Item%
1335   \fi
1336 }
1337 \renewcommand*\Frefeqname{%
1338   \if@RTL
```



```

1339 %
1340 \else
1341 Equation%
1342 \fi
1343 }
1344 \renewcommand*{\Freffigname}{\figurename}
1345 \renewcommand*{\Frefnname}{%
1346 \if@RTL
1347 %
1348 \else
1349 Footnote%
1350 \fi
1351 }
1352 \renewcommand*{\Frefonname}{%
1353 \if@RTL
1354 %
1355 \else
1356 On%
1357 \fi
1358 }
1359 \renewcommand*{\Frefpgname}{\pagename}
1360 \renewcommand*{\Frefsecname}{%
1361 \if@RTL
1362 %
1363 \else
1364 Section%
1365 \fi
1366 }
1367 \renewcommand*{\Frefseename}{%
1368 \if@RTL
1369 %
1370 \else
1371 See%
1372 \fi
1373 }
1374 \renewcommand*{\Freftablename}{\tablename}
1375 \renewcommand*{\Freffigshortname}{%
1376 \if@RTL
1377 \Freffigname
1378 \else
1379 Fig.%
1380 \fi
1381 }
1382 \renewcommand*{\Frefpgshortname}{%
1383 \if@RTL
1384 \Frefpgname
1385 \else
1386 P.%
1387 \fi
1388 }
1389 \renewcommand*{\Freftabshortname}{%
1390 \if@RTL
1391 \tablename
1392 \else

```



```

1393     Tab.%
1394     \fi
1395 }
1396 \renewcommand*{\frefchapname}{%
1397   \if@RTL
1398     \Frefchapname
1399   \else
1400     \MakeLowercase{\Frefchapname}%
1401 \fi
1402 }
1403 \renewcommand*{\frefenumname}{%
1404   \if@RTL
1405     \Frefenumname
1406   \else
1407     \MakeLowercase{\Frefenumname}%
1408 \fi
1409 }
1410 \renewcommand*{\frefeqname}{%
1411   \if@RTL
1412     \Frefeqname
1413   \else
1414     \MakeLowercase{\Frefeqname}%
1415 \fi
1416 }
1417 \renewcommand*{\freffigname}{%
1418   \if@RTL
1419     \Freffigname
1420   \else
1421     \MakeLowercase{\Freffigname}%
1422 \fi
1423 }
1424 \renewcommand*{\freffnname}{%
1425   \if@RTL
1426     \Freffnname
1427   \else
1428     \MakeLowercase{\Freffnname}%
1429 \fi
1430 }
1431 \renewcommand*{\frefonname}{%
1432   \if@RTL
1433     \Frefonname
1434   \else
1435     \MakeLowercase{\Frefonname}%
1436 \fi
1437 }
1438 \renewcommand*{\frefpgname}{%
1439   \if@RTL
1440     \Frefpgname
1441   \else
1442     \MakeLowercase{\Frefpgname}%
1443 \fi
1444 }
1445 \renewcommand*{\frefsecname}{%
1446   \if@RTL

```



```

1447     \Frefsecname
1448   \else
1449     \MakeLowercase{\Frefsecname}%
1450   \fi
1451 }
1452 \renewcommand*{\frefseenname}{%
1453   \if@RTL
1454     \Frefseenname
1455   \else
1456     \MakeLowercase{\Frefseenname}%
1457   \fi
1458 }
1459 \renewcommand*{\frefstabname}{%
1460   \if@RTL
1461     \Frefstabname
1462   \else
1463     \MakeLowercase{\Frefstabname}%
1464   \fi
1465 }
1466 \renewcommand*{\freffigshortname}{%
1467   \if@RTL
1468     \Freffigshortname
1469   \else
1470     \MakeLowercase{\Freffigshortname}%
1471   \fi
1472 }
1473 \renewcommand*{\frefpgshortname}{%
1474   \if@RTL
1475     \Frefpgshortname
1476   \else
1477     \MakeLowercase{\Frefpgshortname}%
1478   \fi
1479 }
1480 \renewcommand*{\frefstabshortname}{%
1481   \if@RTL
1482     \Frefstabshortname
1483   \else
1484     \MakeLowercase{\Frefstabshortname}%
1485   \fi
1486 }

```

32 File footnote-xepersian.def

```

1487 \ProvidesFile{footnote-xepersian.def}[2017/08/09 v0.6 footnote macros for xepersian package]
1488
1489 \renewcommand*{\bidi@footnotetext@font}{\footnotesize\if@RTL@footnote\else\resetlatinfont\fi}
1490
1491 \renewcommand*{\bidi@LTRfootnotetext@font}{\footnotesize\resetlatinfont}
1492
1493 \renewcommand*{\bidi@RTLfootnotetext@font}{\footnotesize\setpersianfont}
1494

```

33 File framed-xepersian.def




```

1495 \ProvidesFile{framed-xepersian.def}[2012/06/05 v0.1 xepersian adaptations for framed package
1496 \renewenvironment{titled-frame}[1]{%
1497   \def\FrameCommand{\fboxsep8pt\fboxrule2pt
1498     \TitleBarFrame{\textbf{#1}}}%
1499   \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
1500     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1}}}%
1501   \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
1502     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1}\ (\if@
1503     \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
1504       \TitleBarFrame{\textbf{#1}\ (\if@RTL else\   cont\fi)}}}%
1505   \MakeFramed{\advance\hsize-20pt \FrameRestore}}%
1506 % note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title
1507 % could interfere with the width measurement.
1508 {\endMakeFramed}

```

34 File glossaries-xepersian.def

```

1509 \ProvidesFile{glossaries-xepersian.def}[2014/09/04 v0.4 xepersian adaptations for glossaries
1510 \glsaddprotectedpagefmt{@harfi}
1511 \glsaddprotectedpagefmt{@tartibi}
1512 \glsaddprotectedpagefmt{@adadi}

```

35 File hyperref-xepersian.def

```

1513 \ProvidesFile{hyperref-xepersian.def}[2022/10/30 v0.8 xepersian adaptations for hyperref pack
1514 \def\equationautorefname{\if@RTL else\   Equation\fi}%
1515 \def\footnoteautorefname{\if@RTL else\   footnote\fi}%
1516 \def\itemautorefname{\if@RTL else\   item\fi}%
1517 \def\figureautorefname{\if@RTL else\   Figure\fi}%
1518 \def\tableautorefname{\if@RTL else\   Table\fi}%
1519 \def\partautorefname{\if@RTL else\   Part\fi}%
1520 \def\appendixautorefname{\if@RTL else\   Appendix\fi}%
1521 \def\chapterautorefname{\if@RTL else\   chapter\fi}%
1522 \def\sectionautorefname{\if@RTL else\   section\fi}%
1523 \def\subsectionautorefname{\if@RTL else\   subsection\fi}%
1524 \def\subsubsectionautorefname{\if@RTL else\   subsubsection\fi}%
1525 \def\paragraphautorefname{\if@RTL else\   paragraph\fi}%
1526 \def\subparagraphautorefname{\if@RTL else\   subparagraph\fi}%
1527 \def\FancyVerbLineautorefname{\if@RTL else\   line\fi}%
1528 \def\theoremautorefname{\if@RTL else\   Theorem\fi}%
1529 \def\pageautorefname{\if@RTL else\   page\fi}%
1530 \ifHy@implicit
1531 \AtBeginDocument{%
1532   \let\HyOrg@appendix\appendix
1533   \def\appendix{%
1534     \ltx@ifundefined{chapter}%
1535       {\gdef\theHsection{\Alph{section}}}%
1536       {\gdef\theHchapter{\Alph{chapter}}}%
1537     \xdef\Hy@chapapp{\Hy@appendixstring}%
1538     \HyOrg@appendix
1539   }%
1540 }%
1541 \fi
1542 \pdfstringdefDisableCommands{%

```



```

1543 \let\lr\@firstofone
1544 \let\rl\@firstofone
1545 \def\XePersian{XePersian}%
1546 }
1547 \ltx@ifundefined{@resets@pp}{%
1548 }{%
1549 \let\HyOrg@resets@pp\@resets@pp
1550 \def\@resets@pp{%
1551 \ltx@ifundefined{chapter}{%
1552 \gdef\theHsection{\Hy@AlphNoErr{section}}%
1553 }{%
1554 \gdef\theHchapter{\Hy@AlphNoErr{chapter}}%
1555 }%
1556 \xdef\Hy@chapapp{\Hy@appendixstring}%
1557 \HyOrg@resets@pp
1558 }%
1559 }

```

36 File `imsproc-xepersian.def`

```

1560 \ProvidesFile{imsproc-xepersian.def}[2017/06/09 v0.5 xepersian adaptations for imsproc class
1561
1562 \renewcommand \thepart {\@tartibi\c@part}
1563 \def\appendix{\par\c@section\z@ \c@subsection\z@
1564 \let\sectionname\appendixname
1565 \def\thesection{\@harfi\c@section}}
1566

```

37 File `kashida-xepersian.def`

```

1567 \ProvidesFile{kashida-xepersian.def}[2020/05/16 v0.8 implementation of Kashida for xepersian
1568 %
1569 % The new changes is minimal and only cosmetic; To resolve the
1570 % issue properly, I will be studying TeX line breaking algorithms and
1571 % experiment to see how much of it I can mimic. The idea of using
1572 % a rule or even a box is awful and it breaks a lot of things. The ideal
1573 % solution is to insert Kashida without any rules or boxes or if
1574 % the font offers the alternative forms, it can be used for Kashida.
1575 % Unfortunately, computing the stretch using the \pdfsavepos and
1576 % \pdflastxpos primitives from the PDFTeX engine is bad and
1577 % impractical for several reasons. The process is extremely
1578 % slow and requires at least two runs of TeX. On a particular line,
1579 % we need to write to the aux file at least 10 times, on a page we
1580 % have on average around 10 lines and hence, for a 100 pages
1581 % document, we have to do this 10,000 times. These statistics are
1582 % very modest. On the other hand, if we reach max count (which is
1583 % very likely), then we have to do some devious things.
1584 %
1585 \chardef\xepersian@zwj="200D % zero-width joiner
1586 \chardef\xepersian@lrm="200E % left to right mark
1587 \chardef\xepersian@kashidachar="0640 % kashida
1588
1589 \chardef\xepersian@D=10 % dual-joiner class
1590 \chardef\xepersian@L=11 % lam

```



```

1591 \chardef\xepersian@R=12 % right-joiner
1592 \chardef\xepersian@A=13 % alef
1593 \chardef\xepersian@V=4096 % vowel or other combining mark (to be ignored)
1594 \newif\if@Kashida@on
1595 \def\xepersian@kashida{%
1596   \if@Kashida@on
1597     \xepersian@zwj
1598     \xepersian@lrm
1599     \nobreak
1600     \leaders\hrule height \XeTeXglyphbounds\tw@
1601     \the\xeTeXcharglyph\xepersian@kashidachar
1602     depth \XeTeXglyphbounds\ff@ur
1603     \the\xeTeXcharglyph\xepersian@kashidachar
1604     \hskipOpt plus 0.5em
1605 %     \dimexpr \fontcharwd\font\xepersian@kashidachar -
1606 %     \XeTeXglyphbounds\@ne
1607 %     \the\xeTeXcharglyph\xepersian@kashidachar -
1608 %     \XeTeXglyphbounds\thr@@
1609 %     \the\xeTeXcharglyph\xepersian@kashidachar \relax
1610     \xepersian@zwj
1611   \fi
1612 }
1613
1614 \def\setclass#1#2{\def\theclass{#1}\def\charlist{#2}%
1615   \expandafter\dosetclass\charlist,\end}
1616 \def\dosetclass#1,#2\end{%
1617   \def\test{#1}\def\charlist{#2}%
1618   \ifx\test\empty\let\next\finishsetclass
1619   \else \xeTeXcharclass "\test = \theclass
1620     \let\next\dosetclass \fi
1621   \expandafter\next\charlist,,\end}
1622 \def\finishsetclass#1,,\end{}
1623
1624 \setclass \xepersian@A {0622,0623,0625,0627}
1625 \setclass \xepersian@R {0624,0629,062F,0630,0631,0632,0648,0698}
1626 \setclass \xepersian@D {0626,0628,062A,062B,062C,062D,062E}
1627 \setclass \xepersian@D {0633,0634,0635,0636,0637,0638,0639,063A}
1628 \setclass \xepersian@D {0640,0641,0642,0643,0645,0646,0647,0649,064A}
1629 \setclass \xepersian@D {067E,0686,06A9,06AF,06CC}
1630 \setclass \xepersian@L {0644}
1631 \setclass \xepersian@V {064B,064C,064D,064E,064F,0650,0651,0652}
1632
1633 \xeTeXinterchartoks \xepersian@D \xepersian@D = {\xepersian@kashida}
1634 \xeTeXinterchartoks \xepersian@L \xepersian@D = {\xepersian@kashida}
1635 \xeTeXinterchartoks \xepersian@D \xepersian@L = {\xepersian@kashida}
1636 \xeTeXinterchartoks \xepersian@L \xepersian@L = {\xepersian@kashida}
1637 \xeTeXinterchartoks \xepersian@D \xepersian@R = {\xepersian@kashida}
1638 \xeTeXinterchartoks \xepersian@D \xepersian@A = {\xepersian@kashida}
1639 \xeTeXinterchartoks \xepersian@L \xepersian@R = {\xepersian@kashida}
1640 \xeTeXinterchartoks \xepersian@L \xepersian@A = {}
1641
1642 \newcommand{\KashidaOn}{\@Kashida@ontrue}
1643 \newcommand{\KashidaOff}{\@Kashida@onfalse}
1644

```



```
1645 \KashidaOn
```

38 File listings-xepersian.def

```
1646 \ProvidesFile{listings-xepersian.def}[2014/07/17 v0.3 bilingual captions for listings package]
1647 \def\lstlistingname{\if@RTL else\ Listing\fi}
1648 \def\lstlistlistingname{\if@RTL else\ Listings\fi}
```

39 File loadingorder-xepersian.def

```
1649 \ProvidesFile{loadingorder-xepersian.def}[2018/09/29 v0.5 making sure that xepersian is the 1
1650 \bidi@isloaded{algorithmic}
1651 \bidi@isloaded{algorithm}
1652 \bidi@isloaded{backref}
1653 \bidi@isloaded{enumerate}
1654 \bidi@isloaded{enumitem}
1655 \bidi@isloaded{fancyref}
1656 \bidi@isloaded{tocloft}
1657 \bidi@isloaded{url}
1658 \bidi@isloaded{varioref}
1659 \AtBeginDocument{
1660 \if@bidi@algorithmicloaded@else
1661 \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package algorithmic after x
1662 \fi%
1663 \if@bidi@algorithmloaded@else
1664 \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package algorithm after xep
1665 \fi%
1666 \if@bidi@backrefloaded@else
1667 \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package backref after xep
1668 \fi%
1669 \if@bidi@enumerateloaded@else
1670 \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package enumerate after xep
1671 \fi%
1672 \if@bidi@enumitemloaded@else
1673 \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package enumitem after xep
1674 \fi%
1675 \if@bidi@fancyrefloaded@else
1676 \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package fancyref after xep
1677 \fi%
1678 \if@bidi@tocloftloaded@else
1679 \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package tocloft after xep
1680 \fi%
1681 \if@bidi@urlloaded@else
1682 \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package url after xepersian
1683 \fi%
1684 \if@bidi@variorefloaded@else
1685 \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package varioref after xep
1686 \fi%
1687 }
```

40 File localise-xepersian.def

```
1688 \ProvidesFile{localise-xepersian.def}[2022/06/06 v0.2c Persian localisation of LaTeX2e]
1689 \newcommand{\makezwnjletter}{\catcode`\=11\relax}
```



```

1690 \makezwnjletter
1691 \newcommand*{\eqcommand}[2]{\if@bidi@csprimitive{#2}{\bidi@csletcs{#1}{#2}}{\bidi@csdefcs{#1}
1692 \newcommand*{\eqenvironment}[2]{\newenvironment{#1}{%
1693 \if@bidi@csdef{verbatim@}{\let\verbatim@{\xepersian@localize@verbatim@}}{\csname#2\endcsname}}
1694 \newcommand*{\EqEnvironment}[2]{%
1695 \expandafter\let\csname #1\expandafter\endcsname\csname #2\endcsname
1696 \expandafter\let\csname end#1\expandafter\endcsname\csname end#2\endcsname
1697 }
1698 \@ifpackageloaded{keyval}{%
1699 \newcommand*\keyval@eq@alias@key[4][KV]{%
1700 \bidi@csletcs{#1@#2@#3}{#1@#2@#4}%
1701 \bidi@csletcs{#1@#2@#3@default}{#1@#2@#4@default}}%
1702 }{\@ifpackageloaded{xkeyval}{%
1703 \newcommand*\keyval@eq@alias@key[4][KV]{%
1704 \bidi@csletcs{#1@#2@#3}{#1@#2@#4}%
1705 \bidi@csletcs{#1@#2@#3@default}{#1@#2@#4@default}}%
1706 }{}}
1707 \input{latex-localise-commands-xepersian.def}
1708 \input{xepersian-localise-commands-xepersian.def}
1709 \input{latex-localise-environments-xepersian.def}
1710 \input{xepersian-localise-environments-xepersian.def}
1711 \input{latex-localise-messages-xepersian.def}
1712 \input{latex-localise-misc-xepersian.def}
1713 \input{packages-localise-xepersian.def}
1714 \aliasfontfeature{ExternalLocation}{ }
1715 \aliasfontfeature{Path}{ }
1716 \aliasfontfeature{Renderer}{ }
1717 \aliasfontfeature{BoldFont}{ }
1718 \aliasfontfeature{Language}{ }
1719 \aliasfontfeature{Script}{ }
1720 \aliasfontfeature{UprightFont}{ }
1721 \aliasfontfeature{ItalicFont}{ }
1722 \aliasfontfeature{BoldItalicFont}{ }
1723 \aliasfontfeature{SlantedFont}{ }
1724 \aliasfontfeature{BoldSlantedFont}{ }
1725 \aliasfontfeature{SmallCapsFont}{ }
1726 \aliasfontfeature{UprightFeatures}{ }
1727 \aliasfontfeature{BoldFeatures}{ }
1728 \aliasfontfeature{ItalicFeatures}{ }
1729 \aliasfontfeature{BoldItalicFeatures}{ }
1730 \aliasfontfeature{SlantedFeatures}{ }
1731 \aliasfontfeature{BoldSlantedFeatures}{ }
1732 \aliasfontfeature{SmallCapsFeatures}{ }
1733 \aliasfontfeature{SizeFeatures}{ }
1734 \aliasfontfeature{Scale}{ }
1735 \aliasfontfeature{WordSpace}{ }
1736 \aliasfontfeature{PunctuationSpace}{ }
1737 \aliasfontfeature{FontAdjustment}{ }
1738 \aliasfontfeature{LetterSpace}{ }
1739 \aliasfontfeature{HyphenChar}{ }
1740 \aliasfontfeature{Color}{ }
1741 \aliasfontfeature{Opacity}{ }
1742 \aliasfontfeature{Mapping}{ }
1743 \aliasfontfeature{Weight}{ }

```



```

1744 \aliasfontfeature{Width}{ }
1745 \aliasfontfeature{OpticalSize}{ }
1746 \aliasfontfeature{FakeSlant}{ }
1747 \aliasfontfeature{FakeStretch}{ }
1748 \aliasfontfeature{FakeBold}{ }
1749 \aliasfontfeature{AutoFakeSlant}{ }
1750 \aliasfontfeature{AutoFakeBold}{ }
1751 \aliasfontfeature{Ligatures}{ }
1752 \aliasfontfeature{Alternate}{ }
1753 \aliasfontfeature{Variant}{ }
1754 \aliasfontfeature{Variant}{ }
1755 \aliasfontfeature{CharacterVariant}{ }
1756 \aliasfontfeature{Style}{ }
1757 \aliasfontfeature{Annotation}{ }
1758 \aliasfontfeature{RawFeature}{ }
1759 \aliasfontfeature{CharacterWidth}{ }
1760 \aliasfontfeature{Numbers}{ }
1761 \aliasfontfeature{Contextuals}{ }
1762 \aliasfontfeature{Diacritics}{ }
1763 \aliasfontfeature{Letters}{ }
1764 \aliasfontfeature{Kerning}{ }
1765 \aliasfontfeature{VerticalPosition}{ }
1766 \aliasfontfeature{Fractions}{ }
1767 \aliasfontfeatureoption{Language}{Default}{ }
1768 \aliasfontfeatureoption{Language}{Persian}{ }
1769 \aliasfontfeatureoption{Script}{Persian}{ }
1770 \aliasfontfeatureoption{Script}{Latin}{ }
1771 \aliasfontfeatureoption{Style}{MathScript}{ }
1772 \aliasfontfeatureoption{Style}{MathScriptScript}{ }

```

41 File memoir-xepersian.def

```

1773 \ProvidesFile{memoir-xepersian.def}[2010/07/25 v0.1 adaptations for memoir class]
1774 \renewcommand{\@memfront}{%
1775   \@smemfront\pagenumbering{harfi}}
1776 \renewcommand{\setthesection}{\thechapter\@SepMark\harfi{section}}
1777 \renewcommand*{\thebook}{\@tartibi\c@book}
1778 \renewcommand*{\thepart}{\@tartibi\c@part}
1779 \renewcommand{\appendix}{\par
1780   \setcounter{chapter}{0}%
1781   \setcounter{section}{0}%
1782   \gdef\@chapapp{\appendixname}%
1783   \gdef\thechapter{\@harfi\c@chapter}%
1784   \anappendixtrue}

```

42 File latex-localise-messages-xepersian.def

```

1785 latex} \-localise-messages-xepersian.def}[2011/03/01 v0.1 localising LaTeX2e messages]

```

43 File minitoc-xepersian.def

```

1786 \ProvidesFile{minitoc-xepersian.def}[2010/07/25 v0.1 bilingual captions for minitoc package]
1787 \def\ptctitle{\if@RTL   else\   Table of Contents\fi}%
1788 \def\plftitle{\if@RTL   else\   List of Figures\fi}%

```



```

1789 \def\pltttitle{\if@RTL     else\   List of Tables\fi}%
1790 \def\mtctitle{\if@RTL else\   Contents\fi}%
1791 \def\mlfttitle{\if@RTL else\  Figures\fi}%
1792 \def\mltttitle{\if@RTL else\  Tables\fi}%
1793 \def\stctitle{\if@RTL else\   Contents\fi}%
1794 \def\slfttitle{\if@RTL else\  Figures\fi}%
1795 \def\sltttitle{\if@RTL else\  Tables\fi}%

```

44 File latex-localise-misc-xepersian.def

```

1796 \ProvidesFile{latex-localise-misc-xepersian.def}[2012/01/01 v0.2 miscellaneous Persian local
1797 %}1# \ \
1798 \@ \ \ @ \ \
1799 \1# \
1800 \1# @\
1801 \1# @\
1802 {@ \ \
1803 %}2#1# @\ \
1804 %1# \ \ @\ \ \ \ \
1805 \2# \ \ @\ \
1806 {{2#1# \}}
1807 undefined\ \ \
1808
1809 %{\ \ \ \ \ \1#} \ \} \1# \ \
1810 \ \ { \ \ \ \
1811 \ \ \
1812
1813
1814 \ \ \ \%} \#1
1815 \1#} \ \ \% \
1816 \ \ \ \
1817 }%
1818 \
1819 \ \ \ \
1820 }
1821 \= \ \
1822
1823
1824 \@ifdefinitionfileloaded{latex-xetex-bidi}{%
1825 \def\@xfloat #1[#2]{%
1826 \nodocument
1827 \def \@capttype {#1}%
1828 \def \@fps {#2}%
1829 \@onelevel@sanitize \@fps
1830 \def \reserved@b {!}%
1831 \ifx \reserved@b \@fps
1832 \@fpsadddefault
1833 \else
1834 \ifx \@fps \@empty
1835 \@fpsadddefault
1836 \fi
1837 \fi
1838 \ifhmode
1839 \@bsphack

```



```

1840     \@floatpenalty -\@Mii
1841   \else
1842     \@floatpenalty-\@Miii
1843   \fi
1844 \ifinner
1845   \@parmoderr\@floatpenalty\z@
1846 \else
1847   \@next\@currbox\@freelist
1848   {%
1849     \@tempcnta \sixt@n
1850     \expandafter \@tfor \expandafter \reserved@a
1851     \expandafter : \expandafter =\@fps
1852     \do
1853     {%
1854       \if \reserved@a h%
1855         \ifodd \@tempcnta
1856           \else
1857             \advance \@tempcnta \@ne
1858           \fi
1859         \fi
1860       \if \reserved@a %
1861         \ifodd \@tempcnta
1862           \else
1863             \advance \@tempcnta \@ne
1864           \fi
1865         \fi
1866       \if \reserved@a t%
1867         \@setfpsbit \tw@
1868       \fi
1869       \if \reserved@a %
1870         \@setfpsbit \tw@
1871       \fi
1872       \if \reserved@a b%
1873         \@setfpsbit 4%
1874       \fi
1875       \if \reserved@a %
1876         \@setfpsbit 4%
1877       \fi
1878       \if \reserved@a p%
1879         \@setfpsbit 8%
1880       \fi
1881       \if \reserved@a %
1882         \@setfpsbit 8%
1883       \fi
1884       \if \reserved@a !%
1885         \ifnum \@tempcnta>15
1886           \advance\@tempcnta -\sixt@n\relax
1887         \fi
1888       \fi
1889     }%
1890   \@tempcntb \csname ftype@\@captype \endcsname
1891   \multiply \@tempcntb \@xxxii
1892   \advance \@tempcnta \@tempcntb
1893   \global \count\@currbox \@tempcnta

```




```

1894     }%
1895     \@fltovf
1896     \fi
1897     \global \setbox\@currbox
1898     \color@vbox
1899     \normalcolor
1900     \vbox \bgroup
1901     \hsize\columnwidth
1902     \@parboxrestore
1903     \@floatboxreset
1904 }
1905 \let\bm@ \bm@c
1906 \let\bm@ \bm@l
1907 \let\bm@ \bm@r
1908 \let\bm@ \bm@b
1909 \let\bm@ \bm@t
1910 \let\bm@ \bm@s
1911 \long\def\@iiiparbox#1#2[#3]#4#5{%
1912     \leavevmode
1913     \@pboxswfalse
1914     \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
1915     \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\else
1916     \setlength\@tempdima{#4}%
1917     \@begin@tempboxa\vbox{\hsize\@tempdima\@parboxrestore#5\@par}%
1918     \ifx\relax#2\else
1919         \setlength\@tempdimb{#2}%
1920         \edef\@parboxto{to\the\@tempdimb}%
1921     \fi
1922     \if#1b\vbox
1923     \else\if#1 \vbox
1924     \else\if #1t\vtop
1925     \else\if vtop \ #1
1926     \else\ifmode\vcenter
1927     \else\@pboxswtrue $\vcenter
1928     \fi\fi\fi\fi\fi
1929     \@parboxto{\let\hss\vss\let\unhbox\unvbox
1930         \csname bm@#3\endcsname}%
1931     \if@pboxsw \m@th$\fi
1932     \@end@tempboxa}
1933 \def\@iiiminipage#1#2[#3]#4{%
1934     \leavevmode
1935     \@pboxswfalse
1936     \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
1937     \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\else
1938     \setlength\@tempdima{#4}%
1939     \def\@mpargs{{#1}{#2}[#3]{#4}}%
1940     \setbox\@tempboxa\vbox\bgroup
1941     \color@begingroup
1942     \hsize\@tempdima
1943     \textwidth\hsize \columnwidth\hsize
1944     \@parboxrestore
1945     \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
1946     \let\@footnotetext\@mpfootnotetext
1947     \let\@LTRfootnotetext\@mpLTRfootnotetext

```



```

1948 \let\@RTLfootnotetext\@mpRTLfootnotetext
1949 \let\@listdepth\@mplistdepth \@mplistdepth\z@
1950 \@minipagerestore
1951 \@setminipage}
1952 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4 \else
1953 \ifnum \@lastchclass=3 5 \else
1954 \z@ \if #1c\@chnum \z@ \else
1955 \if chnum@ \#1 \z@ \else
1956 \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
1957 \if \if@RTLtab#1 \else#1 \fi\@chnum \@ne \else
1958 \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
1959 \if \if@RTLtab#1 \else#1 \fi\@chnum \tw@ \else
1960 \@chclass \if #1|\@ne \else
1961 \if #1@\tw@ \else
1962 \if #1p3 \else
1963 \if 3#1 \else \z@ \@preamerr 0\fi
1964 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi
1965 \fi}%
1966 }-{}
1967 \@ifdefinitionfileloaded{array-xetex-bidi}{%
1968 \def\@testpach{\@chclass
1969 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
1970 \ifnum \@lastchclass=7 5 \else
1971 \ifnum \@lastchclass=8 \tw@ \else
1972 \ifnum \@lastchclass=9 \thr@@
1973 \else \z@
1974 \ifnum \@lastchclass = 10 \else
1975 \edef\@nextchar{\expandafter\string\@nextchar}%
1976 \@chnum
1977 \if \@nextchar c\z@ \else
1978 \if \@nextchar @\ \else
1979 \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
1980 \if \@nextchar \if@RTLtab else\ fi\@ne\ \else
1981 \if \@nextchar \if@RTLtab l\else r\fi\@tw@ \else
1982 \if \@nextchar \if@RTLtab else\ @fi\@tw\ \else
1983 \z@ \@chclass
1984 \if\@nextchar |\@ne \else
1985 \if \@nextchar !6 \else
1986 \if \@nextchar @7 \else
1987 \if \@nextchar <8 \else
1988 \if \@nextchar >9 \else
1989 10
1990 \@chnum
1991 \if \@nextchar m\thr@@\else
1992 \if \@nextchar thr@@\else\
1993 \if \@nextchar p4 \else
1994 \if \@nextchar 4 \else
1995 \if \@nextchar b5 \else
1996 \if \@nextchar 5 \else
1997 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi \fi
1998 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi}%
1999 }-{}
2000 \@ifdefinitionfileloaded{arydshln-xetex-bidi}{
2001 \ifadl@usingarypkg

```



```

2002 \def\@testpach{\@chclass
2003 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
2004 \ifnum \@lastchclass=7 5 \else
2005 \ifnum \@lastchclass=8 \tw@ \else
2006 \ifnum \@lastchclass=9 \thr@@
2007 \else \z@
2008 \ifnum \@lastchclass = 10 \else
2009 \edef\@nextchar{\expandafter\string\@nextchar}%
2010 \@chnum
2011 \if \@nextchar c\z@ \else
2012 \if \@nextchar @z\ \else
2013 \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
2014 \if \@nextchar \if@RTLtab else\ fi\@ne\ \else
2015 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
2016 \if \@nextchar \if@RTLtab else\ @fi\tw\ \else
2017 \z@ \@chclass
2018 \if\@nextchar |\@ne \let\@arrayrule\adl@arrayrule \else
2019 \if\@nextchar :\@ne \let\@arrayrule\adl@arraydashrule \else
2020 \if\@nextchar ;\@ne \let\@arrayrule\adl@argarraydashrule \else
2021 \if \@nextchar !6 \else
2022 \if \@nextchar @7 \else
2023 \if \@nextchar <8 \else
2024 \if \@nextchar >9 \else
2025 10
2026 \@chnum
2027 \if \@nextchar m\thr@@\else
2028 \if \@nextchar thr@@\else\
2029 \if \@nextchar p4 \else
2030 \if \@nextchar 4 \else
2031 \if \@nextchar b5 \else
2032 \if \@nextchar 5 \else
2033 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi \fi \fi \fi
2034 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi
2035
2036 \def\@classz{\@classx
2037 \@tempcnta \count@
2038 \prepnext@tok
2039 \@addtopreamble{\ifcase \@chnum
2040 \hfil
2041 \adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
2042 \hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
2043 \hfil\hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\or
2044 \setbox\adl@box\hbox \adl@startmbox{\@nextchar}\insert@column
2045 \adl@endmbox\or
2046 \setbox\adl@box\vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
2047 \setbox\adl@box\vbox \@startpbox{\@nextchar}\insert@column \@endpbox
2048 \fi}\prepnext@tok}
2049 \def\adl@class@start{4}
2050 \def\adl@class@iiiorvii{7}
2051
2052 \else
2053 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4\relax \else
2054 \ifnum \@lastchclass=\thr@@ 5\relax \else
2055 \z@ \if #1c\@chnum \z@ \else

```



```

2056         \if @chnum\z@ \ #1 \else
2057         \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
2058         \if \if@RTLtab#1 \else#1 \fi\@chnum \@ne \else
2059         \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
2060         \if \if@RTLtab#1 \else#1 \fi\@chnum \tw@ \else
2061         \@chclass
2062         \if #1|\@ne \let\@arrayrule\adl@arrayrule \else
2063         \if #1:\@ne \let\@arrayrule\adl@arraydashrule \else
2064         \if #1;\@ne \let\@arrayrule\adl@argarraydashrule \else
2065         \if #1@\tw@ \else
2066         \if #1p\thr@@ \else
2067         \if @@thr\ #1 \else\z@ \@preamerr 0\fi
2068     \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi
2069
2070 \def\@arrayclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
2071     \or \or \@addamp \or
2072     \@acolampacol \or \@firststampfalse \@acol \fi
2073 \edef\@preamble{\@preamble
2074     \ifcase \@chnum
2075     \hfil\adl@putlrc{\$ \relax\@sharp$}\hfil
2076     \or \adl@putlrc{\$ \relax\@sharp$}\hfil
2077     \or \hfil\adl@putlrc{\$ \relax\@sharp$}\fi}}
2078 \def\@tabclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
2079     \or \or \@addamp \or
2080     \@acolampacol \or \@firststampfalse \@acol \fi
2081 \edef\@preamble{\@preamble
2082     \ifcase \@chnum
2083     \hfil\adl@putlrc{\@sharp\unskip}\hfil
2084     \or \adl@putlrc{\@sharp\unskip}\hfil
2085     \or \hfil\hskip\z@ \adl@putlrc{\@sharp\unskip}\fi}}
2086 \def\adl@class@start{6}
2087 \def\adl@class@iii{3}
2088 \fi
2089 }{}
2090 \@ifdefinitionfileloaded{tabulary-xetex-bidi}{%
2091 \def\@testpach{\@chclass
2092 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
2093 \ifnum \@lastchclass=7 5 \else
2094 \ifnum \@lastchclass=8 \tw@ \else
2095 \ifnum \@lastchclass=9 \thr@@
2096 \else \z@
2097 \ifnum \@lastchclass = 10 \else
2098 \edef\@nextchar{\expandafter\string\@nextchar}%
2099 \@chnum
2100 \if \@nextchar c\z@ \else
2101 \if \@nextchar @z\ \else
2102 \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
2103 \if \@nextchar \if@RTLtab else\ fi\@ne\ \else
2104 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
2105 \if \@nextchar \if@RTLtab else\ @fi\tw\ \else
2106 \if \@nextchar C7 \else
2107 \if \@nextchar 7 \else
2108 \if \@nextchar L8 \else
2109 \if \@nextchar 8 \else

```




```

2164 \ExplSyntaxOff
2165 \expandafter\let\csname end      *\endcsname =\end

```

45 File natbib-xepersian.def

```

2166 \ProvidesFile{natbib-xepersian.def}[2011/08/01 v0.1 adaptations for natbib package]
2167 \renewcommand\NAT@set@cites{%
2168   \ifNAT@numbers
2169     \ifNAT@super \let\@cite\NAT@citesuper
2170     \def\NAT@mbox##1{\unskip\nobreak\textsuperscript{##1}}%
2171     \let\citeyearpar=\citeyear
2172     \let\NAT@space\relax
2173     \def\NAT@super@kern{\kern\p@}%
2174   \else
2175     \let\NAT@mbox=\mbox
2176     \let\@cite\NAT@citenum
2177     \let\NAT@space\NAT@spacechar
2178     \let\NAT@super@kern\relax
2179   \fi
2180   \let\@citex\NAT@citexnum
2181   \let\@Latincitex\NAT@Latin@citexnum
2182   \let\@biblabel\NAT@biblabelnum
2183   \let\@bibsetup\NAT@bibsetnum
2184   \renewcommand\NAT@idxtxt{\NAT@name\NAT@spacechar\NAT@open\NAT@num\NAT@close}%
2185   \def\natexlab##1{%
2186     \def\NAT@penalty{\penalty\@m}%
2187   \else
2188     \let\@cite\NAT@cite
2189     \let\@citex\NAT@citex
2190     \let\@Latincitex\NAT@Latin@citex
2191     \let\@biblabel\NAT@biblabel
2192     \let\@bibsetup\NAT@bibsetup
2193     \let\NAT@space\NAT@spacechar
2194     \let\NAT@penalty\@empty
2195     \renewcommand\NAT@idxtxt{\NAT@name\NAT@spacechar\NAT@open\NAT@date\NAT@close}%
2196     \def\natexlab##1{##1}%
2197   \fi}
2198 \newcommand\NAT@Latin@citex{}
2199 \def\NAT@Latin@citex%
2200   [#1][#2]#3{%
2201   \NAT@reset@parser
2202   \NAT@sort@cites{#3}%
2203   \NAT@reset@citea
2204   \@cite{\lr{\let\NAT@nm\@empty\let\NAT@year\@empty
2205   \@for\@citeb:=\NAT@cite@list\do
2206   {\@safe@activestrue
2207   \edef\@citeb{\expandafter\@firstofone\@citeb\@empty}}%
2208   \@safe@activesfalse
2209   \@ifundefined{b@\@citeb\@extra@b@citeb}{\@citea%
2210   {\reset@font\bfseries ?}\NAT@citeundefined
2211   \PackageWarning{natbib}%
2212   {Citation ``\@citeb' on page \thepage \space undefined}}\def\NAT@date{}}%
2213   {\let\NAT@last@nm=\NAT@nm\let\NAT@last@yr=\NAT@year
2214   \NAT@parse{\@citeb}%

```



```

2215 \ifNAT@longnames\@ifundefined{bv@\@citeb\@extra@b@citeb}{%
2216 \let\NAT@name=\NAT@all@names
2217 \global\@namedef{bv@\@citeb\@extra@b@citeb}{}}{-%
2218 \fi
2219 \ifNAT@full\let\NAT@nm\NAT@all@names\else
2220 \let\NAT@nm\NAT@name\fi
2221 \ifNAT@swa\ifcase\NAT@ctype
2222 \if\relax\NAT@date\relax
2223 \@citea\NAT@hyper@{\NAT@nmfmt{\NAT@nm}\NAT@date}%
2224 \else
2225 \ifx\NAT@last@nm\NAT@nm\NAT@yrsep
2226 \ifx\NAT@last@yr\NAT@year
2227 \def\NAT@temp{?}%
2228 \ifx\NAT@temp\NAT@exlab\PackageWarningNoLine{natbib}%
2229 {Multiple citation on page \thepage: same authors and
2230 year\MessageBreak without distinguishing extra
2231 letter,\MessageBreak appears as question mark}\fi
2232 \NAT@hyper@{\NAT@exlab}%
2233 \else\unskip\NAT@spacechar
2234 \NAT@hyper@{\NAT@date}%
2235 \fi
2236 \else
2237 \@citea\NAT@hyper@{%
2238 \NAT@nmfmt{\NAT@nm}%
2239 \hyper@natlinkbreak{%
2240 \NAT@aysep\NAT@spacechar}{\@citeb\@extra@b@citeb
2241 }%
2242 \NAT@date
2243 }%
2244 \fi
2245 \fi
2246 \or\@citea\NAT@hyper@{\NAT@nmfmt{\NAT@nm}}%
2247 \or\@citea\NAT@hyper@{\NAT@date}%
2248 \or\@citea\NAT@hyper@{\NAT@alias}%
2249 \fi \NAT@def@citea
2250 \else
2251 \ifcase\NAT@ctype
2252 \if\relax\NAT@date\relax
2253 \@citea\NAT@hyper@{\NAT@nmfmt{\NAT@nm}}%
2254 \else
2255 \ifx\NAT@last@nm\NAT@nm\NAT@yrsep
2256 \ifx\NAT@last@yr\NAT@year
2257 \def\NAT@temp{?}%
2258 \ifx\NAT@temp\NAT@exlab\PackageWarningNoLine{natbib}%
2259 {Multiple citation on page \thepage: same authors and
2260 year\MessageBreak without distinguishing extra
2261 letter,\MessageBreak appears as question mark}\fi
2262 \NAT@hyper@{\NAT@exlab}%
2263 \else
2264 \unskip\NAT@spacechar
2265 \NAT@hyper@{\NAT@date}%
2266 \fi
2267 \else
2268 \@citea\NAT@hyper@{%

```



```

2269         \NAT@nmfmt{\NAT@nm}%
2270         \hyper@natlinkbreak{\NAT@spacechar\NAT@@open@if*#1*\else#1\NAT@spacechar\fi}%
2271         {\@citeb\@extra@b@citeb}%
2272         \NAT@date
2273     }%
2274     \fi
2275     \fi
2276     \or\@citea\NAT@hyper@{\NAT@nmfmt{\NAT@nm}}%
2277     \or\@citea\NAT@hyper@{\NAT@date}%
2278     \or\@citea\NAT@hyper@{\NAT@alias}%
2279     \fi
2280     \if\relax\NAT@date\relax
2281         \NAT@def@citea
2282     \else
2283         \NAT@def@citea@close
2284     \fi
2285     \fi
2286     }}\ifNAT@swa\else\if*#2*\else\NAT@cmt#2\fi
2287     \if\relax\NAT@date\relax\else\NAT@@close\fi\fi}}{#1}{#2}}
2288 \newcommand\NAT@Latin@citexnum{}
2289 \def\NAT@Latin@citexnum[#1][#2]#3{%
2290     \NAT@reset@parser
2291     \NAT@sort@cites{#3}%
2292     \NAT@reset@citea
2293     \@cite{\lr{\def\NAT@num{-1}\let\NAT@last@yr\relax\let\NAT@nm\@empty
2294         \@for\@citeb:=\NAT@cite@list\do
2295             {\@safe@activestruel
2296                 \edef\@citeb{\expandafter\@firstofone\@citeb\@empty}}%
2297                 \@safe@activesfalse
2298                 \@ifundefined{b@\@citeb\@extra@b@citeb}{%
2299                     {\reset@font\bfseries?}
2300                     \NAT@citeundefined\PackageWarning{natbib}%
2301                     {Citation `@\@citeb' on page \thepage \space undefined}}}%
2302                 {\let\NAT@last@num\NAT@num\let\NAT@last@nm\NAT@nm
2303                     \NAT@parse{\@citeb}%
2304                     \ifNAT@longnames\@ifundefined{bv@\@citeb\@extra@b@citeb}{%
2305                         \let\NAT@name=\NAT@all@names
2306                         \global\@namedef{bv@\@citeb\@extra@b@citeb}{}}{}}%
2307                 \fi
2308                 \ifNAT@full\let\NAT@nm\NAT@all@names\else
2309                     \let\NAT@nm\NAT@name\fi
2310                 \ifNAT@swa
2311                     \@ifnum{\NAT@ctype>\@ne}{%
2312                         \@citea
2313                         \NAT@hyper@{\@ifnum{\NAT@ctype=\tw@}{\NAT@test{\NAT@ctype}}{\NAT@alias}}%
2314                     }{%
2315                         \@ifnum{\NAT@cmprs>\z@}{%
2316                             \NAT@ifcat@num\NAT@num
2317                             {\let\NAT@nm=\NAT@num}%
2318                             {\def\NAT@nm{-2}}%
2319                             \NAT@ifcat@num\NAT@last@num
2320                             {\@tempcnta=\NAT@last@num\relax}%
2321                             {\@tempcnta\m@ne}%
2322                             \@ifnum{\NAT@nm=\@tempcnta}{%

```




```

2323     \@ifnum{\NAT@merge>\@one}{\NAT@last@yr@ebox}%
2324   }{%
2325     \advance\@tempcnta by\@one
2326     \@ifnum{\NAT@nm=\@tempcnta}{%
2327       \ifx\NAT@last@yr\relax
2328         \def\NAT@last@yr{\@citea}%
2329       \else
2330         \def\NAT@last@yr{--\NAT@penalty}%
2331       \fi
2332     }{%
2333       \NAT@last@yr@ebox
2334     }%
2335   }%
2336 }{%
2337   \@tempswatrue
2338   \@ifnum{\NAT@merge>\@one}{\@ifnum{\NAT@last@num=\NAT@num\relax}{\@tempswafalse}{}}{%
2339     \if@tempswa\NAT@citea@ebox\fi
2340   }%
2341 }%
2342 \NAT@def@citea
2343 \else
2344   \ifcase\NAT@ctype
2345     \ifx\NAT@last@nm\NAT@nm \NAT@yrsep\NAT@penalty\NAT@space\else
2346       \@citea \NAT@test{\@one}\NAT@spacechar\NAT@ebox{\NAT@super@kern\NAT@@open}%
2347     \fi
2348     \if*#1*\else#1\NAT@spacechar\fi
2349     \NAT@ebox{\NAT@hyper@{\@citenumfont{\NAT@num}}}%
2350     \NAT@def@citea@box
2351   \or
2352     \NAT@hyper@citea@space{\NAT@test{\NAT@ctype}}%
2353   \or
2354     \NAT@hyper@citea@space{\NAT@test{\NAT@ctype}}%
2355   \or
2356     \NAT@hyper@citea@space\NAT@alias
2357   \fi
2358 \fi
2359 }%
2360 }%
2361 \@ifnum{\NAT@cmprs>\z}{\NAT@last@yr}{}%
2362 \ifNAT@swa\else
2363   \@ifnum{\NAT@ctype=\z}{%
2364     \if*#2*\else\NAT@cmt#2\fi
2365   }{%
2366     \NAT@ebox{\NAT@@close}%
2367   \fi
2368 }}{#1}{#2}%
2369 }%
2370 \AtBeginDocument{\NAT@set@cites}
2371 \DeclareRobustCommand\Latincite
2372   {\begingroup\let\NAT@ctype\z\NAT@partrue\NAT@swatrue
2373     \@ifstar{\NAT@fulltrue\NAT@Latin@cites}{\NAT@fullfalse\NAT@Latin@cites}}
2374 \newcommand\NAT@Latin@cites{\@ifnextchar [{\NAT@@Latin@citetp}{%
2375   \ifNAT@numbers\else
2376     \NAT@swafalse

```



```

2377     \fi
2378     \NAT@Latin@citetp[]}}
2379 \newcommand\NAT@Latin@citetp{}
2380 \def\NAT@Latin@citetp[#1]{\@ifnextchar[{\@Latincitex[#1]}{\@Latincitex[][#1]}}

```

46 File packages-localise-xepersian.def

```

2381 packages} \-localise-xepersian.def}[2013/04/24 v0.2 localising LaTeX2e Packages]
2382 color} \}{color} @\-localise-xepersian.def}}{}
2383 \ifpackageloaded{multicol}{%
2384 \newenvironment{ }{\begin{multicols}}{\end{multicols}}%
2385 \newenvironment{ *}{\begin{multicols*}}{\end{multicols*}}%
2386 }{}
2387 \@ifpackageloaded{verbatim}{%
2388 \begingroup
2389 \vrb@catcodes
2390 \lccode`!=`\ \lccode`\[=\`\{ \lccode`\]=`\}
2391 \catcode`\-=\active \lccode`\-=`\^M
2392 \lccode`\C=\`C
2393 \lowercase{\endgroup
2394 \def\xepersian@localize@verbatim@start#1{%
2395 \verbatim@startline
2396 \if\noexpand#1\noexpand-%
2397 \let\next\xepersian@localize@verbatim@
2398 \else \def\next{\xepersian@localize@verbatim@#1}\fi
2399 \next}%
2400 \def\xepersian@localize@verbatim@#1~{\xepersian@localize@verbatim@#1! \@nil}%
2401 \def\xepersian@localize@verbatim@#1! {%
2402 \verbatim@addtoline{#1}%
2403 \futurelet\next\xepersian@localize@verbatim@#1}%
2404 \def\xepersian@localize@verbatim@#1\@nil{%
2405 \ifx\next\@nil
2406 \verbatim@processline
2407 \verbatim@startline
2408 \let\next\xepersian@localize@verbatim@
2409 \else
2410 \def@tempa##1! \@nil{##1}%
2411 \@temptokena{! }%
2412 \def\next{\expandafter\xepersian@localize@verbatim@test\@tempa#1\@nil~}%
2413 \fi \next}%
2414 \def\xepersian@localize@verbatim@test#1{%
2415 \let\next\xepersian@localize@verbatim@test
2416 \if\noexpand#1\noexpand-%
2417 \expandafter\verbatim@addtoline
2418 \expandafter{\the\@temptokena}%
2419 \verbatim@processline
2420 \verbatim@startline
2421 \let\next\xepersian@localize@verbatim@
2422 \else \if\noexpand#1
2423 \@temptokena\expandafter{\the\@temptokena#1}%
2424 \else \if\noexpand#1\noexpand%
2425 \let\@tempc\@empty
2426 \let\next\xepersian@localize@verbatim@testend
2427 \else

```



```

2428         \expandafter\verbatim@addtoline
2429         \expandafter{\the\@temptokena}%
2430         \def\next{\xepersian@localize@verbatim@#1}%
2431         \fi\fi\fi
2432         \next}%
2433 \def\xepersian@localize@verbatim@testend#1{%
2434     \if\noexpand#1\noexpand~%
2435     \expandafter\verbatim@addtoline
2436     \expandafter{\the\@temptokena []}%
2437     \expandafter\verbatim@addtoline
2438     \expandafter{\@tempc}%
2439     \verbatim@processline
2440     \verbatim@startline
2441     \let\next\xepersian@localize@verbatim@
2442     \else\if\noexpand#1\noexpand]%
2443     \let\next\xepersian@localize@verbatim@@testend
2444     \else\if\noexpand#1\noexpand!%
2445     \expandafter\verbatim@addtoline
2446     \expandafter{\the\@temptokena []}%
2447     \expandafter\verbatim@addtoline
2448     \expandafter{\@tempc}%
2449     \def\next{\xepersian@localize@verbatim@!}%
2450     \else \expandafter\def\expandafter\@tempc\expandafter
2451     {\@tempc#1}\fi\fi\fi
2452     \next}%
2453 \def\xepersian@localize@verbatim@@testend{%
2454     \ifx\@tempc\@currenvir
2455     \verbatim@finish
2456     \edef\next{\noexpand\end{\@currenvir}%
2457         \noexpand\xepersian@localize@verbatim@rescan{\@currenvir}}%
2458     \else
2459     \expandafter\verbatim@addtoline
2460     \expandafter{\the\@temptokena []}%
2461     \expandafter\verbatim@addtoline
2462     \expandafter{\@tempc []}%
2463     \let\next\xepersian@localize@verbatim@
2464     \fi
2465     \next}%
2466 \def\xepersian@localize@verbatim@rescan#1#2~{\if\noexpand~\noexpand#2~\else
2467     \@warning{Characters dropped after `string\end{#1}'}\fi}}%
2468 \def\
2469     {\begingroup\@verbatim \frenchspacing\@vobeyspaces
2470     \xepersian@localize@verbatim@start}
2471 \@namedef{
2472     *}{\begingroup\@verbatim\xepersian@localize@verbatim@start}
2473 \def\end
2474     {\endtrivlist\endgroup\@doendpe}
2475 \expandafter\let\csname end
2476     *\endcsname =\end
2477 }{}
2478 \ExplSyntaxOn
2479 \AtBeginDocument{
2480     \xepersian_localize_patch_verbatim:
2481 }
2482 \cs_set:Npn \xepersian_localize_patch_verbatim: {
2483     \@ifpackageloaded{verbatim}{
2484         \cs_set:cpn {*
2485             }
2486         \group_begin: \@verbatim \fontspec_print_visible_spaces: \xepersian@localize@verbatim@

```



```

2482   }
2483   }{
2484   }
2485 }
2486 \ExplSyntaxOff
2487 \@ifpackageloaded{graphicx}{%
2488 \def\Gin@boolkey#1#2{%
2489 \expandafter\@ifdefinable \csname Gin@#2 \endcsname{%
2490 \expandafter\let\csname Gin@#2 \expandafter\endcsname\csname Gin@#2true\endcsname}%
2491 \expandafter\@ifdefinable \csname Gin@#2 \endcsname{%
2492 \expandafter\let\csname Gin@#2 \expandafter\endcsname\csname Gin@#2false\endcsname}%
2493 \csname Gin@#2\ifx\relax#1\relax true\else#1\fi\endcsname}
2494 \define@key{Grot}{origin}[c]{%
2495 \@tfor\@tempa:=#1\do{%
2496 \if l\@tempa \Grot@x\z@ \else
2497 \if tempa@ \Grot@x\z@ \else
2498 \if r\@tempa \Grot@x\width \else
2499 \if tempa@ \Grot@x\width \else
2500 \if t\@tempa \Grot@y\height \else
2501 \if tempa@ \Grot@y\height \else
2502 \if b\@tempa \Grot@y-\depth \else
2503 \if tempa@ \Grot@y-\depth \else
2504 \if B\@tempa \Grot@y\z@ \else
2505 \if tempa@ \Grot@y\z@\fi\fi\fi\fi\fi\fi\fi\fi\fi\fi}}
2506 {draft}{ }{Gin} @ \
2507 {origin}{ }{Gin} @ \
2508 {origin}{ }{Grot} @ \
2509 {clip}{ }{Gin} @ \
2510 {keepaspectratio}{ }{Gin} @ \
2511 {natwidth}{ }{Gin} @ \
2512 {natheight}{ }{Gin} @ \
2513 {bb}{ }{Gin} @ \
2514 {viewport}{ }{Gin} @ \
2515 {trim}{ }{Gin} @ \
2516 {angle}{ }{Gin} @ \
2517 {width}{ }{Gin} @ \
2518 {height}{ }{Gin} @ \
2519 {totalheight}{ }{Gin} @ \
2520 {scale}{ }{Gin} @ \
2521 {type}{ }{Gin} @ \
2522 {ext}{ }{Gin} @ \
2523 {read}{ }{Gin} @ \
2524 {command}{ }{Gin} @ \
2525 {x}{ }{Grot} @ \
2526 {y}{ }{Grot} @ \
2527 {units}{ }{Grot} @ \
2528 }{ }

```

47 File url-xepersian.def

```

2529 \ProvidesFile{url-xepersian.def}[2022/02/18 v0.1 adaptations for url package]
2530 \begingroup
2531 \lccode`+=`%\lccode`\~`~\%
2532 \lowercase {\long\gdef\Url@actpercent{\Url@Edit\Url@String+}{-}%

```



```

2533 \ifnum\Umathcodenum`\%<32768 \def~{\%}\fi}}%
2534 \endgroup%

```

48 File persian-tex-text.map

```

2535 LHSName "persian-TeX-text"
2536 RHSName "Unicode"
2537
2538 pass(Unicode)
2539 U+0030 <> U+06F0 ;
2540 U+0031 <> U+06F1 ;
2541 U+0032 <> U+06F2 ;
2542 U+0033 <> U+06F3 ;
2543 U+0034 <> U+06F4 ;
2544 U+0035 <> U+06F5 ;
2545 U+0036 <> U+06F6 ;
2546 U+0037 <> U+06F7 ;
2547 U+0038 <> U+06F8 ;
2548 U+0039 <> U+06F9 ;
2549
2550
2551 U+002C <> U+060C ; comma > arabic comma
2552 U+003F <> U+061F ; question mark -> arabic qm
2553 U+003B <> U+061B ; semicolon -> arabic semicolon
2554
2555 ; ligatures from Knuth's original CMR fonts
2556 U+002D U+002D <> U+2013 ; -- -> en dash
2557 U+002D U+002D U+002D <> U+2014 ; --- -> em dash
2558
2559 U+0027 <> U+2019 ; ' -> right single quote
2560 U+0027 U+0027 <> U+201D ; '' -> right double quote
2561 U+0022 > U+201D ; " -> right double quote
2562
2563 U+0060 <> U+2018 ; ` -> left single quote
2564 U+0060 U+0060 <> U+201C ; `` -> left double quote
2565
2566 U+0021 U+0060 <> U+00A1 ; !` -> inverted exclam
2567 U+003F U+0060 <> U+00BF ; ?` -> inverted question
2568
2569 ; additions supported in T1 encoding
2570 U+002C U+002C <> U+201E ; ,, -> DOUBLE LOW-9 QUOTATION MARK
2571 U+003C U+003C <> U+00AB ; << -> LEFT POINTING GUILLEMET
2572 U+003E U+003E <> U+00BB ; >> -> RIGHT POINTING GUILLEMET

```

49 File persian-tex-text-nonnumbers.map

```

2573 LHSName "persian-TeX-text-nonnumbers"
2574 RHSName "Unicode"
2575
2576 pass(Unicode)
2577 U+002C <> U+060C ; comma > arabic comma
2578 U+003F <> U+061F ; question mark -> arabic qm
2579 U+003B <> U+061B ; semicolon -> arabic semicolon
2580

```



```

2581 ; ligatures from Knuth's original CMR fonts
2582 U+002D U+002D <> U+2013 ; -- -> en dash
2583 U+002D U+002D U+002D <> U+2014 ; --- -> em dash
2584
2585 U+0027 <> U+2019 ; ' -> right single quote
2586 U+0027 U+0027 <> U+201D ; '' -> right double quote
2587 U+0022 > U+201D ; " -> right double quote
2588
2589 U+0060 <> U+2018 ; ` -> left single quote
2590 U+0060 U+0060 <> U+201C ; `` -> left double quote
2591
2592 U+0021 U+0060 <> U+00A1 ; !` -> inverted exclam
2593 U+003F U+0060 <> U+00BF ; ?` -> inverted question
2594
2595 ; additions supported in T1 encoding
2596 U+002C U+002C <> U+201E ; ,, -> DOUBLE LOW-9 QUOTATION MARK
2597 U+003C U+003C <> U+00AB ; << -> LEFT POINTING GUILLEMET
2598 U+003E U+003E <> U+00BB ; >> -> RIGHT POINTING GUILLEMET

```

50 File rapport1-xepersian.def

```

2599 \ProvidesFile{rapport1-xepersian.def}[2010/07/25 v0.1 adaptations for rapport1 class]
2600 \renewcommand*\thepart{\@tartibi\c@part}
2601 \renewcommand*\appendix{\par
2602 \setcounter{chapter}{0}%
2603 \setcounter{section}{0}%
2604 \gdef\@chapapp{\appendixname}%
2605 \gdef\thechapter{\@harfi\c@chapter}}

```

51 File rapport3-xepersian.def

```

2606 \ProvidesFile{rapport3-xepersian.def}[2010/07/25 v0.2 adaptations for rapport3 class]
2607 \renewcommand*\thepart{\@tartibi\c@part}
2608 \renewcommand*\appendix{\par
2609 \setcounter{chapter}{0}%
2610 \setcounter{section}{0}%
2611 \gdef\@chapapp{\appendixname}%
2612 \gdef\thechapter{\@harfi\c@chapter}}

```

52 File refrep-xepersian.def

```

2613 \ProvidesFile{refrep-xepersian.def}[2010/07/25 v0.2 adaptations for refrep class]
2614 \renewcommand \thepart {\@tartibi\c@part}
2615 \renewcommand\appendix{\par
2616 \setcounter{chapter}{0}%
2617 \setcounter{section}{0}%
2618 \gdef\@chapapp{\appendixname}%
2619 \gdef\thechapter{\@harfi\c@chapter}
2620 }%end appendix

```

53 File report-xepersian.def

```

2621 \ProvidesFile{report-xepersian.def}[2010/07/25 v0.2 adaptations for standard report class]
2622 \renewcommand \thepart {\@tartibi\c@part}

```



```

2623 \renewcommand\appendix{\par
2624 \setcounter{chapter}{0}%
2625 \setcounter{section}{0}%
2626 \gdef\@chapapp{\appendixname}%
2627 \gdef\thechapter{\@harfi\c@chapter}
2628 }%end appendix

```

54 File `scrartcl-xepersian.def`

```

2629 \ProvidesFile{scrartcl-xepersian.def}[2022/05/22 v0.3 adaptations for scrartcl class]
2630 \renewcommand*{\thepart}{\@tartibi\c@part}
2631 \renewcommand*\appendix{%
2632 \Ifstr{\@currenvir}{appendix}{%
2633 \ClassWarning{KOMAClassName}{%
2634 You are using
2635 \string\begin{appendix}...\string\end{appendix}'.\MessageBreak
2636 You should note, that \string\appendix' is a mostly
2637 globally\MessageBreak
2638 working command not an enviroment with only local\MessageBreak
2639 effects. Therefore \string\end{appendix}' will neither\MessageBreak
2640 switch back to normal section numbering nor finish\MessageBreak
2641 every other effect of \string\begin{appendix}'.\MessageBreak
2642 Nevertheless, some effects may end with\MessageBreak
2643 \string\end{appendix}' and the document may become\MessageBreak
2644 inconsistent.\MessageBreak
2645 Because of this, you should remove \string\end{appendix}'.\MessageBreak
2646 and replace \string\begin{appendix}' by command\MessageBreak
2647 \string\appendix'%
2648 }%
2649 }{}%
2650 \par
2651 \setcounter{section}{0}%
2652 \setcounter{subsection}{0}%
2653 \gdef\thesection{\@harfi\c@section}%
2654 }
2655 \IfLTXAtLeastTF{2020/10/01}{%
2656 \g@addto@macro{\appendix}{\UseOneTimeHook{KOMAClassName/appendix}}%
2657 }{}
2658 \g@addto@macro{\appendix}{\csname appendixmore\endcsname}
2659 \renewcommand*{\@maybeautodot}[1]{%
2660 \ifx #1\@stop\let\@maybeautodot\relax
2661 \else
2662 \ifx #1\harfi \@autodottrue\fi
2663 \ifx #1\adadi \@autodottrue\fi
2664 \ifx #1\tartibi \@autodottrue\fi
2665 \ifx #1\Alph \@autodottrue\fi
2666 \ifx #1\alph \@autodottrue\fi
2667 \ifx #1\Roman \@autodottrue\fi
2668 \ifx #1\roman \@autodottrue\fi
2669 \ifx #1\@harfi \@autodottrue\fi
2670 \ifx #1\@adadi \@autodottrue\fi
2671 \ifx #1\@tartibi \@autodottrue\fi
2672 \ifx #1\@Alph \@autodottrue\fi
2673 \ifx #1\@alph \@autodottrue\fi

```



```

2674 \ifx #1\@Roman \@autodottrue\fi
2675 \ifx #1\@roman \@autodottrue\fi
2676 \ifx #1\romannumeral \@autodottrue\fi
2677 \fi
2678 \@maybeautodot
2679 }

```

55 File scrbook-xepersian.def

```

2680 \ProvidesFile{scrbook-xepersian.def}[2022/05/22 v0.3 adaptations for scrbook class]
2681 \renewcommand*\frontmatter{%
2682 \if@twoside\cleardoubleoddpagel\else\clearpage\fi
2683 \@mainmatterfalse\pagenumbering{harfi}%
2684 }
2685 \renewcommand*\thepart{\@tartibi\c@part}
2686 \renewcommand*\appendix{%
2687 \Ifstr{\@currentenv}{appendix}{%
2688 \ClassWarning{\KOMAClassName}{%
2689 You are using
2690 \string\begin{appendix}...\string\end{appendix}'.\MessageBreak
2691 You should note, that \string\appendix' is a mostly
2692 globally\MessageBreak
2693 working command not an environment with only local\MessageBreak
2694 effects. Therefore \string\end{appendix}' will neither\MessageBreak
2695 switch back to normal section numbering nor finish\MessageBreak
2696 every other effect of \string\begin{appendix}'.\MessageBreak
2697 Nevertheless, some effects may end with\MessageBreak
2698 \string\end{appendix}' and the document may become\MessageBreak
2699 inconsistent.\MessageBreak
2700 Because of this, you should remove \string\end{appendix}'\MessageBreak
2701 and replace \string\begin{appendix}' by command\MessageBreak
2702 \string\appendix'%
2703 }%
2704 }{}%
2705 \par
2706 \setcounter{chapter}{0}%
2707 \setcounter{section}{0}%
2708 \gdef\@chapapp{\appendixname}%
2709 \gdef\thechapter{\@harfi\c@chapter}%
2710 }
2711 \IfLTXAtLeastTF{2020/10/01}{%
2712 \g@addto@macro{\appendix}{\UseOneTimeHook{\KOMAClassName/appendix}}%
2713 }{}
2714 \g@addto@macro{\appendix}{\csname appendixmore\endcsname}
2715 \renewcommand*\@maybeautodot}[1]{%
2716 \ifx #1\@stop\let\@maybeautodot\relax
2717 \else
2718 \ifx #1\harfi \@autodottrue\fi
2719 \ifx #1\adadi \@autodottrue\fi
2720 \ifx #1\tartibi \@autodottrue\fi
2721 \ifx #1\Alph \@autodottrue\fi
2722 \ifx #1\alph \@autodottrue\fi
2723 \ifx #1\Roman \@autodottrue\fi
2724 \ifx #1\roman \@autodottrue\fi

```




```

2725 \ifx #1\@harfi \@autodottrue\fi
2726 \ifx #1\@adadi \@autodottrue\fi
2727 \ifx #1\@tartibi \@autodottrue\fi
2728 \ifx #1\@Alph \@autodottrue\fi
2729 \ifx #1\@alph \@autodottrue\fi
2730 \ifx #1\@Roman \@autodottrue\fi
2731 \ifx #1\@roman \@autodottrue\fi
2732 \ifx #1\romannumeral \@autodottrue\fi
2733 \fi
2734 \@maybeautodot
2735 }

```

56 File `scrreprt-xepersian.def`

```

2736 \ProvidesFile{scrreprt-xepersian.def}[2022/05/22 v0.3 adaptations for scrreprt class]
2737 \renewcommand*{\thepart}{\@tartibi\c@part}
2738 \renewcommand*\appendix{%
2739 \Ifstr{\@currenvir}{appendix}{%
2740 \ClassWarning{\KOMAClassName}{%
2741 You are using
2742 \string\begin{appendix}...\string\end{appendix}'.\MessageBreak
2743 You should note, that \string\appendix' is a mostly
2744 globally\MessageBreak
2745 working command not an enviroment with only local\MessageBreak
2746 effects. Therefore \string\end{appendix}' will neither\MessageBreak
2747 switch back to normal section numbering nor finish\MessageBreak
2748 every other effect of \string\begin{appendix}'.\MessageBreak
2749 Nevertheless, some effects may end with\MessageBreak
2750 \string\end{appendix}' and the document may become\MessageBreak
2751 inconsistent.\MessageBreak
2752 Because of this, you should remove \string\end{appendix}'.\MessageBreak
2753 and replace \string\begin{appendix}' by command\MessageBreak
2754 \string\appendix'%
2755 }%
2756 }{}%
2757 \par
2758 \setcounter{chapter}{0}%
2759 \setcounter{section}{0}%
2760 \gdef\@chapapp{\appendixname}%
2761 \gdef\thechapter{\@harfi\c@chapter}%
2762 }
2763 \IfLTXAtLeastTF{2020/10/01}{%
2764 \g@addto@macro{\appendix}{\UseOneTimeHook{\KOMAClassName/appendix}}%
2765 }{}
2766 \g@addto@macro{\appendix}{\csname appendixmore\endcsname}
2767 \renewcommand*{\@maybeautodot}[1]{%
2768 \ifx #1\@stop\let\@maybeautodot\relax
2769 \else
2770 \ifx #1\harfi \@autodottrue\fi
2771 \ifx #1\adadi \@autodottrue\fi
2772 \ifx #1\tartibi \@autodottrue\fi
2773 \ifx #1\Alph \@autodottrue\fi
2774 \ifx #1\alph \@autodottrue\fi
2775 \ifx #1\Roman \@autodottrue\fi

```



```

2776 \ifx #1\roman \@autodottrue\fi
2777 \ifx #1\@harfi \@autodottrue\fi
2778 \ifx #1\@adadi \@autodottrue\fi
2779 \ifx #1\@tartibi \@autodottrue\fi
2780 \ifx #1\@Alph \@autodottrue\fi
2781 \ifx #1\@alph \@autodottrue\fi
2782 \ifx #1\@Roman \@autodottrue\fi
2783 \ifx #1\@roman \@autodottrue\fi
2784 \ifx #1\romannumeral \@autodottrue\fi
2785 \fi
2786 \@maybeautodot
2787 }

```

57 File soul-xepersian.def

```

2788 \ProvidesFile{soul-xepersian.def}[2018/12/12 v0.2 adaptations for soul package]
2789 \let\SOUL@tt@latin\SOUL@tt
2790 \newfontface{\SOUL@tt@nonlatin}{Times New Roman}
2791 \def\SOUL@tt{%
2792 \if@nonlatin
2793 \SOUL@tt@nonlatin
2794 \else
2795 \SOUL@tt@latin
2796 \fi
2797 }
2798 \bidi@appto\resetlatinfont{%
2799 \setbox\z@\hbox{\SOUL@tt-}%
2800 \SOUL@ttwidth\wd\z@
2801 }
2802 \bidi@appto\setpersianfont{%
2803 \setbox\z@\hbox{\SOUL@tt-}%
2804 \SOUL@ttwidth\wd\z@
2805 }

```

58 File tkz-linknodes-xepersian.def

```

2806 \ProvidesFile{tkz-linknodes-xepersian.def}[2012/06/13 v0.1 adaptations for tkz-linknodes pack
2807 \renewcommand*{\@SetTab}{%
2808 \let\@alph\@latinalph%
2809 \ifnum \value{C@NumTab}>25\relax%
2810 \setcounter{C@NumTab}{1}%
2811 \else%
2812 \stepcounter{C@NumTab}%
2813 \fi%
2814 \setcounter{C@NumGroup}{0}%
2815 \newcommand*\PrefixCurrentTab{\@alph{C@NumTab}}
2816 \setboolean{B@FirstLink}{true}
2817 \setboolean{B@NewGroup}{false}
2818 \setcounter{C@NumGroup}{0}
2819 \setcounter{C@CurrentGroup}{0}
2820 \setcounter{NumC@Node}{0}
2821 \setcounter{NumC@Stop}{0}
2822 \setcounter{C@NextNode}{0}
2823 \setcounter{C@CurrentStop}{0}

```



```

2824 \setcounter{C@CurrentNode}{0}
2825 }%

```

59 File tocloft-xepersian.def

```

2826 \ProvidesFile{tocloft-xepersian.def}[2010/07/25 v0.1 bilingual captions for tocloft package]
2827 \renewcommand*{\cftchapname}{\if@RTL else\ chapter\fi}
2828 \renewcommand*{\cftsecname}{\if@RTL else\ section\fi}
2829 \renewcommand*{\cftsubsecname}{\if@RTL else\ subsection\fi}
2830 \renewcommand*{\cftsubsubsecname}{\if@RTL else\ subsubsection\fi}
2831 \renewcommand*{\cftparaname}{\if@RTL else\ paragraph\fi}
2832 \renewcommand*{\cftsubparaname}{\if@RTL else\ subparagraph\fi}
2833 \renewcommand*{\cftfigname}{\if@RTL else\ figure\fi}
2834 \renewcommand*{\cftsubfigname}{\if@RTL else\ subfigure\fi}
2835 \renewcommand*{\cfttabname}{\if@RTL else\ table\fi}
2836 \renewcommand*{\cftsubtabname}{\if@RTL else\ subtable\fi}

```

60 File varioref-xepersian.def

```

2837 \ProvidesFile{varioref-xepersian.def}[2018/09/29 v0.1 bilingual captions for varioref package]
2838 \def\reftextfaceafter{%
2839 \if@RTL
2840
2841 \reftextvario{ }{ }%
2842 \else
2843 on the \reftextvario{facing}{next} page%
2844 \fi
2845 }
2846 \def\reftextfacebefore{%
2847 \if@RTL
2848
2849 \reftextvario{ }{ }%
2850 \else
2851 on the \reftextvario{facing}{preceding} page%
2852 \fi
2853 }
2854 \def\reftextafter{%
2855 \if@RTL
2856
2857 \reftextvario{ }{ }%
2858 \else
2859 on the \reftextvario{following}{next} page%
2860 \fi
2861 }
2862 \def\reftextbefore{%
2863 \if@RTL
2864
2865 \reftextvario{ }{ }%
2866 \else
2867 on the \reftextvario{preceding}{previous} page%
2868 \fi
2869 }
2870 \def\reftextcurrent{%
2871 \if@RTL

```



```

2872
2873 \reftextvario{      }{  }{
2874   \else
2875     on \reftextvario{this}{the current} page%
2876   \fi
2877 }
2878 \def\reftextfaraway#1{%
2879   \if@RTL
2880   %
2881 ~\pageref{#1}%
2882   \else
2883     on page~\pageref{#1}%
2884   \fi
2885 }
2886 \def\reftextpagerange#1#2{%
2887   \if@RTL
2888   %
2889 ~\pageref{#1}--\pageref{#2}%
2890   \else
2891     on pages~\pageref{#1}--\pageref{#2}%
2892   \fi
2893 }
2894 \def\reftextlabelrange#1#2{%
2895   \if@RTL
2896     \ref{#1} %ref{#2}\~
2897   \else
2898     \ref{#1} to~\ref{#2}%
2899   \fi
2900 }

```

61 File xepersian.sty

```

2901 \NeedsTeXFormat{LaTeX2e}
2902 \def\xepersian@version{24.8}
2903 \def\xepersiandate{2022/10/30}
2904 \def\xepersian@releasename{Women, Life, and Freedom}
2905 \def\xepersian@persian@releasename{
2906 \newcommand*\xepersianreleasename}{\if@RTL\xepersian@persian@releasename\else\xepersian@releasename}
2907 \ProvidesPackage{xepersian}[\xepersiandate\space v\xepersian@version\space (Release \xepersian@releasename)]
2908 Persian typesetting in XeLaTeX]
2909 \RequirePackage{fontspec}
2910 \RequirePackage{xepersian-persiancal}
2911 \RequirePackage{xepersian-mathdigitsspec}
2912 \RequirePackage{bidi}
2913 \edef\xepersian@info{*****~^J%
2914 * ~^J%
2915 * xepersian package (Persian for LaTeX, using XeTeX engine)~^J%
2916 * ~^J%
2917 * Description: The package supports Persian~^J%
2918 * typesetting, using fonts provided in the~^J%
2919 * distribution.~^J%
2920 * ~^J%
2921 * Copyright (c) 2008--2022 Vafa Khalighi~^J%
2922 * Copyright (c) 2018--2020 bidi-tex GitHub Organization~^J%

```



```

2923 * ^^J%
2924 * v\xepersian@version\space (Release \xepersian@releasename), \xepersian@date^^J%
2925 * ^^J%
2926 * License: LaTeX Project Public License, version^^J%
2927 * 1.3c or higher (your choice)^^J%
2928 * ^^J%
2929 * Location on CTAN: /macros/xetex/latex/xepersian^^J%
2930 * ^^J%
2931 * Issue tracker: https://github.com/kvafa/xepersian/issues^^J%
2932 * ^^J%
2933 * Discussions: https://github.com/kvafa/xepersian/discussions^^J%
2934 * ^^J%
2935 * Primary author of xepersian package: Vafa Khalighi.^^J%
2936 * ^^J%
2937 *****}
2938 \typeout{\@xepersian@info}
2939 \edef\xepersian@everyjob{\the\everyjob}
2940 \everyjob{\xepersian@everyjob\typeout{\@xepersian@info}}
2941 \newcommand*\xepersian@version
2942   {\ensuremath\xepersian@version}
2943 \newcommand*\IfxepersianPackageVersionLater}[1]{%
2944   \ifdim\xepersian@version pt > #1 pt %
2945     \expandafter\@firstoftwo
2946   \else
2947     \expandafter\@secondoftwo
2948   \fi}
2949 \newcommand*\IfxepersianPackageVersionBefore}[1]{%
2950   \ifdim\xepersian@version pt < #1 pt %
2951     \expandafter\@firstoftwo
2952   \else
2953     \expandafter\@secondoftwo
2954   \fi}
2955 \newcommand*\IfxepersianPackageVersion}[1]{%
2956   \ifdim\xepersian@version pt = #1 pt %
2957     \expandafter\@firstoftwo
2958   \else
2959     \expandafter\@secondoftwo
2960   \fi}
2961 \def\prq{<}
2962 \def\plq{>}
2963 \def\xepersian@cmds@temp#1{%
2964   \begingroup\expandafter\expandafter\expandafter\endgroup
2965   \expandafter\ifx\csname xepersian@#1\endcsname\relax
2966     \begingroup
2967       \escapechar=-1 %
2968       \edef\x{\expandafter\meaning\csname#1\endcsname}%
2969       \def\y{#1}%
2970       \def\z##1->{}%
2971       \edef\y{\expandafter\z\meaning\y}%
2972     \expandafter\endgroup
2973     \ifx\x\y
2974       \expandafter\def\csname xepersian@#1\expandafter\endcsname
2975       \expandafter{%
2976         \csname#1\endcsname

```



```

2977     }%
2978     \fi
2979 \fi
2980 }%
2981 \xepersian@cmds@temp{shellescape}
2982 \newif\ifwritexviii
2983 \ifnum\xepersian@shellescape=1\relax
2984   \writexviiiitru
2985 \else
2986 \writexviiiifalse
2987 \fi
2988 \newfontscript{Persian}{arab}
2989 \newfontlanguage{Persian}{FAR}
2990 \ExplSyntaxOn
2991
2992 \keys_define:nn {fontspec-opentype}
2993 {
2994   Ligatures / PersianTeX .code:n = { \tl_set:Nn \l__fontspec_mapping_tl {persian-tex-text}
2995   Ligatures / PersianTeXOff .code:n = { \tl_clear:N \l__fontspec_mapping_tl },
2996   Ligatures / PersianTeXReset .code:n = { \tl_clear:N \l__fontspec_mapping_tl },
2997 }
2998
2999 \keys_define:nn {fontspec-aat}
3000 {
3001   Ligatures / PersianTeX .code:n =
3002   {
3003     \tl_set:Nn \l__fontspec_mapping_tl { persian-tex-text }
3004   }
3005 }
3006
3007 \keys_define:nn {fontspec-opentype}
3008 {
3009   Ligatures / PersianTeXNoNumbers .code:n = { \tl_set:Nn \l__fontspec_mapping_tl {persian-t
3010   Ligatures / PersianTeXNoNumbersOff .code:n = { \tl_clear:N \l__fontspec_mapping_tl },
3011   Ligatures / PersianTeXNoNumbersReset .code:n = { \tl_clear:N \l__fontspec_mapping_tl },
3012 }
3013
3014 \keys_define:nn {fontspec-aat}
3015 {
3016   Ligatures / PersianTeXNoNumbers .code:n =
3017   {
3018     \tl_set:Nn \l__fontspec_mapping_tl { persian-tex-text-nonumbers }
3019   }
3020 }
3021
3022 \DeclareDocumentCommand \settextfont { 0{} m 0{} }
3023 {
3024   \__xepersian_main_settextfont:nn {#1,#3} {#2}
3025   \ignorespaces
3026 }
3027 \cs_new:Nn \__xepersian_main_settextfont:nn
3028 {
3029   \fontspec_set_family:Nnn \l__fontspec_persianfont_family_tl {RawFeature={script=arab},Ligat
3030   \tl_set_eq:NN \rmdefault \l__fontspec_persianfont_family_tl

```



```

3031 \use:x { \exp_not:n { \DeclareRobustCommand \persianfont }
3032 {
3033   \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3034   \exp_not:N \fontfamily { \l__fontspec_persianfont_family_tl }
3035   \exp_not:N \selectfont
3036 }
3037 }
3038 \str_if_eq:eeT {\familydefault} {\rmdefault}
3039 { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3040 \__xepersian_settextfont_hook:nn {#1} {#2}
3041 \normalfont
3042 }
3043
3044 \cs_set_eq:NN \__xepersian_settextfont_hook:nn \use_none:nn
3045
3046 \DeclareDocumentCommand \settextdigitfont { 0{} m 0{} }
3047 {
3048   \__xepersian_main_settextdigitfont:nn {#1,#3} {#2}
3049   \ignorespaces
3050 }
3051 \cs_new:Nn \__xepersian_main_settextdigitfont:nn
3052 {
3053   \fontspec_set_family:Nnn \l__fontspec_textdigitfont_family_tl {Ligatures=PersianTeX,#1} {#2}
3054   \use:x
3055   {
3056     \exp_not:n { \DeclareRobustCommand \xepersian@textdigitfont }
3057     {
3058       \exp_not:N \fontfamily { \l__fontspec_textdigitfont_family_tl }
3059       \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3060       \exp_not:N \selectfont
3061     }
3062   }
3063   \__xepersian_settextdigitfont_hook:nn {#1} {#2}
3064   \XeTeXinterchartoks \e@alloc@intercharclass@top \bidi@digits@charclass = {\xepersian@@start@switch@textdigitfont}
3065   \XeTeXinterchartoks \bidi@digits@charclass \e@alloc@intercharclass@top = {\xepersian@@stop@switch@textdigitfont}
3066   \XeTeXinterchartoks \z@ \bidi@digits@charclass = {\xepersian@@start@switch@textdigitfont}
3067   \XeTeXinterchartoks \bidi@digits@charclass \z@ = {\xepersian@@stop@switch@textdigitfont}
3068   \XeTeXinterchartoks \bidi@digits@charclass \bidi@sepmark@charclass = {\xepersian@@stop@switch@textdigitfont}
3069   \XeTeXinterchartoks \bidi@sepmark@charclass \bidi@digits@charclass = {\DigitsDotDashInter}
3070   \if@bidi@csundef{xepersian@D}{%
3071     \XeTeXinterchartoks \xepersian@D \bidi@digits@charclass = {\xepersian@@start@switch@textdigitfont}
3072     \XeTeXinterchartoks \bidi@digits@charclass \xepersian@D = {\xepersian@@stop@switch@textdigitfont}
3073     \XeTeXinterchartoks \xepersian@L \bidi@digits@charclass = {\xepersian@@start@switch@textdigitfont}
3074     \XeTeXinterchartoks \bidi@digits@charclass \xepersian@L = {\xepersian@@stop@switch@textdigitfont}
3075     \XeTeXinterchartoks \xepersian@A \bidi@digits@charclass = {\xepersian@@start@switch@textdigitfont}
3076     \XeTeXinterchartoks \bidi@digits@charclass \xepersian@A = {\xepersian@@stop@switch@textdigitfont}
3077     \XeTeXinterchartoks \xepersian@R \bidi@digits@charclass = {\xepersian@@start@switch@textdigitfont}
3078     \XeTeXinterchartoks \bidi@digits@charclass \xepersian@R = {\xepersian@@stop@switch@textdigitfont}
3079   }
3080 }
3081
3082 \newcommand*{\xepersian@@start@switch@textdigitfont}{\ifx\f@family\ttdefault\else\if@nonlatin
3083 \newcommand*{\xepersian@@stop@switch@textdigitfont}{\ifx\f@family\ttdefault\else\if@nonlatin
3084

```



```

3085 \cs_set_eq:NN \__xepersian_settextdigitfont_hook:nn \use_none:nn
3086
3087 \DeclareDocumentCommand \setdigitfont { 0{} m 0{} }
3088 {
3089   \__xepersian_main_settextdigitfont:nn {#1,#3} {#2}
3090   \__xepersian_main_setmathdigitfont:nn {#1,#3} {#2}
3091   \ignorespaces
3092 }
3093
3094
3095 \DeclareDocumentCommand \setlatintextfont { 0{} m 0{} }
3096 {
3097   \__xepersian_main_setlatintextfont:nn {#1,#3} {#2}
3098   \ignorespaces
3099 }
3100 \cs_new:Nn \__xepersian_main_setlatintextfont:nn
3101 {
3102   \fontspec_set_family:Nnn \l__fontspec_latinfont_family_tl {Ligatures=TeX,#1} {#2}
3103   \use:x { \exp_not:n { \DeclareRobustCommand \latinfont }
3104     {
3105       \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3106       \exp_not:N \fontfamily { \l__fontspec_latinfont_family_tl }
3107       \exp_not:N \selectfont
3108     }
3109   }
3110   \str_if_eq:eeT {\familydefault} {\rmdefault}
3111     { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3112   \__xepersian_setlatintextfont_hook:nn {#1} {#2}
3113   \normalfont
3114 }
3115
3116 \cs_set_eq:NN \__xepersian_setlatintextfont_hook:nn \use_none:nn
3117
3118 \tl_set_eq:NN \setlatinsansfont \setsansfont
3119 \tl_set_eq:NN \setlatinmonofont \setmonofont
3120
3121 \DeclareDocumentCommand \defpersianfont { m 0{} m 0{} }
3122 {
3123   \__xepersian_main_defpersianfont:NnnN #1 {#2,#4} {#3}
3124   \NewDocumentCommand
3125 }
3126 \DeclareDocumentCommand \redefpersianfont { m 0{} m 0{} }
3127 {
3128   \__xepersian_main_defpersianfont:NnnN #1 {#2,#4} {#3}
3129   \RenewDocumentCommand
3130 }
3131 \cs_new:Nn \__xepersian_main_defpersianfont:NnnN
3132 {
3133   \fontspec_set_family:cn { l__fontspec_ \cs_to_str:N #1 _family_tl } {RawFeature={script=ar
3134   \use:x
3135     {
3136       \exp_not:N #4 \exp_not:N #1 {}
3137       {
3138         \exp_not:N \fontfamily { \use:c {l__fontspec_ \cs_to_str:N #1 _family_tl } }

```




```

3139     \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3140     \exp_not:N \selectfont
3141   }
3142 }
3143 }
3144
3145 \DeclareDocumentCommand \deflatinfont { m O{} m O{} }
3146 {
3147   \__xepersian_main_deflatinfont:NnnN #1 {#2,#4} {#3}
3148   \NewDocumentCommand
3149 }
3150 \DeclareDocumentCommand \redeflatinfont { m O{} m O{} }
3151 {
3152   \__xepersian_main_deflatinfont:NnnN #1 {#2,#4} {#3}
3153   \RenewDocumentCommand
3154 }
3155 \cs_new:Nn \__xepersian_main_deflatinfont:NnnN
3156 {
3157   \fontspec_set_family:cnn { l__fontspec_ \cs_to_str:N #1 _family_tl } {Ligatures=TeX,#2} {#3}
3158   \use:x
3159   {
3160     \exp_not:N #4 \exp_not:N #1 {}
3161     {
3162       \exp_not:N \fontfamily { \use:c {l__fontspec_ \cs_to_str:N #1 _family_tl } }
3163       \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3164       \exp_not:N \selectfont
3165     }
3166   }
3167 }
3168
3169 \newcommand\persiansfdefault{}
3170 \newcommand\persianttdefault{}
3171 \newcommand\iranicdefault{}
3172 \newcommand\navardefault{}
3173 \newcommand\pookdefault{}
3174 \newcommand\sayehdefault{}
3175 \DeclareRobustCommand\persiansffamily
3176     {\not@math@alphabet\persiansffamily\mathpersiansf
3177     \fontfamily\persiansfdefault\selectfont}
3178 \DeclareRobustCommand\persianttfamily
3179     {\not@math@alphabet\persianttfamily\mathpersiantt
3180     \fontfamily\persianttdefault\selectfont}
3181 \DeclareRobustCommand\iranicfamily
3182     {\not@math@alphabet\iranicfamily\mathiranic
3183     \fontfamily\iranicdefault\selectfont}
3184 \DeclareRobustCommand\navarfamily
3185     {\not@math@alphabet\navarfamily\mathnavar
3186     \fontfamily\navardefault\selectfont}
3187 \DeclareRobustCommand\pookfamily
3188     {\not@math@alphabet\pookfamily\mathpook
3189     \fontfamily\pookdefault\selectfont}
3190 \DeclareRobustCommand\sayehfamily
3191     {\not@math@alphabet\sayehfamily\mathsayeh
3192     \fontfamily\sayehdefault\selectfont}

```



```

3193 \DeclareTextFontCommand{\textpersiansf}{\persiansffamily}
3194 \DeclareTextFontCommand{\textpersiantt}{\persianttfamily}
3195 \DeclareTextFontCommand{\textiranica}{\iranicafamily}
3196 \DeclareTextFontCommand{\textnavar}{\navarfamily}
3197 \DeclareTextFontCommand{\textpook}{\pookfamily}
3198 \DeclareTextFontCommand{\textsayeh}{\sayehfamily}
3199
3200 \DeclareDocumentCommand \setpersiansansfont { 0{} m 0{} }
3201 {
3202   \__xepersian_main_setpersiansansfont:nn {#1,#3} {#2}
3203   \ignorespaces
3204 }
3205 \cs_new:Nn \__xepersian_main_setpersiansansfont:nn
3206 {
3207   \fontspec_set_family:Nnn \l__fontspec_persiansffamily_family_tl {RawFeature={script=arab}},I
3208   \tl_set_eq:NN \persiansfdefault \l__fontspec_persiansffamily_family_tl
3209   \use:x { \exp_not:n { \DeclareRobustCommand \persiansffamily }
3210     {
3211       \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3212       \exp_not:N \fontfamily { \l__fontspec_persiansffamily_family_tl }
3213       \exp_not:N \selectfont
3214     }
3215 }
3216 \str_if_eq:eeT {\familydefault} {\persiansfdefault}
3217 { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3218 \__xepersian_setpersiansansfont_hook:nn {#1} {#2}
3219 \normalfont
3220 }
3221
3222 \cs_set_eq:NN \__xepersian_setpersiansansfont_hook:nn \use_none:nn
3223
3224 \DeclareDocumentCommand \setpersianmonofont { 0{} m 0{} }
3225 {
3226   \__xepersian_main_setpersianmonofont:nn {#1,#3} {#2}
3227   \ignorespaces
3228 }
3229 \cs_new:Nn \__xepersian_main_setpersianmonofont:nn
3230 {
3231   \fontspec_set_family:Nnn \l__fontspec_persianttfamily_family_tl {RawFeature={script=arab}},I
3232   \tl_set_eq:NN \persianttdefault \l__fontspec_persianttfamily_family_tl
3233   \use:x { \exp_not:n { \DeclareRobustCommand \persianttfamily }
3234     {
3235       \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3236       \exp_not:N \fontfamily { \l__fontspec_persianttfamily_family_tl }
3237       \exp_not:N \selectfont
3238     }
3239 }
3240 \str_if_eq:eeT {\familydefault} {\persianttdefault}
3241 { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3242 \__xepersian_setpersianmonofont_hook:nn {#1} {#2}
3243 \normalfont
3244 }
3245
3246 \cs_set_eq:NN \__xepersian_setpersianmonofont_hook:nn \use_none:nn

```



```

3247
3248 \DeclareDocumentCommand \setnavarfont { 0{} m 0{} }
3249 {
3250   \_xepersian_main_setnavarfont:nn {#1,#3} {#2}
3251   \ignorespaces
3252 }
3253 \cs_new:Nn \_xepersian_main_setnavarfont:nn
3254 {
3255   \fontspec_set_family:Nnn \l__fontspec_navarfamilly_family_tl {RawFeature={script=arab},Ligatu
3256   \tl_set_eq:NN \navardefault \l__fontspec_navarfamilly_family_tl
3257   \use:x { \exp_not:n { \DeclareRobustCommand \navarfamilly }
3258   {
3259     \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3260     \exp_not:N \fontfamily { \l__fontspec_navarfamilly_family_tl }
3261     \exp_not:N \selectfont
3262   }
3263 }
3264 \str_if_eq:eeT {\familydefault} {\navardefault}
3265   { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3266   \_xepersian_setnavarfont_hook:nn {#1} {#2}
3267   \normalfont
3268 }
3269
3270 \cs_set_eq:NN \_xepersian_setnavarfont_hook:nn \use_none:nn
3271
3272 \DeclareDocumentCommand \setpookfont { 0{} m 0{} }
3273 {
3274   \_xepersian_main_setpookfont:nn {#1,#3} {#2}
3275   \ignorespaces
3276 }
3277 \cs_new:Nn \_xepersian_main_setpookfont:nn
3278 {
3279   \fontspec_set_family:Nnn \l__fontspec_pookfamily_family_tl {RawFeature={script=arab},Ligatu
3280   \tl_set_eq:NN \pookdefault \l__fontspec_pookfamily_family_tl
3281   \use:x { \exp_not:n { \DeclareRobustCommand \pookfamily }
3282   {
3283     \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3284     \exp_not:N \fontfamily { \l__fontspec_pookfamily_family_tl }
3285     \exp_not:N \selectfont
3286   }
3287 }
3288 \str_if_eq:eeT {\familydefault} {\pookdefault}
3289   { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3290   \_xepersian_setpookfont_hook:nn {#1} {#2}
3291   \normalfont
3292 }
3293
3294 \cs_set_eq:NN \_xepersian_setpookfont_hook:nn \use_none:nn
3295
3296 \DeclareDocumentCommand \setsayehfont { 0{} m 0{} }
3297 {
3298   \_xepersian_main_setsayehfont:nn {#1,#3} {#2}
3299   \ignorespaces
3300 }

```



```

3301 \cs_new:Nn \__xepersian_main_setsayehfont:nn
3302 {
3303   \fontspec_set_family:Nnn \l__fontspec_sayehfamily_family_tl {RawFeature={script=arab},Ligatures={liga}}
3304   \tl_set_eq:NN \sayehdefault \l__fontspec_sayehfamily_family_tl
3305   \use:x { \exp_not:n { \DeclareRobustCommand \sayehfamily }
3306     {
3307       \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3308       \exp_not:N \fontfamily { \l__fontspec_sayehfamily_family_tl }
3309       \exp_not:N \selectfont
3310     }
3311   }
3312   \str_if_eq:eeT {\familydefault} {\sayehdefault}
3313     { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3314   \__xepersian_setsayehfont_hook:nn {#1} {#2}
3315   \normalfont
3316 }
3317
3318 \cs_set_eq:NN \__xepersian_setsayehfont_hook:nn \use_none:nn
3319
3320 \DeclareDocumentCommand \setiraniconfont { 0{} m 0{} }
3321 {
3322   \__xepersian_main_setiraniconfont:nn {#1,#3} {#2}
3323   \ignorespaces
3324 }
3325 \cs_new:Nn \__xepersian_main_setiraniconfont:nn
3326 {
3327   \fontspec_set_family:Nnn \l__fontspec_iranicfamily_family_tl {RawFeature={script=arab},Ligatures={liga}}
3328   \tl_set_eq:NN \iraniconfontdefault \l__fontspec_iranicfamily_family_tl
3329   \use:x { \exp_not:n { \DeclareRobustCommand \iraniconfont }
3330     {
3331       \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3332       \exp_not:N \fontfamily { \l__fontspec_iranicfamily_family_tl }
3333       \exp_not:N \selectfont
3334     }
3335   }
3336   \str_if_eq:eeT {\familydefault} {\iraniconfontdefault}
3337     { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3338   \__xepersian_setiraniconfont_hook:nn {#1} {#2}
3339   \normalfont
3340 }
3341
3342 \cs_set_eq:NN \__xepersian_setiraniconfont_hook:nn \use_none:nn
3343
3344 \ExplSyntaxOff
3345 \def\resetlatinfont{%
3346 \let\@xepersian@@fontsize@scale\@xepersian@@fontsize@scale%
3347 \let\@xepersian@@baselineskip@scale\@xepersian@@baselineskip@scale%
3348 \def\@xepersian@@fontsize@scale{%
3349 \strip@pt\dimexpr 1pt * \dimexpr
3350 \@xepersian@@latin@fontsize@scale pt\relax
3351 / \dimexpr \@xepersian@@fontsize@scale pt\relax\relax
3352 }%
3353 \def\@xepersian@@baselineskip@scale{%
3354 \strip@pt\dimexpr 1pt * \dimexpr

```



```

3355 \xepersian@@latin@baselineskip@scale pt\relax
3356 / \dimexpr \xepersian@@baselineskip@scale pt\relax\relax
3357 }%
3358 \@nonlatinfalse%
3359 \let\normalfont\latinfont%
3360 \let\reset@font\normalfont%
3361 \latinfont%
3362 \fontsize\f@size\f@baselineskip%
3363 \selectfont%
3364 \let\xepersian@@fontsize@scale\xepersian@@latin@fontsize@scale%
3365 \let\xepersian@@baselineskip@scale\xepersian@@latin@baselineskip@scale%
3366 }
3367 \def\setpersianfont{%
3368 \let@\xepersian@@fontsize@scale\xepersian@@fontsize@scale%
3369 \let@\xepersian@@baselineskip@scale\xepersian@@baselineskip@scale%
3370 \let\xepersian@@fontsize@scale\@ne%
3371 \let\xepersian@@baselineskip@scale\@ne%
3372 \@nonlatintrue%
3373 \let\normalfont\persianfont%
3374 \let\reset@font\normalfont%
3375 \persianfont%
3376 \fontsize\f@size\f@baselineskip%
3377 \selectfont%
3378 \let\xepersian@@fontsize@scale@\xepersian@@fontsize@scale%
3379 \let\xepersian@@baselineskip@scale@\xepersian@@baselineskip@scale%
3380 }
3381 \bidi@newrobustcmd*{\lr}[1]{\LRE{\resetlatinfont#1}}
3382 \bidi@newrobustcmd*{\rl}[1]{\RLE{\setpersianfont#1}}
3383 \def\latin{\LTR\LatinAlphs\@RTL@footnotefalse\resetlatinfont}
3384 \def\endlatin{\endLTR}
3385 \newenvironment{latin*}{\latin
3386 \everypar{%
3387   {\setbox\z@\lastbox
3388     \ifvoid\z@
3389       \kern-\parindent
3390     \fi}%
3391 }%
3392 }\endlatin\@endpetrue}
3393 \def\persian{\RTL\PersianAlphs\@RTL@footnotetrue\setpersianfont}
3394 \def\endpersian{\endRTL}
3395 \newenvironment{persian*}{\persian
3396 \everypar{%
3397   {\setbox\z@\lastbox
3398     \ifvoid\z@
3399       \kern-\parindent
3400     \fi}%
3401 }%
3402 }\endpersian\@endpetrue}
3403 \newenvironment{latinitems}{\begin{LTRitems}\LatinAlphs\@RTL@footnotefalse\resetlatinfont}{\end{LTRitems}}
3404 \newenvironment{persianitems}{\begin{RTLitems}\PersianAlphs\@RTL@footnotetrue\setpersianfont}{\end{RTLitems}}
3405 \let\originaltoday=\today
3406 \def\latintoday{\lr{\originaltoday}}
3407 \def\today{\rl{\persiantoday}}
3408 \def \@LTRmarginparreset {%

```



```

3409         \reset@font
3410         \resetlatinfont
3411         \normalsize
3412         \@minipagetrue
3413         \everypar{\@minipagefalse\everypar{}}\beginL}%
3414 }
3415 \DeclareRobustCommand\Latincite{%
3416   \@ifnextchar [{\@tempwatrue\@Latincitex}{\@tempwafalse\@Latincitex []}]
3417 \def\@Latincitex[#1]#2{\leavevmode
3418   \let\@citea\@empty
3419   \@cite{\lr{\@for\@citeb:=#2\do
3420     {\@citea\def\@citea{\penalty\@m\ }%
3421     \edef\@citeb{\expandafter\@firstofone\@citeb\@empty}}%
3422     \if@filesw\immediate\write\@auxout{\string\citation{\@citeb}}\fi
3423     \@ifundefined{b@\@citeb}{\hbox{\reset@font\bfseries ?}}%
3424     \G@refundefinedtrue
3425     \@latex@warning
3426       {Citation `@\@citeb' on page \thepage \space undefined}}%
3427     {\@citeofmt{\csname b@\@citeb\endcsname}}}\#1}}
3428
3429 \renewcommand*{\bidi@font@@outputpage}{\if@RTLmain\setpersianfont\else\resetlatinfont\fi}
3430
3431 \newif\if@xepersian@@computeautoilg
3432 \newcount\xepersian@tcl
3433 \newdimen\xepersian@ilg
3434 \newdimen\xepersian@strutilg
3435 \chardef\f@ur=4
3436 \newcommand*{\xepersian@computeautoilg}{% compute the interline glue
3437   \xepersian@tcl=1536\xepersian@ilg\z@\xepersian@strutilg\z@
3438   \loop
3439   \iffontchar\font\xepersian@tcl
3440   \ifdim\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl>\z@
3441   \ifdim\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl>\xepersian@ilg
3442     \xepersian@ilg=\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl
3443   \fi
3444   \else
3445     \ifdim\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl<\z@
3446     \ifdim-\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl>\xepersian@ilg
3447       \xepersian@ilg=-\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl
3448     \fi
3449     \fi
3450   \fi
3451   \ifdim\XeTeXglyphbounds\f@ur \the\XeTeXcharglyph\xepersian@tcl>\z@
3452   \ifdim\XeTeXglyphbounds\f@ur \the\XeTeXcharglyph\xepersian@tcl>\xepersian@strutilg
3453     \xepersian@strutilg=\XeTeXglyphbounds\f@ur \the\XeTeXcharglyph\xepersian@tcl
3454   \fi
3455   \else
3456     \ifdim\XeTeXglyphbounds\f@ur \the\XeTeXcharglyph\xepersian@tcl<\z@
3457     \ifdim-\XeTeXglyphbounds\f@ur \the\XeTeXcharglyph\xepersian@tcl>\xepersian@strutilg
3458       \xepersian@strutilg=-\XeTeXglyphbounds\f@ur \the\XeTeXcharglyph\xepersian@tcl
3459     \fi
3460     \fi
3461   \fi
3462   \fi

```



```

3463 \advance\xepersian@tcl\@ne
3464 \ifnum\xepersian@tcl<1792\repeat
3465 \advance\xepersian@strutilg\xepersian@ilg
3466 % \ifdim\xepersian@strutilg>\baselineskip
3467 % \PackageInfo{xepersian}{character with height+depth greater than current baselineskip four
3468 % \PackageInfo{xepersian}{baselineskip changed to that height+depth!}
3469 % \linespread{\strip@pt\dimexpr 1pt * \xepersian@strutilg / \baselineskip\relax}
3470 % \selectfont
3471 % \fi
3472 }
3473
3474 \newif\if@@textdigitfont@on
3475
3476 \newcommand{\TextDigitFontOn}{\@@textdigitfont@ontrue}
3477 \newcommand{\TextDigitFontOff}{\@@textdigitfont@onfalse}
3478
3479 \TextDigitFontOn
3480
3481 \newcommand*\xepersian@setlength[4]{%
3482   \ifdim #2<\ifdim #2=\z@ \z@ \else \p@\fi
3483   \ifdim #3<\ifdim #3=\z@ \z@ \else \p@\fi
3484   \ifdim #4<\ifdim #4=\z@ \z@ \else \p@\fi
3485   \setlength{#1}{\p@ \@plus\p@ \@minus\p@}%
3486   \else
3487   \setlength{#1}{\p@ \@plus\p@ \@minus#4}%
3488   \fi
3489   \else
3490   \ifdim #4<\ifdim #4=\z@ \z@ \else \p@\fi
3491   \setlength{#1}{\p@ \@plus#3 \@minus\p@}%
3492   \else
3493   \setlength{#1}{\p@ \@plus#3 \@minus#4}%
3494   \fi
3495   \fi
3496   \else
3497   \ifdim #3<\ifdim #3=\z@ \z@ \else \p@\fi
3498   \ifdim #4<\ifdim #4=\z@ \z@ \else \p@\fi
3499   \setlength{#1}{#2 \@plus\p@ \@minus\p@}%
3500   \else
3501   \setlength{#1}{#2 \@plus\p@ \@minus#4}%
3502   \fi
3503   \else
3504   \ifdim #4<\ifdim #4=\z@ \z@ \else \p@\fi
3505   \setlength{#1}{#2 \@plus#3 \@minus\p@}%
3506   \else
3507   \setlength{#1}{#2 \@plus#3 \@minus#4}%
3508   \fi
3509   \fi
3510   \fi
3511 }
3512
3513 \newcommand*\setfontsize[2][1.2\@tempdima]{%
3514   \@defaultunits\@tempdima#2pt\relax\@nnil
3515   \setlength{\@tempdimc}{\@tempdima}%
3516   \addtolength{\@tempdimc}{-10\p@}%

```



```

3517 \edef\@ptsize{\strip@pt\@tempdimc}%
3518 \@defaultunits\@tempdimb#1pt\relax\@nnil
3519 \setlength{\@tempdimc}{\dimexpr (100\@tempdimb / \@tempdima * \p@)}%
3520 \edef\@tempb{\the\@tempdimc}%
3521 \setlength{\@tempdimc}{\@tempdima}%
3522 \def\@tempa##1##2##3##4##5\@nnil{\def##1{##2.##3##4}}%
3523 \expandafter\@tempa\expandafter\@tempb\@tempb\@nnil%
3524 \xepersian@setlength{\abovedisplayskip}%
3525     {.8333\@tempdimb}{.1667\@tempdimb}{.5\@tempdimb}%
3526 \xepersian@setlength{\abovedisplayshortskip}{\z@}{.25\@tempdimb}{\z@}%
3527 \xepersian@setlength{\belowdisplayshortskip}%
3528     {.5\@tempdimb}{.25\@tempdimb}{.25\@tempdimb}%
3529 \setlength{\belowdisplayskip}{\abovedisplayskip}%
3530 \edef\normalsize{%
3531     \noexpand\@setfontsize\noexpand\normalsize
3532     {\the\@tempdima}{\the\@tempdimb}%
3533     \abovedisplayskip \the\abovedisplayskip
3534     \abovedisplayshortskip \the\abovedisplayshortskip
3535     \belowdisplayskip \the\belowdisplayskip
3536     \belowdisplayshortskip \the\belowdisplayshortskip
3537     \let\noexpand\@listi\noexpand\@listI
3538 }%
3539 \setlength{\@tempdima}{0.9125\@tempdimc}%
3540 \setlength{\@tempdimb}{\@tempb\@tempdima}%
3541 \xepersian@setlength{\abovedisplayskip}%
3542     {.8333\@tempdimb}{.1667\@tempdimb}{.5\@tempdimb}%
3543 \xepersian@setlength{\abovedisplayshortskip}{\z@}{.25\@tempdimb}{\z@}%
3544 \xepersian@setlength{\belowdisplayshortskip}%
3545     {.5\@tempdimb}{.25\@tempdimb}{.25\@tempdimb}%
3546 \setlength{\belowdisplayskip}{\abovedisplayskip}%
3547 \edef\small{%
3548     \noexpand\@setfontsize\noexpand\small
3549     {\the\@tempdima}{\the\@tempdimb}%
3550     \abovedisplayskip \the\abovedisplayskip
3551     \abovedisplayshortskip \the\abovedisplayshortskip
3552     \belowdisplayskip \the\belowdisplayskip
3553     \belowdisplayshortskip \the\belowdisplayshortskip
3554     \let\noexpand\@listi\noexpand\@listi@small
3555 }%
3556 \setlength{\@tempdima}{.83334\@tempdimc}%
3557 \setlength{\@tempdimb}{\@tempb\@tempdima}%
3558 \xepersian@setlength{\abovedisplayskip}%
3559     {.8333\@tempdimb}{.1667\@tempdimb}{.5\@tempdimb}%
3560 \xepersian@setlength{\abovedisplayshortskip}{\z@}{.25\@tempdimb}{\z@}%
3561 \xepersian@setlength{\belowdisplayshortskip}%
3562     {.5\@tempdimb}{.25\@tempdimb}{.25\@tempdimb}%
3563 \setlength{\belowdisplayskip}{\abovedisplayskip}%
3564 \edef\footnotesize{%
3565     \noexpand\@setfontsize\noexpand\footnotesize
3566     {\the\@tempdima}{\the\@tempdimb}%
3567     \abovedisplayskip \the\abovedisplayskip
3568     \abovedisplayshortskip \the\abovedisplayshortskip
3569     \belowdisplayskip \the\belowdisplayskip
3570     \belowdisplayshortskip \the\belowdisplayshortskip

```




```

3571 \let\noexpand\@listi\noexpand\@listi@footnotesize
3572 }%
3573 \setlength{\@tempdima}{.6667\@tempdimc}%
3574 \setlength{\@tempdimb}{\@tempb\@tempdima}%
3575 \edef\scriptsize{%
3576 \noexpand\@setfontsize\noexpand\scriptsize
3577 {\the\@tempdima}{\the\@tempdimb}%
3578 }%
3579 \setlength{\@tempdima}{.5\@tempdimc}%
3580 \setlength{\@tempdimb}{\@tempb\@tempdima}%
3581 \edef\tiny{%
3582 \noexpand\@setfontsize\noexpand\tiny
3583 {\the\@tempdima}{\the\@tempdimb}%
3584 }%
3585 \setlength{\@tempdima}{1.2\@tempdimc}%
3586 \setlength{\@tempdimb}{\@tempb\@tempdima}%
3587 \edef\large{%
3588 \noexpand\@setfontsize\noexpand\large
3589 {\the\@tempdima}{\the\@tempdimb}%
3590 }%
3591 \setlength{\@tempdima}{1.44\@tempdimc}%
3592 \setlength{\@tempdimb}{\@tempb\@tempdima}%
3593 \edef\Large{%
3594 \noexpand\@setfontsize\noexpand\Large
3595 {\the\@tempdima}{\the\@tempdimb}%
3596 }%
3597 \setlength{\@tempdima}{1.728\@tempdimc}%
3598 \setlength{\@tempdimb}{\@tempb\@tempdima}%
3599 \edef\LARGE{%
3600 \noexpand\@setfontsize\noexpand\LARGE
3601 {\the\@tempdima}{\the\@tempdimb}%
3602 }%
3603 \setlength{\@tempdima}{2.074\@tempdimc}%
3604 \setlength{\@tempdimb}{\@tempb\@tempdima}%
3605 \edef\huge{%
3606 \noexpand\@setfontsize\noexpand\huge
3607 {\the\@tempdima}{\the\@tempdimb}%
3608 }%
3609 \setlength{\@tempdima}{2.488\@tempdimc}%
3610 \setlength{\@tempdimb}{\@tempb\@tempdima}%
3611 \edef\Huge{%
3612 \noexpand\@setfontsize\noexpand\Huge
3613 {\the\@tempdima}{\the\@tempdimb}%
3614 }%
3615 \normalsize
3616 \setlength{\@tempdimb}{\f@baselineskip}%
3617 \xepersian@setlength{\parsep}%
3618 { .3333\@tempdimb}{ .1667\@tempdimb}{ .0833\@tempdimb}%
3619 \xepersian@setlength{\topsep}%
3620 { .6667\@tempdimb}{ .1667\@tempdimb}{ .3333\@tempdimb}%
3621 \@tempwafalse
3622 \begingroup
3623 \def\@list@extra{aftergroup\@tempwattrue}%
3624 \csname @listi\endcsname

```



```

3625 \endgroup
3626 \edef\@listi{\leftmargin\leftmargini
3627 \topsep \the\topsep
3628 \parsep \the\parsep
3629 \itemsep \parsep
3630 \if@tempswa\noexpand\@list@extra\fi
3631 }%
3632 \let\@listI\@listi
3633 \xepersian@setlength{\parsep}%
3634     {.1667\@tempdimb}{.0833\@tempdimb}{.0833\@tempdimb}%
3635 \xepersian@setlength{\topsep}%
3636     {.3333\@tempdimb}{.1667\@tempdimb}{.1667\@tempdimb}%
3637 \@tempswafalse
3638 \begingroup
3639 \def\@list@extra{\aftergroup\@tempswatrue}%
3640 \csname @listi\endcsname
3641 \endgroup
3642 \edef\@listi@small{\leftmargin\leftmargini
3643 \topsep \the\topsep
3644 \parsep \the\parsep
3645 \itemsep \parsep
3646 \if@tempswa\noexpand\@list@extra\fi
3647 }%
3648 \xepersian@setlength{\parsep}%
3649     {.125\@tempdimb}{.0625\@tempdimb}{.0625\@tempdimb}%
3650 \xepersian@setlength{\topsep}%
3651     {.25\@tempdimb}{.125\@tempdimb}{.125\@tempdimb}
3652 \@tempswafalse
3653 \begingroup
3654 \def\@list@extra{\aftergroup\@tempswatrue}%
3655 \csname @listi\endcsname
3656 \endgroup
3657 \edef\@listi@footnotesize{\leftmargin\leftmargini
3658 \topsep \the\topsep
3659 \parsep \the\parsep
3660 \itemsep \parsep
3661 \if@tempswa\noexpand\@list@extra\fi
3662 }%
3663 \xepersian@setlength{\parsep}%
3664     {.1667\@tempdimb}{.0833\@tempdimb}{.0833\@tempdimb}%
3665 \xepersian@setlength{\topsep}%
3666     {.3333\@tempdimb}{.1667\@tempdimb}{.0833\@tempdimb}%
3667 \@tempswafalse
3668 \begingroup
3669 \def\@list@extra{\aftergroup\@tempswatrue}%
3670 \csname @listii\endcsname
3671 \endgroup
3672 \edef\@listii{\leftmargin\leftmarginii
3673 \labelwidth=\dimexpr \leftmargin-\labelsep
3674 \topsep \the\topsep
3675 \parsep \the\parsep
3676 \itemsep \parsep
3677 \if@tempswa\noexpand\@list@extra\fi
3678 }%

```



```

3679 \xepersian@setlength{\topsep}%
3680         {.1667\@tempdimb}{.0833\@tempdimb}{.0833\@tempdimb}%
3681 \setlength{\partopsep}{\z@ \@plus\z@ \@minus\p@}%
3682 \@tempswafalse
3683 \begingroup
3684 \def\@list@extra{\aftergroup\@tempwattrue}%
3685 \csname @listiii\endcsname
3686 \endgroup
3687 \edef\@listiii{\leftmargin\leftmarginiii
3688 \labelwidth=\dimexpr \leftmargin-\labelsep
3689 \topsep \the\topsep
3690 \parsep \z@
3691 \partopsep \the\partopsep
3692 \itemsep \topsep
3693 \if@tempswa\noexpand\@list@extra\fi
3694 }%
3695 \@tempswafalse
3696 \begingroup
3697 \def\@list@extra{\aftergroup\@tempwattrue}%
3698 \csname @listiv\endcsname
3699 \endgroup
3700 \edef\@listiv{\leftmargin\leftmarginiv
3701 \labelwidth=\dimexpr \leftmargin-\labelsep\relax
3702 \if@tempswa\noexpand\@list@extra\fi
3703 }%
3704 \@tempswafalse
3705 \begingroup
3706 \def\@list@extra{\aftergroup\@tempwattrue}%
3707 \csname @listv\endcsname
3708 \endgroup
3709 \edef\@listv{\leftmargin\leftmarginv
3710 \labelwidth=\dimexpr \leftmargin-\labelsep\relax
3711 \if@tempswa\noexpand\@list@extra\fi
3712 }%
3713 \@tempswafalse
3714 \begingroup
3715 \def\@list@extra{\aftergroup\@tempwattrue}%
3716 \csname @listvi\endcsname
3717 \endgroup
3718 \edef\@listvi{\leftmargin\leftmarginvi
3719 \labelwidth=\dimexpr \leftmargin-\labelsep\relax
3720 \if@tempswa\noexpand\@list@extra\fi
3721 }%
3722 \@listi
3723 \setlength{\@tempdimb}{\f@baselineskip}%
3724 \setlength{\footnotesep}{.555\@tempdimb}%
3725 \xepersian@setlength{\skip\footins}%
3726         {.75\@tempdimb}{.3333\@tempdimb}{.1667\@tempdimb}%
3727 \xepersian@setlength{\floatsep}%
3728         {\@tempdimb}{.1667\@tempdimb}{.1667\@tempdimb}%
3729 \xepersian@setlength{\textfloatsep}%
3730         {1.6667\@tempdimb}{.1667\@tempdimb}{.3333\@tempdimb}%
3731 \setlength{\intextsep}{\floatsep}%
3732 \setlength{\dblfloatsep}{\floatsep}%

```



```

3733 \setlength{\dbltextfloatsep}{\textfloatsep}%
3734 \setlength{\@fptop}{\z@ \@plus 1fil}%
3735 \setlength{\@fpsep}{.6667\@tempdimb \@plus 2fil}%
3736 \setlength{\@fpbot}{\@fptop}%
3737 \setlength{\@dblftop}{\@fptop}%
3738 \setlength{\@dblfpsep}{\@fpsep}%
3739 \setlength{\@dblfpbot}{\@fptop}%
3740 \xepersian@setlength{\partopsep}{.2\@tempdimb}{.1\@tempdimb}{.1\@tempdimb}%
3741 }
3742
3743 \renewcommand*{\@bidi@logo@}{%
3744 \@bidi@logo@hb@xt@columnwidth
3745 {\hss\bfseries
3746
3747 \textsf{\XePersian}\quad\@bidi@logo{xepersian-logo.pdf}}
3748
3749 \renewcommand*{\@bidi@pdfcreator}{%
3750 The xepersian package, v\xepersian@version\space (Release \xepersian@releasename), \xepers
3751 }
3752
3753 \newcommand*{\@xepersian@pdfcustomproperties}{%
3754 This is the xepersian package, Version \xepersian@version\space (Release \xepersian@releas
3755 Released October 30, 2022.
3756 }
3757
3758 \newcommand\twocolumnstableofcontents{%
3759 \if@bidi@csundef{multi@column@out}{%
3760 \PackageError{xepersian}{Oops! you should load multicol package before xepersian package for
3761 \begin{multicols}{2}[\section*{\contentsname}]%
3762 \small
3763 \@starttoc{toc}%
3764 \end{multicols}}
3765 \bidi@newrobustcmd*{\XePersian}{\leavevmode$\smash{\hbox{X}\lower.5ex
3766 \hbox{\kern-.125em\bidi@reflect@box{E}}Persian}}$}
3767 \AtBeginDocument{%
3768 \def\figurename{\if@RTL else\ Figure\fi}%
3769 \def\tablename{\if@RTL else\ Table\fi}%
3770 \def\contentsname{\if@RTL else\ Contents\fi}%
3771 \def\listfigurename{\if@RTL else\ List of Figures\fi}%
3772 \def\listtablename{\if@RTL else\ List of Tables\fi}%
3773 \def\appendixname{\if@RTL else\ Appendix\fi}%
3774 \def\indexname{\if@RTL else\ Index\fi}%
3775 \def\refname{\if@RTL else\ References\fi}%
3776 \def\abstractname{\if@RTL else\ Abstract\fi}%
3777 \def\partname{\if@RTL else\ Part\fi}%
3778 \def\datename{\if@RTL else\ Date:\fi}%
3779 \def\@and{\if@RTL else\ and\fi}%
3780 \def\bibname{\if@RTL else\ Bibliography\fi}%
3781 \def\chaptername{\if@RTL else\ Chapter\fi}%
3782 \def\ccname{\if@RTL else\ cc\fi}%
3783 \def\enclname{\if@RTL else\ encl\fi}%
3784 \def\pagename{\if@RTL else\ Page\fi}%
3785 \def\headtoname{\if@RTL else\ To\fi}%
3786 \def\proofname{\if@RTL else\ Proof\fi}%

```



```

3787 }
3788 \def\@Abjad#1{%
3789   \ifcase#1\or or\ or\ or\ or\ %
3790           \or or\ or\ or\ or\ or\ %
3791           \or or\ or\ or\ or\ or\ %
3792           \or or\ or\ or\ or\ %
3793           \or or\ or\ or\ or\ or\ %
3794           \or or\ or\ or\ or\ or\ %
3795           \else@ctrerr\fi}
3796 \def\Abjad#1{\expandafter\@Abjad\csname c@#1\endcsname}
3797 \let\Abjadnumeral\@Abjad
3798 \def\@harfi#1{\ifcase#1\or or\ or\ or\ or\ or\ or\
3799 or\ or\ or\ or\ or\ or\ or\ or\ or\ or\ or\ or\ or\ or\ or\ or\ or\ or\
3800 or\ or\ or\ or\ or\ or\ or\ or\ or\ or\ or\ or\ or\ or\ or\ or\ or\ or\
3801 \def\harfi#1{\expandafter\@harfi\csname c@#1\endcsname}
3802 \let\harfinumeral\@harfi
3803 \newcommand{\adadi}[1]{%
3804 \expandafter\@adadi\csname c@#1\endcsname%
3805 }
3806 \newcommand{\@adadi}[1]{%
3807 \xepersian@numberstring{#1}\xepersian@yekanii{ }{}%
3808 }
3809 \let\adadinumeral\@adadi%
3810 \def\xepersian@numberoutofrange#1#2{%
3811 \PackageError{xepersian}{The number `#1' is too large %
3812 to be formatted using xepersian}{The largest possible %
3813 number is 999,999,999.}%
3814 }
3815 \def\xepersian@numberstring#1#2#3#4{%
3816 \ifnum\number#1<\@ne%
3817 #3%
3818 \else\ifnum\number#1<1000000000 %
3819 \expandafter\xepersian@adadi\expandafter{\number#1}#2%
3820 \else%
3821 \xepersian@numberoutofrange{#1}{#4}%
3822 \fi\fi%
3823 }
3824 \def\xepersian@adadi#1#2{%
3825 \expandafter\xepersian@@adadi%
3826 \ifcase%
3827 \ifnum#1<10 1%
3828 \else\ifnum#1<100 2%
3829 \else\ifnum#1<\@m 3%
3830 \else\ifnum#1<\@M 4%
3831 \else\ifnum#1<100000 5%
3832 \else\ifnum#1<1000000 6%
3833 \else\ifnum#1<10000000 7%
3834 \else\ifnum#1<100000000 8%
3835 \else9%
3836 \fi\fi\fi\fi\fi\fi\fi\fi %
3837 \or00000000#1% case 1: Add 8 leading zeros
3838 \or0000000#1% case 2: Add 7 leading zeros
3839 \or000000#1% case 3: Add 6 leading zeros
3840 \or00000#1% case 4: Add 5 leading zeros

```



```

3841 \or0000#1%      case 5: Add 4 leading zeros
3842 \or000#1%      case 6: Add 3 leading zeros
3843 \or00#1%       case 7: Add 2 leading zeros
3844 \or0#1%       case 8: Add 1 leading zero
3845 \or#1%        case 9: Add no leading zeros
3846 \or%
3847 \@nil#2%
3848 \fi%
3849 }
3850 \def\xepersian@adadi#1#2#3#4#5#6#7\or#8\@nil#9{%
3851 \ifnum#1#2#3>\z@
3852 \xepersian@milyoongan#1#2#3%
3853 \ifnum#7>\z@\ifnum#4#5#6>\z@\ \else\ \fi\else\ifnum#4#5#6>\z@\ \fi\fi%
3854 \fi%
3855 \ifnum#4#5#6>\z@%
3856 \xepersian@sadgan#4#5#6{#1#2#3}{#4#5}\xepersian@yekani%
3857 \ifnum#4#5#6>\@ne\fi%
3858 %
3859 \ifnum#7>\z@\ \fi%
3860 \fi%
3861 \xepersian@sadgan#7{#4#5#6}1#9%
3862 }
3863 \def\xepersian@milyoongan#1#2#3{%
3864 \ifnum#1#2#3=\@ne%
3865 \xepersian@sadgan#1#2#301\xepersian@yekanii%
3866 %
3867 %
3868 \else%
3869 \xepersian@sadgan#1#2#301\xepersian@yekanii%
3870 %
3871 %
3872 \fi%
3873 }
3874 \def\xepersian@sadgan#1#2#3#4#5#6{%
3875 \ifnum#1>\z@%
3876 \ifnum#4#1>\@ne\xepersian@yekaniv#1\fi%
3877 %
3878 \ifnum#2#3>\z@\ \fi%
3879 \fi%
3880 \ifnum#2#3<20%
3881 \ifnum#5#2#3>\@ne#6{#2#3}\fi%
3882 \else%
3883 \xepersian@dahgan#2%
3884 \ifnum#3>\z@\ \xepersian@yekani#3\fi%
3885 #60%
3886 \fi%
3887 }
3888 \def\xepersian@yekani#1{%
3889 \ifcase#1\@empty\or or\ or\ or\ or\ or\ %
3890 \or or\ or\ or\ or\ or\ or\ %
3891 \or or\ or\ or\ %
3892 \or or\ %fi\
3893 }
3894 \def\xepersian@yekanii#1{%

```



```

3895 \ifcase#1\@empty\or %else\xepersian@yekani{#1}\fi\
3896 }
3897 \def\xepersian@yekanii#1{%
3898 \ifcase#1\@empty\or %else\xepersian@yekani{#1}\fi\
3899 }
3900 \def\xepersian@yekaniv#1{%
3901 \ifcase#1\@empty\or\or or\ or\ or\ or\ %
3902 \or or\ or\ %fi\
3903 }
3904 \def\xepersian@dahgan#1{%
3905 \ifcase#1\or\or or\ or\ %
3906 \or or\ or\ or\ %
3907 \or %fi\
3908 }
3909 \newcommand{\tartibi}[1]{%
3910 \expandafter\@tartibi\csname c@#1\endcsname%
3911 }
3912 \newcommand{\@tartibi}[1]{%
3913 \xepersian@numberstring@tartibi{#1}\xepersian@tartibi{ }{ }%
3914 }
3915 \let\tartibinumeral\@tartibi%
3916 \def\xepersian@numberstring@tartibi#1#2#3#4{%
3917 \ifnum\number#1<\@ne%
3918 #3%
3919 \else\ifnum\number#1<1000000000 %
3920 \expandafter\xepersian@adadi@tartibi\expandafter{\number#1}#2%
3921 \else%
3922 \xepersian@numberoutofrange{#1}{#4}%
3923 \fi\fi%
3924 }
3925 \def\xepersian@adadi@tartibi#1#2{%
3926 \expandafter\xepersian@@adadi@tartibi%
3927 \ifcase%
3928 \ifnum#1<10 1%
3929 \else\ifnum#1<100 2%
3930 \else\ifnum#1<\@m 3%
3931 \else\ifnum#1<\@M 4%
3932 \else\ifnum#1<100000 5%
3933 \else\ifnum#1<1000000 6%
3934 \else\ifnum#1<10000000 7%
3935 \else\ifnum#1<100000000 8%
3936 \else9%
3937 \fi\fi\fi\fi\fi\fi\fi\fi %
3938 \or0000000#1% case 1: Add 8 leading zeros
3939 \or0000000#1% case 2: Add 7 leading zeros
3940 \or000000#1% case 3: Add 6 leading zeros
3941 \or00000#1% case 4: Add 5 leading zeros
3942 \or0000#1% case 5: Add 4 leading zeros
3943 \or000#1% case 6: Add 3 leading zeros
3944 \or00#1% case 7: Add 2 leading zeros
3945 \or0#1% case 8: Add 1 leading zero
3946 \or#1% case 9: Add no leading zeros
3947 \or%
3948 \@nil#2%

```



```

3949 \fi%
3950 }
3951 \def\xepersian@adadi@tartibi#1#2#3#4#5#6#7\or#8\@nil#9{%
3952 \ifnum#1#2#3>\z@
3953 \xepersian@milyoongan@tartibi#1#2#3%
3954 \ifnum#7>\z@\ifnum#4#5#6>\z@\ \else\ \fi\else\ifnum#4#5#6>\z@\ \fi\fi%
3955 \fi%
3956 \ifnum#4#5#6>\z@%
3957 \xepersian@sadgan#4#5#6{#1#2#3}{#4#5}\xepersian@yekani%
3958 \ifnum#4#5#6>\@ne \fi%
3959 %
3960 \ifnum#7>\z@\ \fi%
3961 \fi%
3962 \xepersian@sadgan@tartibi#7{#4#5#6}1#9%
3963 }
3964 \def\xepersian@milyoongan@tartibi#1#2#3{%
3965 \ifnum#1#2#3=\@ne%
3966 \xepersian@sadgan@tartibi#1#2#301\xepersian@yekanii%
3967 %
3968 %
3969 \else%
3970 \xepersian@sadgan#1#2#301\xepersian@yekanii%
3971 %
3972 %
3973 \fi%
3974 }
3975 \def\xepersian@sadgan@tartibi#1#2#3#4#5#6{%
3976 \ifnum#1>\z@%
3977 \ifnum#4#1>\@ne\xepersian@yekaniv#1\fi%
3978 %
3979 \ifnum#2#3>\z@\ \fi%
3980 \fi%
3981 \ifnum#2#3<20%
3982 \ifnum#5#2#3>\@ne\ifnum#1#2#3#4#5=10001 %\else#6{#2#3}\fi\fi\
3983 \else%
3984 \ifnum#2#3=30%
3985 \xepersian@dahgan@tartibi#2%
3986 \else%
3987 \xepersian@dahgan#2%
3988 \fi%
3989 \ifnum#3>\z@\ \xepersian@yekanv#3\fi%
3990 #60%
3991 \fi%
3992 }
3993 \def\xepersian@dahgan@tartibi#1{%
3994 \ifcase#1\or\or\ or\ or\ %
3995 \or\or\ or\ or\ %
3996 \or\ %fi\
3997 }
3998 \def\xepersian@tartibi#1{%
3999 \ifcase#1 \or\or\ or\ or\ %
4000 \or\or\ or\ or\ or\ %
4001 \or\or\ or\ or\ %
4002 \or\or\ or\ %

```




```

4003 \or or\ or\ %fi\
4004 }
4005 \def\xepersian@yekanv#1{%
4006 \ifcase#1\@empty\or or\ or\ or\ or\ or\ %
4007 \or or\ or\ or\ or\ or\ or\ %
4008 \or or\ or\ or\ %
4009 \or or\ %fi\
4010 }
4011 \providecommand*\xpg@warning}[1]{%
4012 \PackageWarning{XePersian}%
4013 {#1}}
4014 \if@bidi@csundef{@abjad}{%
4015 \def@abjad#1{%
4016 \ifnum#1>1999 \xpg@warning{Illegal value (#1) for abjad numeral} {#1}
4017 \else
4018 \ifnum#1<z@\space\xpg@warning{Illegal value (#1) for abjad numeral}%
4019 \else
4020 \ifnum#1<10\expandafter\abj@num@i\number#1%
4021 \else
4022 \ifnum#1<100\expandafter\abj@num@ii\number#1%
4023 \else
4024 \ifnum#1<@m\expandafter\abj@num@iii\number#1%
4025 \else
4026 \ifnum#1<@M\expandafter\abj@num@iv\number#1%since #1<2000, we must have 1000
4027 \fi
4028 \fi
4029 \fi
4030 \fi
4031 \fi
4032 \fi
4033 }
4034 \def\abjad#1{\expandafter\@abjad\csname c@#1\endcsname}
4035 \let\abjadnumeral\@abjad
4036 \def\abjad@zero{}
4037 \def\abj@num@i#1{%
4038 \ifcase#1\or or\ or\ or\ %
4039 \or or\ or\ or\ or\ fi\
4040 \ifnum#1=z@\abjad@zero\fi}
4041 \def\abj@num@ii#1{%
4042 \ifcase#1\or or\ or\ or\ or\ %
4043 \or or\ or\ or\ fi\
4044 \ifnum#1=z@\fi\abj@num@i}
4045 \def\abj@num@iii#1{%
4046 \ifcase#1\or or\ or\ or\ or\ %
4047 \or or\ or\ or\ fi\
4048 \ifnum#1=z@\fi\abj@num@ii}
4049 \def\abj@num@iv#1{%
4050 \ifcase#1\or fi\
4051 \ifnum#1=z@\fi\abj@num@iii}
4052 }{}
4053 \let\@latinalph\@alph%
4054 \let\@latinAlph\@Alph%
4055 \def\LatinAlphs{%
4056 \let\@alph\@latinalph%

```



```

4057 \let\@Alph\@latinAlph%
4058 }
4059 \def\thempfootnote{\itshape\@latinalph\c@mpfootnote}}
4060 \renewcommand*\@bidi@thebibliography@font@hook{\%
4061 \ifLTRbibitems
4062 \resetlatinfont
4063 \fi}
4064 \bidi@AfterEndPreamble{\%
4065 \if@bidi@csundef{persianfont}{\%
4066 \PackageError{xepersian}{You have not specified any font\MessageBreak
4067 for the main Persian text}{Use \settextfont' to load a font.}\%
4068 }{}}
4069 \@ifdefinitionfileloaded{loadingorder-xetex-bidi}{\input{loadingorder-xepersian.def}}{}
4070 \@ifdefinitionfileloaded{footnote-xetex-bidi}{\input{footnote-xepersian.def}}{}
4071 \@ifpackageloaded{appendix}{\input{appendix-xepersian.def}}{}
4072 \@ifpackageloaded{listings}{\input{listings-xepersian.def}}{}
4073 \@ifpackageloaded{algorithmic}{\input{algorithmic-xepersian.def}}{}
4074 \@ifpackageloaded{algorithm}{\input{algorithm-xepersian.def}}{}
4075 \@ifpackageloaded{backref}{\input{backref-xepersian.def}}{}
4076 \@ifpackageloaded{beamerbasetranslator}{\input{beamerbasetranslator-xepersian.def}}{}
4077 \@ifpackageloaded{fancyref}{\input{fancyref-xepersian.def}}{}
4078 \@ifpackageloaded{bidiuftesidenote}{\input{bidiuftesidenote-xepersian.def}}{}
4079 \@ifpackageloaded{breqn}{\input{breqn-xepersian.def}}{}
4080 \@ifpackageloaded{enumerate}{\input{enumerate-xepersian.def}}{}
4081 \@ifpackageloaded{enumitem}{\input{enumitem-xepersian.def}}{}
4082 \@ifpackageloaded{framed}{\input{framed-xepersian.def}}{}
4083 \@ifpackageloaded{glossaries}{\input{glossaries-xepersian.def}}{}
4084 \@ifpackageloaded{hyperref}{\input{hyperref-xepersian.def}}{}
4085 \@ifpackageloaded{minitoc}{\input{minitoc-xepersian.def}}{}
4086 \@ifpackageloaded{natbib}{\input{natbib-xepersian.def}}{}
4087 \@ifpackageloaded{soul}{\input{soul-xepersian.def}}{}
4088 \@ifpackageloaded{tkz-linknodes}{\input{tkz-linknodes-xepersian.def}}{}
4089 \@ifpackageloaded{tocloft}{\@ifclassloaded{memoir}{}{\input{tocloft-xepersian.def}}{}
4090 \input{url-xepersian.def}}{}
4091 \@ifpackageloaded{varioref}{\input{varioref-xepersian.def}}{}
4092 \@ifclassloaded{article}{\input{article-xepersian.def}}{}
4093 \@ifclassloaded{extarticle}{\input{extarticle-xepersian.def}}{}
4094 \@ifclassloaded{artikel1}{\input{artikel1-xepersian.def}}{}
4095 \@ifclassloaded{artikel2}{\input{artikel2-xepersian.def}}{}
4096 \@ifclassloaded{artikel3}{\input{artikel3-xepersian.def}}{}
4097 \@ifclassloaded{amsart}{\input{amsart-xepersian.def}}{}
4098 \@ifclassloaded{beamer}{\input{beamer-xepersian.def}}{}
4099 \@ifclassloaded{bidimoderncv}{\input{bidimoderncv-xepersian.def}}{}
4100 \@ifclassloaded{report}{\input{report-xepersian.def}}{}
4101 \@ifclassloaded{extreport}{\input{extreport-xepersian.def}}{}
4102 \@ifclassloaded{rapport1}{\input{rapport1-xepersian.def}}{}
4103 \@ifclassloaded{rapport3}{\input{rapport3-xepersian.def}}{}
4104 \@ifclassloaded{scrartcl}{\input{scrartcl-xepersian.def}}{}
4105 \@ifclassloaded{scrbook}{\input{scrbook-xepersian.def}}{}
4106 \@ifclassloaded{scrreprt}{\input{scrreprt-xepersian.def}}{}
4107 \@ifclassloaded{amsbook}{\input{amsbook-xepersian.def}}{}
4108 \@ifclassloaded{boek3}{\input{boek3-xepersian.def}}{}
4109 \@ifclassloaded{boek}{\input{boek-xepersian.def}}{}
4110 \@ifclassloaded{boekest}{\input{boekest-xepersian.def}}{}

```



```

4111 \ifclassloaded{extbook}{\input{extbook-xepersian.def}}{}
4112 \ifclassloaded{book}{\input{book-xepersian.def}}{}
4113 \ifclassloaded{refrep}{\input{refrep-xepersian.def}}{}
4114 \ifclassloaded{memoir}{\input{memoir-xepersian.def}}{}
4115 \ifclassloaded{imsproc}{\input{imsproc-xepersian.def}}{}
4116
4117 \def\xepersian@fontsize@branch#1{%
4118   \@tempcnta\z@
4119   \for\xepersian@tmp:=#1\do{%
4120     \KV@sp@def\xepersian@frag{\xepersian@tmp}%
4121     \ifcase\@tempcnta\relax% cnta == 0
4122       \edef\xepersian@value{\xepersian@frag}%
4123       \setfontsize{\xepersian@frag}%
4124     \or% cnta == 1
4125       \setfontsize[\xepersian@frag]{\xepersian@value}%
4126     \else\fi
4127     \advance\@tempcnta\@ne}%
4128 }
4129
4130
4131 \define@choicekey{xepersian.sty}{mathdigits}[\xepersian@tempa\xepersian@tempb]{automatic,defa
4132 \ifcase\xepersian@tempb\relax
4133   \AutoMathDigits
4134 \or
4135   \DefaultMathDigits
4136 \or
4137   \PersianMathDigits
4138 \fi}
4139 \define@choicekey{xepersian.sty}{inlinemathdigits}[\xepersian@tempa\xepersian@tempb]{automat
4140 \ifcase\xepersian@tempb\relax
4141   \AutoInlineMathDigits
4142 \or
4143   \DefaultInlineMathDigits
4144 \or
4145   \PersianInlineMathDigits
4146 \fi}
4147 \define@choicekey{xepersian.sty}{displaymathdigits}[\xepersian@tempa\xepersian@tempb]{automat
4148 \ifcase\xepersian@tempb\relax
4149   \AutoDisplayMathDigits
4150 \or
4151   \DefaultDisplayMathDigits
4152 \or
4153   \PersianDisplayMathDigits
4154 \fi}
4155 \define@choicekey{xepersian.sty}{RTLdocument}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{
4156 \ifcase\xepersian@tempb\relax
4157   \@RTLtrue
4158 \or
4159   \@RTLfalse
4160 \fi}
4161
4162 \define@choicekey{xepersian.sty}{documentdirection}[\xepersian@tempa\xepersian@tempb]{rightt
4163 \ifcase\xepersian@tempb\relax
4164   \@RTLtrue

```



```

4165 \or
4166 \RTLfalse
4167 \fi}
4168
4169
4170 \define@choicekey{xepersian.sty}{tabledirection}[\xepersian@tempa\xepersian@tempb]{righttoleft}
4171 \ifcase\xepersian@tempb\relax
4172 \RTLtabtrue
4173 \or
4174 \RTLtabfalse
4175 \fi}
4176
4177 \define@choicekey{xepersian.sty}{script}[\xepersian@tempa\xepersian@tempb]{latin,nonlatin}[latin]
4178 \ifcase\xepersian@tempb\relax
4179 \@nonlatinfalse
4180 \or
4181 \@nonlatintrue
4182 \fi}
4183
4184 \define@choicekey{xepersian.sty}{rldocument}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4185 \ifcase\xepersian@tempb\relax
4186 \RTLtrue
4187 \or
4188 \RTLfalse
4189 \fi}
4190 \define@choicekey{xepersian.sty}{footnoterule}[\xepersian@tempa\xepersian@tempb]{automatic,le
4191 \ifcase\xepersian@tempb\relax
4192 \autofootnoterule
4193 \or
4194 \leftfootnoterule
4195 \or
4196 \rightfootnoterule
4197 \or
4198 \SplitFootnoteRule
4199 \or
4200 \textwidthfootnoterule
4201 \fi}
4202 \define@choicekey{xepersian.sty}{footnotedirection}[\xepersian@tempa\xepersian@tempb]{righttoleft}
4203 \ifcase\xepersian@tempb\relax
4204 \RTL@footnotetrue
4205 \or
4206 \RTL@footnotefalse
4207 \fi}
4208 \define@choicekey{xepersian.sty}{debugfootnotedirection}[\xepersian@tempa\xepersian@tempb]{on,off}
4209 \ifcase\xepersian@tempb\relax
4210 \footdir@debugtrue
4211 \or
4212 \footdir@debugfalse
4213 \fi}
4214 \define@choicekey{xepersian.sty}{Kashida}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4215 \ifcase\xepersian@tempb\relax
4216 \input{kashida-xepersian.def}
4217 \fi}
4218 \define@choicekey{xepersian.sty}{localise}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%

```



```

4219 \ifcase\xepersian@tempb\relax
4220 \input{localise-xepersian.def}
4221 \fi}
4222 \define@choicekey{xepersian.sty}{extrafootnotefeatures}[\xepersian@tempa\xepersian@tempb]{on,off}
4223 \ifcase\xepersian@tempb\relax
4224 \extrafootnotefeaturestrue
4225 \or
4226 \extrafootnotefeaturesfalse
4227 \fi}
4228 \define@choicekey{xepersian.sty}{quickindex}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4229 \ifcase\xepersian@tempb\relax
4230 \PackageWarning{xepersian}{Obsolete option}%
4231 \ifwritexviii%
4232 \ifclassloaded{memoir}{\PackageError{xepersian}{This feature does not yet work with t
4233 \renewcommand\printindex{\newpage%
4234 \immediate\closeout\@indexfile
4235 \immediate\write18{xindy -L persian-variant2 -C utf8 -M texindy -M page-ranges \jobname
4236 \@input@{\jobname.ind}}}%
4237 \else
4238 \PackageError{xepersian}{"shell escape" (or "write18") is not enabled. You need to run
4239 \fi
4240 \fi}
4241 \define@choicekey{xepersian.sty}{quickindex-variant1}[\xepersian@tempa\xepersian@tempb]{on,off}
4242 \ifcase\xepersian@tempb\relax
4243 \ifwritexviii%
4244 \ifclassloaded{memoir}{\PackageError{xepersian}{This feature does not yet work with t
4245 \renewcommand\printindex{\newpage%
4246 \immediate\closeout\@indexfile
4247 \immediate\write18{xindy -L persian-variant1 -C utf8 -M texindy -M page-ranges \jobname
4248 \@input@{\jobname.ind}}}%
4249 \else
4250 \PackageError{xepersian}{"shell escape" (or "write18") is not enabled. You need to ru
4251 \fi
4252 \fi}
4253 \define@choicekey{xepersian.sty}{quickindex-variant2}[\xepersian@tempa\xepersian@tempb]{on,off}
4254 \ifcase\xepersian@tempb\relax
4255 \ifwritexviii%
4256 \ifclassloaded{memoir}{\PackageError{xepersian}{This feature does not yet work with t
4257 \renewcommand\printindex{\newpage%
4258 \immediate\closeout\@indexfile
4259 \immediate\write18{xindy -L persian-variant2 -C utf8 -M texindy -M page-ranges \jobname
4260 \@input@{\jobname.ind}}}%
4261 \else
4262 \PackageError{xepersian}{"shell escape" (or "write18") is not enabled. You need to ru
4263 \fi
4264 \fi}
4265 \define@choicekey{xepersian.sty}{abjadvariant}[\xepersian@tempa\xepersian@tempb]{one,two}{%
4266 \ifcase\xepersian@tempb\relax
4267 \def\PersianAlphs{%
4268 \let\@alph\@abjad%
4269 \let\@Alph\@abjad%
4270 }
4271 \or
4272 \def\PersianAlphs{%

```



```

4273 \let\@alph\@Abjad%
4274 \let\@Alph\@Abjad%
4275 }
4276 \fi}
4277 \DeclareOptionX{defaultlatinfontfeatures}{%
4278 \defaultfontfeatures
4279 [\latinfont]
4280 {#1}
4281 }
4282
4283 \DeclareOptionX{mathfontsizescale}{%
4284 \def\xepersian@@math@fontsize@scale{#1}%
4285 }
4286
4287 \DeclareOptionX{fontsizescale}{%
4288 \def\xepersian@@fontsize@scale{#1}%
4289 }
4290
4291 \DeclareOptionX{fontsize}{%
4292 \xepersian@@fontsize@branch{#1}%
4293 }
4294
4295 \DeclareOptionX{latinfontsizescale}{%
4296 \def\xepersian@@latin@fontsize@scale{#1}%
4297 }
4298
4299 \DeclareOptionX{baselineskipscale}{%
4300 \def\xepersian@@baselineskip@scale{#1}%
4301 }
4302
4303 \DeclareOptionX{latinbaselineskipscale}{%
4304 \def\xepersian@@latin@baselineskip@scale{#1}%
4305 }
4306
4307 \define@choicekey{xepersian.sty}{logo}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4308 \ifcase\xepersian@tempb\relax
4309 \AtBeginDocument{\@bidi@inslogo@}%
4310 \or
4311 \let\@bidi@logo@\@empty \let\@bidi@inslogo@\@empty
4312 \fi}
4313
4314 \define@choicekey{xepersian.sty}{pdfinfo}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4315 \ifcase\xepersian@tempb\relax
4316 \@bidi@pdfm@marktrue
4317 \or
4318 \@bidi@pdfm@markfalse
4319 \fi}
4320
4321 \define@choicekey{xepersian.sty}{computeautoilg}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4322 \ifcase\xepersian@tempb\relax
4323 \@xepersian@@computeautoilgtrue
4324 \or
4325 \@xepersian@@computeautoilgfalse
4326 \fi}

```



```

4327
4328 \define@choicekey{xepersian.sty}{DetectColumn}[\xepersian@tempa\xepersian@tempb]{on,off}[on]
4329 \ifcase\xepersian@tempb\relax
4330 \def\bidi@firstcolumn@status@write{%
4331     \protected@write\@auxout{%
4332         {\string\bidi@column@status
4333          {1}}}%
4334 \def\bidi@lastcolumn@status@write{%
4335     \protected@write\@auxout{%
4336         {\string\bidi@column@status{2}}}%
4337 \or
4338 \let\bidi@firstcolumn@status@write\relax
4339 \let\bidi@lastcolumn@status@write\relax
4340 \fi}
4341
4342
4343 \define@choicekey{xepersian.sty}{debugtextdigitfont}[\xepersian@tempa\xepersian@tempb]{on,off}
4344 \ifcase\xepersian@tempb\relax
4345 \bidi@AtEndPreamble{%
4346     \bidi@patchcmd{\xepersian@@start@switch@textdigitfont}%
4347     {\xepersian@textdigitfont}{\addfontfeature{Color=C71585}}{-}{}%
4348 }
4349 \or
4350 \relax
4351 \fi}
4352
4353 \define@choicekey{xepersian.sty}{perpagefootnote}[\xepersian@tempa\xepersian@tempb]{on,off}
4354 \ifcase\xepersian@tempb\relax
4355 \@bidi@perpage@footnotetrue
4356 \or
4357 \@bidi@perpage@footnotefalse
4358 \fi}
4359
4360 \ExecuteOptionsX{%
4361     documentdirection=righttoleft,
4362     tabledirection=righttoleft,
4363     script=nonlatin,
4364     footnotedirection=righttoleft,
4365     footnoterule=automatic,
4366     abjadvariant=two,
4367     DetectColumn=off,
4368     fontsizescale=\@ne,
4369     latinfontsizescale=\@ne,
4370     mathfontsizescale=\@ne,
4371     baselineskipscale=\@ne,
4372     latinbaselineskipscale=\@ne
4373 }
4374
4375 \ProcessOptionsX
4376
4377 \if@extrafootnotefeatures
4378 \input{extrafootnotefeatures-xetex-bidi.def}%
4379 \input{extrafootnotefeatures-xepersian.def}%
4380 \fi

```



```

4381
4382 \bidi@patchcmd{\set@fontsize}{\@tempdimb#2pt}{%
4383   \@tempdimb\xepersian@@@fontsize@scale\dimexpr#2pt\relax
4384 }{}{}
4385
4386 \bidi@patchcmd{\set@fontsize}{\@tempskipa#3pt}{%
4387   \@tempskipa\xepersian@@@baselineskip@scale\dimexpr#3pt\relax
4388 }{}{}
4389
4390
4391 \newcommand*{\xepersian@@@update@math@fontsize}[1]{%
4392   \strip@pt\dimexpr\xepersian@@@math@fontsize@scale
4393   \dimexpr 1pt * \dimexpr #1 pt\relax /
4394   \dimexpr \xepersian@@@fontsize@scale pt\relax
4395   \relax\relax
4396 }
4397
4398 \bidi@patchcmd{\getanddefine@fonts}{%
4399   \xdef\font@name{\csname \string#2/\tf@size\endcsname}%
4400 }{%
4401   \xdef\font@name{\csname \string#2/\xepersian@@@update@math@fontsize\tf@size\endcsname}%
4402 }{}{}
4403
4404 \bidi@patchcmd{\getanddefine@fonts}{%
4405   \xdef\font@name{\csname \string#2/\sf@size\endcsname}%
4406 }{%
4407   \xdef\font@name{\csname \string#2/\xepersian@@@update@math@fontsize\sf@size\endcsname}%
4408 }{}{}
4409
4410 \bidi@patchcmd{\getanddefine@fonts}{%
4411   \xdef\font@name{\csname \string#2/\ssf@size\endcsname}%
4412 }{%
4413   \xdef\font@name{\csname \string#2/\xepersian@@@update@math@fontsize\ssf@size\endcsname}%
4414 }{}{}
4415
4416
4417 \if\xepersian@@@computeautoilg
4418 \bidi@patchcmd{\set@fontsize}{%
4419   \baselineskip\f@baselineskip\relax
4420 }{%
4421   \baselineskip\f@baselineskip\relax
4422   \xepersian@@@computeautoilg
4423   \ifdim\xepersian@strutilg>\baselineskip
4424     \PackageInfo{xepersian}{character with height+depth greater than current baselineskip found}
4425     \PackageInfo{xepersian}{baselineskip changed to that height+depth!}%
4426     \baselineskip\xepersian@strutilg
4427     \ifdim\footnotesep=.7\baselineskip
4428       \else
4429         \footnotesep=.7\baselineskip
4430       \fi
4431     \fi
4432 }{}{}
4433 \fi
4434

```




```
4435 \setlatintextfont [Path,BoldFont={lmroman10-bold},BoldItalicFont={lmroman10-bolditalic},ItalicFont={lmroman10-italic}]
4436 \PersianAlphs
```

62 File xepersian-magazine.cls

```
4437 \NeedsTeXFormat{LaTeX2e}
4438 \ProvidesClass{xepersian-magazine}[2010/07/25 v0.2 Typesetting Persian magazines in XeLaTeX]
4439 \RequirePackage{ifthen}
4440 \newlength{\xepersian@imgsize}
4441 \newlength{\xepersian@coltitsize}
4442 \newlength{\xepersian@pageneed}
4443 \newlength{\xepersian@pageleft}
4444 \newlength{\xepersian@indexwidth}
4445 \newcommand{\xepersian@ncolumns}{0}
4446 \newlength{\columnlines}
4447 \setlength{\columnlines}{0 pt} % no lines by default
4448 \newboolean{xepersian@hyphenatedtitles}
4449 \setboolean{xepersian@hyphenatedtitles}{true}
4450 \newboolean{xepersian@ninepoints}
4451 \setboolean{xepersian@ninepoints}{false}
4452 \newboolean{xepersian@showgrid}
4453 \setboolean{xepersian@showgrid}{false}
4454 \newboolean{xepersian@a3paper}
4455 \setboolean{xepersian@a3paper}{false}
4456 \newboolean{xepersian@insidefrontpage}
4457 \setboolean{xepersian@insidefrontpage}{false}
4458 \newboolean{xepersian@insideweather}
4459 \setboolean{xepersian@insideweather}{false}
4460 \newboolean{xepersian@insideindex}
4461 \setboolean{xepersian@insideindex}{false}
4462 \newcount\xepersian@gridrows
4463 \newcount\xepersian@gridcolumns
4464 \xepersian@gridrows=40
4465 \xepersian@gridcolumns=50
4466 \newcount\minraggedcols
4467 \minraggedcols=5
4468 \DeclareOption{10pt}{\PassOptionsToClass{10pt}{article}}
4469 \DeclareOption{11pt}{\PassOptionsToClass{11pt}{article}}
4470 \DeclareOption{12pt}{\PassOptionsToClass{12pt}{article}}
4471 \DeclareOption{twocolumn}%
4472 {\ClassWarning{xepersian-magazine}{Option 'twocolumn' not available for xepersian-magazine.}}
4473 \DeclareOption{notitlepage}%
4474 {\ClassWarning{xepersian-magazine}{Option 'notitlepage' not available for xepersian-magazine.}}
4475 \DeclareOption{twoside}%
4476 {\ClassWarning{xepersian-magazine}{Option 'twoside' not available for xepersian-magazine.}}
4477 \DeclareOption{9pt}{\setboolean{xepersian@ninepoints}{true}}
4478 \DeclareOption{hyphenatedtitles}{\setboolean{xepersian@hyphenatedtitles}{false}}
4479 \DeclareOption{columnlines}{\setlength{\columnlines}{0.1 pt}}
4480 \DeclareOption{showgrid}{\setboolean{xepersian@showgrid}{true}}
4481 \DeclareOption{a3paper}{\setboolean{xepersian@a3paper}{true}}
4482 \ProcessOptions\relax
4483 \LoadClass[10pt, onecolumn, titlepage, a4paper]{article}
4484 \RequirePackage{ifxetex}
4485 \RequirePackage{multido}
```



```

4486 \RequirePackage{datetime}
4487 \RequirePackage{multicol}
4488 \RequirePackage{fancyhdr}
4489 \RequirePackage{fancybox}
4490 \ifthenelse{\boolean{xepersian@a3paper}}{%
4491 \RequirePackage[a3paper,headsep=0.5cm,vmargin={2cm,2cm},hmargin={1.5cm,1.5cm}]{geometry}
4492 }{
4493 \RequirePackage[headsep=0.5cm,vmargin={2cm,2cm},hmargin={1.5cm,1.5cm}]{geometry}
4494 }
4495 \RequirePackage[absolute]{textpos} % absolute positioning
4496 \RequirePackage{hyphenat} % when hyphenate
4497 \RequirePackage{lastpage} % to know the last page number
4498 \RequirePackage{setspace} % set space between lines
4499 \RequirePackage{ragged2e}
4500 \newcommand{\raggedFormat}{\RaggedLeft}
4501 \AtEndOfClass{\xepersianInit}
4502 \ifthenelse{\boolean{xepersian@showgrid}}{%
4503 \AtBeginDocument{
4504 \grid[show]{\xepersian@gridrows}{\xepersian@gridcolumns}}
4505 \advance\minraggedcols by -1
4506 }{%
4507 \AtBeginDocument{
4508 \grid[]{\xepersian@gridrows}{\xepersian@gridcolumns}}
4509 \advance\minraggedcols by -1
4510 }
4511 \ifthenelse{\boolean{xepersian@ninepoints}}{
4512 \renewcommand{\normalsize}{%
4513 \setfontsize{\normalsize}{9pt}{10pt}%
4514 \setlength{\abovedisplayskip}{5pt plus 1pt minus .5pt}%
4515 \setlength{\belowdisplayskip}{\abovedisplayskip}%
4516 \setlength{\abovedisplayshortskip}{3pt plus 1pt minus 2pt}%
4517 \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}}
4518
4519 \renewcommand{\tiny}{\setfontsize{\tiny}{5pt}{6pt}}
4520
4521 \renewcommand{\scriptsize}{\setfontsize{\scriptsize}{7pt}{8pt}}
4522
4523 \renewcommand{\small}{%
4524 \setfontsize{\small}{8pt}{9pt}%
4525 \setlength{\abovedisplayskip}{4pt plus 1pt minus 1pt}%
4526 \setlength{\belowdisplayskip}{\abovedisplayskip}%
4527 \setlength{\abovedisplayshortskip}{2pt plus 1pt}%
4528 \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}}
4529
4530 \renewcommand{\footnotesize}{%
4531 \setfontsize{\footnotesize}{8pt}{9pt}%
4532 \setlength{\abovedisplayskip}{4pt plus 1pt minus .5pt}%
4533 \setlength{\belowdisplayskip}{\abovedisplayskip}%
4534 \setlength{\abovedisplayshortskip}{2pt plus 1pt}%
4535 \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}}
4536
4537 \renewcommand{\large}{\setfontsize{\large}{11pt}{13pt}}
4538 \renewcommand{\Large}{\setfontsize{\Large}{14pt}{18pt}}
4539 \renewcommand{\LARGE}{\setfontsize{\LARGE}{18pt}{20pt}}

```



```

4540 \renewcommand{\huge}{\@setfontsize{\huge}{20pt}{25pt}}
4541 \renewcommand{\Huge}{\@setfontsize{\Huge}{25pt}{30pt}}
4542 }{}
4543 \def\customwwwTxt#1{\gdef\@customwwwTxt{\lr{#1}}}
4544 \newcommand{\xepersian@wwwFormat}{\sffamily}
4545 \newcommand{\xepersian@www}{%
4546 \raisebox{-3pt}{\xepersian@wwwFormat\@customwwwTxt}}
4547 }
4548 \newcommand{\xepersian@edition}{ {
4549 \newcommand{\editionFormat}{\large\bfseries\texttt}
4550 \newcommand{\xepersian@editionLogo}{%
4551 \raisebox{-3pt}{%
4552 {\editionFormat\xepersian@edition}%
4553 }%
4554 }
4555 \newcommand{\indexFormat}{\large\bfseries}
4556 \newcommand{\xepersian@indexFrameTitle}[1]
4557 {\begin{flushright}{\indexFormat #1}\end{flushright}}
4558
4559 \newcommand{\indexEntryFormat}{\normalsize}
4560 \newcommand{\xepersian@indexEntry}[1]{\begin{minipage}{13\TPHorizModule}%
4561 {\indexEntryFormat\noindent\ignorespaces{#1}}%
4562 \end{minipage}}
4563 \newcommand{\indexEntrySeparator}{\rule{\xepersian@indexwidth}{.1pt}}
4564 \newcommand{\indexEntryPageTxt}{ }
4565 \newcommand{\indexEntryPageFormat}{\footnotesize}
4566 \newcommand{\xepersian@indexEntryPage}[1]{%
4567 {\indexEntryPageFormat{\indexEntryPageTxt}{~#1}}%
4568 }
4569 \newcommand{\headDateTimeFormat}{}
4570 \newcommand{\xepersian@headDateTime}{%
4571 \headDateTimeFormat\date\hspace{5pt}$\parallel$\hspace{5pt}%
4572 \currenttime %
4573 }
4574 \newcommand{\weatherFormat}{\bfseries}
4575 \newcommand{\xepersian@weather}[1]{%
4576 \noindent{\weatherFormat #1}%
4577 }
4578 \newcommand{\weatherTempFormat}{\small}
4579 \newcommand{\weatherUnits}{\textdegree}{C}
4580 \newcommand{\xepersian@section}[0]{ {
4581 \newcommand{\xepersian@headleft}{%
4582 {\small\bfseries \@custommagazinename} \date
4583 }
4584 \newcommand{\xepersian@headcenter}{%
4585 \xepersian@section{}
4586 }
4587 \newcommand{\xepersian@headright}{%
4588 \small\xepersian@edition%
4589 \hspace*{5pt}\beginL\thepage\ / \pageref{LastPage}\endL
4590 }
4591
4592 \newcommand{\heading}[3]{%
4593 \renewcommand{\xepersian@headleft}{\beginR#1\endR}%

```



```

4594 \renewcommand{\xepersian@headcenter}{\beginR#2\endR}%
4595 \renewcommand{\xepersian@headright}{\beginR#3\endR}%
4596 }
4597 \newcommand{\xepersian@footright}{%
4598 {\footnotesize\lr{\copyright\ \@customwwwTxt{}}-- - \lr{\XePersian}}%
4599 }
4600 \newcommand{\xepersian@footcenter}{%
4601 }
4602 \newcommand{\xepersian@footleft}{%
4603 }
4604
4605 \newcommand{\foot}[3]{%
4606 \renewcommand{\xepersian@footleft}{\beginR#1\endR}%
4607 \renewcommand{\xepersian@footcenter}{\beginR#2\endR}%
4608 \renewcommand{\xepersian@footright}{\beginR#3\endR}%
4609 }
4610 \newcommand{\firstTitleFormat}{\Huge\bfseries\flushright}
4611 \newcommand{\xepersian@firstTitle}[1]{%
4612 {%
4613 \begin{spacing}{2.0}{%
4614 \noindent\ignorespaces
4615 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
4616 {\nohyphens{\firstTitleFormat #1}}%
4617 {\firstTitleFormat #1}}%
4618 }%
4619 \end{spacing}%
4620 }%
4621 }
4622 \newcommand{\firstTextFormat}{%
4623 \newcommand{\xepersian@firstText}[1]{%
4624 {\noindent\ignorespaces\firstTextFormat #1}%
4625 }
4626 \newcommand{\secondTitleFormat}{\LARGE\bfseries}
4627 \newcommand{\xepersian@secondTitle}[1]{%
4628 \begin{spacing}{1.5}{%
4629 \noindent\ignorespaces\flushright
4630 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
4631 {\nohyphens{\secondTitleFormat #1}}%
4632 {\secondTitleFormat #1}}%
4633 }\end{spacing}%
4634 }
4635 \newcommand{\secondSubtitleFormat}{\large}
4636 \newcommand{\xepersian@secondSubtitle}[1]{%
4637 {\noindent\ignorespaces{\secondSubtitleFormat #1}}%
4638 }
4639 \newcommand{\secondTextFormat}{%
4640 \newcommand{\xepersian@secondText}[1]{%
4641 \begin{multicols}{2}
4642 {\noindent\ignorespaces\secondTextFormat #1}
4643 \end{multicols}
4644 }
4645 \newcommand{\thirdTitleFormat}{\Large\bfseries}
4646 \newcommand{\xepersian@thirdTitle}[1]{%
4647 \begin{spacing}{1.5}{%

```



```

4648 \noindent\ignorespaces\flushright
4649 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
4650 {\nohyphens{\thirdTitleFormat #1}}%
4651 {\thirdTitleFormat #1}}%
4652 }\end{spacing}%
4653 }
4654 \newcommand{\thirdSubtitleFormat}{\large}
4655 \newcommand{\xepersian@thirdSubtitle}[1]%
4656 {\noindent\ignorespaces\thirdSubtitleFormat #1}}
4657 \newcommand{\thirdTextFormat}{%
4658 \newcommand{\xepersian@thirdText}[1]{\thirdTextFormat #1}}
4659 \newcommand{\pictureCaptionFormat}{\small\bfseries}
4660 \newcommand{\xepersian@pictureCaption}[1]{%
4661 \noindent\pictureCaptionFormat #1}}%
4662 }
4663 \newcommand{\pagesFormat}{\bfseries\footnotesize}
4664 \newcommand{\xepersian@pages}[1]%
4665 {\noindent{\pagesFormat\MakeUppercase{#1}}}
4666 \newcommand{\innerTitleFormat}{\Huge}
4667 \newcommand{\xepersian@innerTitle}[1]{%
4668 \begin{flushright}{%
4669 \noindent
4670 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
4671 {\nohyphens{\innerTitleFormat #1}}%
4672 {\innerTitleFormat #1}}%
4673 }%
4674 }%
4675 \end{flushright}}%
4676 }
4677 \newcommand{\innerSubtitleFormat}{\large}
4678 \newcommand{\xepersian@innerSubtitle}[1]{\innerSubtitleFormat #1}}
4679 \newcommand{\timestampTxt}{%
4680 \newcommand{\timestampSeparator}{|}
4681 \newcommand{\timestampFormat}{\small}
4682 \newcommand{\timestamp}[1]{%
4683 {\timestampFormat%
4684 #1~\timestampTxt}%
4685 }~\timestampSeparator}%
4686 }
4687 \newcommand{\innerAuthorFormat}{\footnotesize}
4688 \newcommand{\innerPlaceFormat}{\footnotesize\bfseries}
4689 \newcommand{\innerTextFinalMark}{\rule{0.65em}{0.65em}}
4690 \newcommand{\editorialTitleFormat}{\LARGE\textit}
4691 \newcommand{\xepersian@editorialTitle}[1]{\editorialTitleFormat{#1}}
4692 \newcommand{\editorialAuthorFormat}{\textsc}
4693 \newcommand{\shortarticleTitleFormat}{\LARGE\bfseries}
4694 \newcommand{\xepersian@shortarticleTitle}[1]{\shortarticleTitleFormat #1}}
4695 \newcommand{\shortarticleSubtitleFormat}{\Large}
4696 \newcommand{\xepersian@shortarticleSubtitle}[1]{\shortarticleSubtitleFormat #1}}
4697 \newcommand{\shortarticleItemTitleFormat}{\large\bfseries}
4698 \newcommand{\xepersian@shortarticleItemTitle}[1]{\shortarticleItemTitleFormat #1}}
4699 \renewcommand{\maketitle}{\begin{titlepage}%
4700 \let\footnotesize\small
4701 \let\footnoterule\relax

```



```

4702 \let \footnote \thanks
4703 \null\vfil
4704 \vskip 60\p@
4705 \begin{center}%
4706   {\LARGE \@title \par}%
4707   \vskip 1em%
4708   {\LARGE «\xepersian@edition» \par}%
4709   \vskip 3em%
4710   {\large
4711     \lineskip .75em%
4712     \begin{tabular}[t]{c}%
4713       \@author
4714     \end{tabular}\par}%
4715     \vskip 1.5em%
4716   {\large \@date \par}%
4717 \end{center}\par
4718 \@thanks
4719 \vfil\null
4720 \end{titlepage}%
4721 \setcounter{footnote}{0}%
4722 \global\let\thanks\relax
4723 \global\let\maketitle\relax
4724 \global\let\@thanks\@empty
4725 \global\let\@author\@empty
4726 \global\let\@date\@empty
4727 \global\let\@title\@empty
4728 \global\let\title\relax
4729 \global\let\author\relax
4730 \global\let\date\relax
4731 \global\let\and\relax
4732 }
4733 \newcommand{\xepersian@say}[1]{\typeout{#1}}
4734 \newsavebox{\xepersian@fmbbox}
4735 \newenvironment{xepersian@fmpage}[1]
4736   {\begin{lrbox}{\xepersian@fmbbox}\begin{minipage}{#1}}
4737   {\end{minipage}\end{lrbox}\fbox{\usebox{\xepersian@fmbbox}}}
4738 \newcommand{\image}[2]{
4739   \vspace{5pt}
4740   \setlength{\fboxsep}{1pt}
4741   \addtolength{\xepersian@imgsize}{\columnwidth}
4742   \addtolength{\xepersian@imgsize}{-1\columnsep}
4743   \ifxetex
4744     \setlength{xepersian@pageneed}{1.5\xepersian@imgsize}
4745     \addtolength{xepersian@pageneed}{50pt}
4746     \ClassWarning{xepersian-magazine}{%
4747 Image #1 needs: \the\xepersian@pageneed \space %
4748 and there is left: \the\page@free\space%
4749 }
4750 \ifdim \xepersian@pageneed < \page@free
4751
4752 {\centering\fbox{%
4753 \includegraphics[width = \xepersian@imgsize,
4754 height = \xepersian@imgsize,
4755 keepaspectratio ]{#1}}}

```



```

4756 \xepersian@pictureCaption{#2}
4757
4758 \vspace{5pt}
4759 \else
4760 \ClassWarning{Image #1 needs more space!%
4761 It was not inserted!}
4762 \fi
4763 \fi
4764 }
4765 \textblockorigin{1cm}{1cm}
4766 \newdimen\xepersian@dx
4767 \newdimen\xepersian@dy
4768 \newcount\xepersian@cx
4769 \newcount\xepersian@cy
4770 \newcommand\grid}[3][ ]{
4771 \xepersian@dx=\textwidth%
4772 \xepersian@dy=\textheight%
4773 \xepersian@cx=#3% %columns
4774 \xepersian@cy=#2% %rows
4775
4776 \count1=#3%
4777 \advance\count1 by 1
4778
4779 \count2=#2%
4780 \advance\count2 by 1
4781
4782 \divide\xepersian@dx by #3
4783 \divide\xepersian@dy by #2
4784
4785 \setlength{\TPHorizModule}{\xepersian@dx}
4786 \setlength{\TPVertModule}{\xepersian@dy}
4787
4788 \ifthenelse{equal{#1}{show}}{
4789 \multido{\xepersian@nrow=0+1}{\count2}{
4790 \begin{textblock}{\xepersian@cx}(0,\xepersian@nrow)
4791 \rule[0pt]{\textwidth}{.1pt}
4792 \end{textblock}
4793 }
4794
4795 \multido{\xepersian@ncol=0+1}{\count1}{
4796 \begin{textblock}{\xepersian@cy}(\xepersian@ncol,0)
4797 \rule[0pt]{.1pt}{\textheight}
4798 \end{textblock}
4799 }
4800 }{ }
4801 }
4802 \newcommand{\xepersianInit}{
4803 \setlength{\headheight}{14pt}
4804 \renewcommand{\headrulewidth}{0.4pt}
4805
4806 \pagestyle{fancy}
4807
4808 \setlength{\columnseprule}{\columnlines}
4809 \setlength{\fboxrule}{0.1 pt}

```



```

4810
4811 }
4812
4813 \def\customlogo#1{\gdef\@customlogo{\beginR#1\endR}}
4814 \def\customminilogo#1{\gdef\@customminilogo{\beginR#1\endR}}
4815 \def\custommagaziname#1{\gdef\@custommagaziname{\beginR#1\endR}}
4816 \newcommand{\logo}[0]{
4817 %% Heading %%
4818 \noindent\hrulefill\hspace{10pt}\xepersian@editionLogo\hspace{5pt}\xepersian@www
4819
4820 \vspace*{-3pt}
4821
4822 {\Large\bfseries \@customlogo}
4823 \hrulefill
4824 \hspace{10pt}\xepersian@headDateTime
4825
4826 }
4827 \newcommand{\minilogo}[0]{
4828 {\large\bfseries \@customminilogo}
4829
4830 \vspace*{5pt}
4831 }
4832 \newcommand{\mylogo}[1]{
4833 {\beginR#1\endR}
4834
4835 \noindent
4836 \xepersian@editionLogo\hspace{5pt}
4837 \hrulefill
4838 \hspace{5pt}\xepersian@headDateTime
4839 }
4840 \newcommand{\edition}[1]{\renewcommand{\xepersian@edition}{#1}}
4841 \newenvironment{frontpage}[0]
4842 {
4843 \setboolean{xepersian@insidefrontpage}{true}
4844 \thispagestyle{empty}
4845 \logo
4846
4847 }%
4848 {
4849 \thispagestyle{empty}
4850 \clearpage
4851 \newpage
4852 \fancyhead{}
4853 \fancyfoot{}
4854 \fancyhead[RO,LE]{\beginR\xepersian@headright\endR}
4855 \fancyhead[LO,RE]{\beginR\xepersian@headleft\endR}
4856 \fancyhead[C]{\beginR\xepersian@headcenter\endR}
4857 \fancyfoot[RO,LE]{\beginR\xepersian@footright\endR}
4858 \fancyfoot[LO,RE]{\beginR\xepersian@footleft\endR}
4859 \fancyfoot[C]{\beginR\xepersian@footcenter\endR}
4860 \renewcommand{\headrulewidth}{0.4pt}
4861 \setboolean{xepersian@insidefrontpage}{false}
4862
4863 }

```




```

4864 \newcommand{\firstarticle}[3]
4865 {
4866 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4867 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
4868 \begin{textblock}{24}(22,5)
4869 }
4870 {
4871 \begin{textblock}{28}(22,5)
4872 }
4873 \vspace{-7pt}
4874 \xepersian@firstTitle{#1}
4875 \end{textblock}
4876 \begin{textblock}{29}(22,10)
4877 \vspace{5pt plus 2pt minus 2pt}
4878
4879 \xepersian@firstText{\timestamp{#3}~#2}
4880
4881 \end{textblock}
4882
4883 \begin{textblock}{50}(0,15)
4884 \rule{50\TPHorizModule}{.3pt}
4885 \end{textblock}
4886 }{%else
4887 \ClassError{xepersian-magazine}{%
4888 \protect\firstarticle\space in a wrong place.\MessageBreak
4889 \protect\firstarticle\space may only appear inside frontpage environment.
4890 }{%
4891 \protect\firstarticle\space may only appear inside frontpage environment.
4892 }%
4893 }
4894 }
4895 \newcommand{\secondarticle}[5]
4896 {
4897 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4898 \begin{textblock}{33}(2,16)
4899 \xepersian@pages{#4}
4900 \vspace{-5pt}
4901 \xepersian@secondTitle{#1}
4902
4903 \vspace*{5pt}
4904
4905 \xepersian@secondSubtitle{#2}
4906
4907 \vspace*{-7pt}
4908
4909 \xepersian@secondText{\timestamp{#5}~#3}
4910
4911 \end{textblock}
4912
4913 \begin{textblock}{33}(2,25)
4914 \vspace{5pt plus 2pt minus 2pt}
4915
4916 \noindent\ignorespaces\rule{33\TPHorizModule}{.3pt}
4917 \end{textblock}

```



```

4918 }{%else
4919 \ClassError{xepersian-magazine}{%
4920 \protect\secondarticle\space in a wrong place.\MessageBreak
4921 \protect\secondarticle\space may only appear inside frontpage environment.
4922 }{%
4923 \protect\secondarticle\space may only appear inside frontpage environment.
4924 }%
4925 }
4926 }
4927 \newcommand{\thirdarticle}[6]
4928 {
4929 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4930 \begin{textblock}{32}(2,26)
4931 \xepersian@pages{#5}
4932 \vspace{-5pt}
4933 \setlength{\fboxsep}{1pt}
4934 \xepersian@thirdTitle{#1}
4935
4936 \vspace*{5pt}
4937
4938 \xepersian@thirdSubtitle{#2}
4939
4940 \vspace*{5pt}
4941
4942 {\noindent\ignorespaces %
4943 \ifthenelse{\equal{#4}{}}{}}
4944
4945 \xepersian@thirdText{\timestamp{#6}~#3}
4946
4947 }
4948
4949 \vspace*{5pt}
4950
4951 \end{textblock}
4952 }{%else
4953 \ClassError{xepersian-magazine}{%
4954 \protect\thirdarticle\space in a wrong place.\MessageBreak
4955 \protect\thirdarticle\space may only appear inside frontpage environment.
4956 }{%
4957 \protect\thirdarticle\space may only appear inside frontpage environment.
4958 }%
4959 }
4960 }
4961 \newcommand{\firstimage}[2]
4962 {
4963 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4964 \begin{textblock}{18}(2,5)
4965 \setlength{\fboxsep}{1pt}
4966 \ifxetex % only in PDF
4967 \noindent\fbox{\includegraphics[width = 18\TPHorizModule ]{#1}}
4968 \fi
4969
4970 \xepersian@pictureCaption{#2}
4971 \end{textblock}}%

```



```

4972 }
4973 {\ClassError{xepersian-magazine}{%
4974 \protect\firstimage\space in a wrong place.\MessageBreak
4975 \protect\firstimage\space may only appear inside frontpage environment.
4976 }{%
4977 \protect\firstimage\space may only appear inside frontpage environment.
4978 }}
4979 }%
4980 \newcommand{\weatheritem}[5]{%
4981 \ifthenelse{\boolean{xepersian@insideweather}}{
4982 \begin{minipage}{45pt}
4983 \ifxetex
4984 \includegraphics[width=40pt]{#1}
4985 \fi
4986 \end{minipage}
4987 \begin{minipage}{50pt}
4988 \weatherTempFormat
4989 #2\\
4990 \beginL#3 $\!$ #4 \lr{\weatherUnits{}}\endL\\
4991 #5
4992 \end{minipage}
4993 }{%else
4994 \ClassError{xepersian-magazine}{%
4995 \protect\weatheritem\space in a wrong place.\MessageBreak
4996 \protect\weatheritem\space may only appear inside weatherblock environment.
4997 }{%
4998 \protect\weatheritem\space may only appear inside weatherblock environment.\MessageBreak
4999 weatherblock environment may only appear inside frontpage environment.
5000 }%
5001 }
5002 }
5003 \newenvironment{weatherblock}[1]
5004 {
5005 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
5006 \setboolean{xepersian@insideweather}{true}
5007 \begin{textblock}{32}(2,38)
5008 \vspace*{-15pt}
5009
5010 \xepersian@weather{\beginR#1\endR}
5011
5012 \vspace*{5pt}
5013
5014 \noindent\begin{xepersian@fmpage}{32\TPHorizModule}
5015 \begin{minipage}{32\TPHorizModule}
5016 \hspace{5pt}
5017
5018 }{%
5019 \ClassError{xepersian-magazine}{%
5020 weatherblock in a wrong place.\MessageBreak
5021 weatherblock may only appear inside frontpage environment.
5022 }{%
5023 weatherblock may only appear inside frontpage environment.
5024 }
5025 }

```



```

5026 }%
5027 {
5028 \end{minipage}
5029 \end{xepersian@fmpage}
5030 \end{textblock}
5031 \setboolean{xepersian@insideweather}{false}
5032 }
5033 \newenvironment{authorblock}[0]
5034 {
5035 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
5036 \begin{textblock}{15}(36,35)
5037 \setlength{\fboxsep}{5pt}
5038 \begin{xepersian@fmpage}{13\TPHorizModule}
5039 \begin{minipage}{13\TPHorizModule}
5040 \centering
5041 \minilogo
5042
5043 }{%else
5044 \ClassError{xepersian-magazine}{%
5045 authorblock in a wrong place.\MessageBreak
5046 authorblock may only appear inside frontpage environment.
5047 }{%
5048 authorblock may only appear inside frontpage environment.
5049 }
5050 }
5051 }
5052 {
5053 \end{minipage}
5054 \end{xepersian@fmpage}
5055 \end{textblock}
5056 }
5057 \newenvironment{indexblock}[1]
5058 {
5059 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
5060 \setboolean{xepersian@insideindex}{true}%let's in
5061 \begin{textblock}{15}(36,16)
5062 \setlength{xepersian@indexwidth}{13\TPHorizModule}
5063 \xepersian@indexFrameTitle{#1}
5064
5065 \setlength{\fboxsep}{5pt} %espacio entre el frame y la imagen
5066 \begin{xepersian@fmpage}{\xepersian@indexwidth}
5067 \begin{minipage}{\xepersian@indexwidth}
5068 \vspace*{10pt}
5069 }{%else
5070 \ClassError{xepersian-magazine}{%
5071 indexblock in a wrong place.\MessageBreak
5072 indexblock may only appear inside frontpage environment.
5073 }{%
5074 indexblock may only appear inside frontpage environment.
5075 }
5076 }
5077 }%
5078 {
5079 \end{minipage}

```



```

5080 \end{xepersian@fmpage}
5081 \end{textblock}
5082 \setboolean{xepersian@insideindex}{false}%let's out
5083 }
5084 \newcommand{\indexitem}[2]
5085 {
5086 \ifthenelse{\boolean{xepersian@insideindex}}{
5087 \xepersian@indexEntry{#1 \xepersian@indexEntryPage{\pageref{#2}}}
5088
5089 \vspace{0.5cm}
5090
5091 \noindent\ignorespaces\indexEntrySeparator{}
5092 }{%else
5093 \ClassError{xepersian-magazine}{%
5094 \protect\indexitem\space in a wrong place.\MessageBreak
5095 \protect\indexitem\space may only appear inside indexblock environment.
5096 }{%
5097 \protect\indexitem\space may only appear inside indexblock environment.\MessageBreak
5098 indexblock environment may only appear inside frontpage environment.
5099 }%
5100 }
5101 }
5102 \newcommand{\xepersian@inexpandedtitle}[1]{
5103 \begin{minipage}{.95\textwidth}
5104 \begin{center}
5105 \noindent\Large\textbf{\beginR#1\endR}
5106 \end{center}
5107 \end{minipage}
5108 }
5109 \newcommand{\expandedtitle}[2]{
5110 \end{multicols}
5111
5112 \begin{center}
5113 \setlength{\fboxsep}{5pt}
5114 \setlength{\shadowsize}{2pt}
5115 \ifthenelse{\equal{#1}{shadowbox}}{%
5116 \shadowbox{%
5117 \xepersian@inexpandedtitle{#2}%
5118 }%
5119 }{
5120 \ifthenelse{\equal{#1}{doublebox}}{%
5121 \doublebox{%
5122 \xepersian@inexpandedtitle{#2}%
5123 }%
5124 }{
5125 \ifthenelse{\equal{#1}{ovalbox}}{%
5126 \ovalbox{%
5127 \xepersian@inexpandedtitle{#2}%
5128 }%
5129 }{
5130 \ifthenelse{\equal{#1}{Ovalbox}}{%
5131 \Ovalbox{%
5132 \xepersian@inexpandedtitle{#2}%
5133 }%

```



```

5134 }{}
5135 \ifthenelse{\equal{#1}{lines}}{
5136 \hrule
5137 \vspace*{8pt}
5138 \begin{center}
5139 \noindent\Large\textbf{#2}
5140 \end{center}
5141 \vspace*{8pt}
5142 \hrule
5143 }{}
5144 \end{center}
5145
5146 \begin{multicols}{\xepersian@ncolumns}}
5147 \ifnum \xepersian@ncolumns > \minraggedcols
5148 \raggedFormat
5149 \fi
5150 }
5151 \newcommand{\xepersian@incolumntitle}[2]{
5152 \begin{minipage}{#1}
5153 \begin{center}
5154 \noindent\normalsize\textbf{#2}
5155 \end{center}
5156 \end{minipage}
5157 }
5158
5159 \newcommand{\columntitle}[2]{
5160 \vspace*{5pt}
5161 \begin{center}
5162 \setlength{\fboxsep}{5pt}
5163 \setlength{\shadowsize}{2pt}
5164 \addtolength{\xepersian@coltitsize}{\columnwidth}
5165 \addtolength{\xepersian@coltitsize}{-1\columnsep}
5166 \addtolength{\xepersian@coltitsize}{-5pt}
5167 \addtolength{\xepersian@coltitsize}{-1\shadowsize}
5168 \ifthenelse{\equal{#1}{shadowbox}}{%
5169 \shadowbox{%
5170 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}%
5171 }%
5172 }{}
5173 \ifthenelse{\equal{#1}{doublebox}}{%
5174 \doublebox{%
5175 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}%
5176 }%
5177 }{}
5178 \ifthenelse{\equal{#1}{ovalbox}}{%
5179 \ovalbox{%
5180 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}%
5181 }%
5182 }{}
5183 \ifthenelse{\equal{#1}{Ovalbox}}{%
5184 \Ovalbox{%
5185 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}%
5186 }%
5187 }{}

```



```

5188 \ifthenelse{\equal{#1}{lines}}{
5189 \hrule
5190 \vspace*{5pt}
5191 \begin{center}
5192 \noindent\normalsize\textbf{#2}
5193 \end{center}
5194 \vspace*{5pt}
5195 \hrule
5196 }{}
5197 \end{center}
5198 }
5199 \renewcommand{\date}{%
5200 \longdate{\today}%
5201 }
5202 \newcommand{\authorandplace}[2]{%
5203 \rightline{%
5204 {\innerAuthorFormat #1},\space-{\innerPlaceFormat #2}%
5205 }%
5206 \par %
5207 }
5208 \newcommand{\newsection}[1]{
5209 \renewcommand{\xepersian@section}{#1}
5210 }
5211 \newenvironment{article}[5]
5212 {
5213 \xepersian@say{Adding a new piece of article}
5214 \renewcommand{\xepersian@ncolumns}{#1}
5215 \begin{multicols}{#1}[
5216 \xepersian@pages{#4}
5217 \xepersian@innerTitle{#2}%
5218 \xepersian@innerSubtitle{#3}%
5219 ] [4cm]%
5220 \label{#5}
5221 \ifnum #1 > \minraggedcols
5222 \raggedFormat
5223 \fi
5224 }
5225 {-\innerTextFinalMark{}
5226 \end{multicols}
5227 }
5228 \newcommand{\articlesep}{%
5229 \setlength{\xepersian@pageneed}{16000pt}
5230 \setlength\xepersian@pageleft{\pagegoal}
5231 \addtolength\xepersian@pageleft{-\pagetotal}
5232
5233 \xepersian@say{How much left \the\xepersian@pageleft}
5234
5235 \ifdim \xepersian@pageneed < \xepersian@pageleft
5236 \xepersian@say{Not enough space}
5237 \else
5238 \xepersian@say{Adding sep line between articles}
5239 \vspace*{10pt plus 10pt minus 5pt}
5240 \hrule
5241 \vspace*{10pt plus 5pt minus 5pt}

```



```

5242 \fi
5243
5244 }
5245 \newcommand{\xepersian@editorialTit}[2]{
5246 \setlength{\arrayrulewidth}{.1pt}
5247 \begin{center}
5248 \begin{tabular}{c}
5249 \noindent
5250 \xepersian@editorialTitle{#1}
5251 \vspace{2pt plus 1pt minus 1pt}
5252 \\
5253 \hrule
5254 \vspace{2pt plus 1pt minus 1pt}
5255 \\
5256 \editorialAuthorFormat{#2}
5257 \end{tabular}
5258 \end{center}
5259 }
5260 \newenvironment{editorial}[4]
5261 {
5262 \xepersian@say{Adding a new editorial}
5263 \begin{multicols}{#1}[%
5264 \xepersian@editorialTit{#2}{#3}%
5265 ] [4cm]
5266 \label{#4}
5267 \ifnum #1 > \minraggedcols
5268 \raggedFormat
5269 \fi
5270 }
5271 {
5272 \end{multicols}
5273 }
5274 \newcommand{\xepersian@shortarticleTit}[2]{
5275 \begin{center}
5276 \vbox{%
5277 \noindent
5278 \xepersian@shortarticleTitle{#1}
5279 \vspace{4pt plus 2pt minus 2pt}
5280 \hrule
5281 \vspace{4pt plus 2pt minus 2pt}
5282 \xepersian@shortarticleSubtitle{#2}
5283 }
5284 \end{center}
5285 }
5286 \newenvironment{shortarticle}[4]
5287 {
5288 \xepersian@say{Adding a short article block}
5289 \begin{multicols}{#1}[\xepersian@shortarticleTit{#2}{#3}] [4cm] %
5290 \label{#4}
5291 \par %
5292 \ifnum #1 > \minraggedcols
5293 \raggedFormat
5294 \fi
5295 }

```




```

5296 {
5297 \end{multicols}
5298 }
5299 \newcommand{\shortarticleitem}[2]{
5300 \goodbreak
5301 \vspace{5pt plus 3pt minus 3pt}
5302 {\vbox{\noindent\expersian@shortarticleItemTitle{#1}}}}
5303 \vspace{5pt plus 3pt minus 3pt}
5304 {\noindent #2}\}
5305 }

```

63 File xepersian-mathdigitsspec.sty

```

5306 \NeedsTeXFormat{LaTeX2e}
5307 \ProvidesPackage{xepersian-mathdigitsspec}
5308 [2022/05/20 v1.2.0 Unicode Persian math digits in XeLaTeX]
5309 \def\new@mathgroup{\alloc@8\mathgroup\chardef\@cclvi}
5310 \let\newfam\new@mathgroup
5311 \def\select@group#1#2#3#4{%
5312 \ifx\math@bgroup\bgroup\else\relax\expandafter\@firstofone\fi
5313 {%
5314 \ifmmode
5315 \ifnum\csname c@mv@\math@version\endcsname<\@cclvi
5316 \begingroup
5317 \escapechar\m@ne
5318 \getanddefine@fonts{\csname c@mv@\math@version\endcsname}#3%
5319 \globaldefs\@ne \math@fonts
5320 \endgroup
5321 \init@restore@version
5322 \xdef#1{\noexpand\use@mathgroup\noexpand#2%
5323 {\number\csname c@mv@\math@version\endcsname}}}%
5324 \global\advance\csname c@mv@\math@version\endcsname\@ne
5325 \else
5326 \let#1\relax
5327 \@latex@error{Too many math alphabets used in
5328 version \math@version}%
5329 \@eha
5330 \fi
5331 \else \expandafter\non@alpherr\fi
5332 #1{#4}%
5333 }%
5334 }
5335 \def\document@select@group#1#2#3#4{%
5336 \ifx\math@bgroup\bgroup\else\relax\expandafter\@firstofone\fi
5337 {%
5338 \ifmmode
5339 \ifnum\csname c@mv@\math@version\endcsname<\@cclvi
5340 \begingroup
5341 \escapechar\m@ne
5342 \getanddefine@fonts{\csname c@mv@\math@version\endcsname}#3%
5343 \globaldefs\@ne \math@fonts
5344 \endgroup
5345 \expandafter\extract@alph@from@version
5346 \csname mv@\math@version\expandafter\endcsname

```



```

5347     \expandafter{\number\csname
5348         c@mv@\math@version\endcsname}%
5349     #1%
5350     \global\advance\csname c@mv@\math@version\endcsname\@ne
5351 \else
5352     \let#1\relax
5353     \@latex@error{Too many math alphabets used
5354         in version \math@version}%
5355     \@eha
5356 \fi
5357 \else \expandafter\non@alpherr\fi
5358 #1{#4}%
5359 }%
5360 }
5361 \ExplSyntaxOn
5362 \bool_set_false:N \g_fontspect_math_bool
5363 \tl_map_inline:nn
5364 {
5365     \new@mathgroup\c@p@list\c@p@elt\DeclareMathSizes
5366     \@DeclareMathSizes\newmathalphabet\newmathalphabet@@\newmathalphabet@@@
5367     \DeclareMathVersion\define@mathalphabet\define@mathgroup\addtoversion
5368     \version@list\version@elt\alpha@list\alpha@elt
5369     \restore@mathversion\init@restore@version\dorestore@version\process@table
5370     \new@mathversion\DeclareSymbolFont\group@list\group@elt
5371     \new@symbolfont\SetSymbolFont\SetSymbolFont@\get@c@p
5372     \DeclareMathAlphabet\new@mathalphabet\SetMathAlphabet\SetMathAlphabet@
5373     \DeclareMathAccent\set@mathaccent\DeclareMathSymbol\set@mathchar
5374     \set@mathsymbol\DeclareMathDelimiter\@xxDeclareMathDelimiter
5375     \@DeclareMathDelimiter\@xDeclareMathDelimiter\set@mathdelimiter
5376     \set@mathdelimiter\DeclareMathRadical\mathchar@type
5377     \DeclareSymbolFontAlphabet\DeclareSymbolFontAlphabet@
5378 }
5379 {
5380     \tl_remove_once:Nn \@preamblecmds {\do#1}
5381 }
5382 \ExplSyntaxOff
5383 \newcommand\xepersian@PackageInfo[1]{\PackageInfo{xepersian-mathdigitsspec}{#1}}
5384 \newcommand\SetMathCode[4]{%
5385     \Umathcode#1="\mathchar@type#2 \csname sym#3\endcsname #4\relax}
5386 \newcommand\SetMathCharDef[4]{%
5387     \Umathchardef#1="\mathchar@type#2 \csname sym#3\endcsname #4\relax}
5388 \ExplSyntaxOn
5389 \cs_new_eq:NN \orig_mathbf:n \mathbf
5390 \cs_new_eq:NN \orig_mathit:n \mathit
5391 \cs_new_eq:NN \orig_mathrm:n \mathrm
5392 \cs_new_eq:NN \orig_mathsf:n \mathsf
5393 \cs_new_eq:NN \orig_mathtt:n \mathtt
5394 %\int_const:Nn \c_one_int { 1 }
5395 \NewDocumentCommand \new@mathbf { m } {
5396     \orig_mathbf:n {
5397         \int_step_inline:nnnn { `0 } { \c_one_int } { `9 } {
5398             \mathcode ##1 = \numexpr "100 * \symnew@mathbf@font@digits + ##1 \relax
5399         }
5400     } #1

```



```

5401 }
5402 }
5403 \NewDocumentCommand \new@mathit { m } {
5404   \orig_mathit:n {
5405     \int_step_inline:nnnn { `0 } { \c_one_int } { `9 } {
5406       \mathcode ##1 = \numexpr "100 * \symnew@mathit@font@digits + ##1 \relax
5407     }
5408     #1
5409   }
5410 }
5411 \NewDocumentCommand \new@mathrm { m } {
5412   \orig_mathrm:n {
5413     \int_step_inline:nnnn { `0 } { \c_one_int } { `9 } {
5414       \mathcode ##1 = \numexpr "100 * \symnew@mathrm@font@digits + ##1 \relax
5415     }
5416     #1
5417   }
5418 }
5419 \NewDocumentCommand \new@mathsf { m } {
5420   \orig_mathsf:n {
5421     \int_step_inline:nnnn { `0 } { \c_one_int } { `9 } {
5422       \mathcode ##1 = \numexpr "100 * \symnew@mathsf@font@digits + ##1 \relax
5423     }
5424     #1
5425   }
5426 }
5427 \NewDocumentCommand \new@mathtt { m } {
5428   \orig_mathtt:n {
5429     \int_step_inline:nnnn { `0 } { \c_one_int } { `9 } {
5430       \mathcode ##1 = \numexpr "100 * \symnew@mathtt@font@digits + ##1 \relax
5431     }
5432     #1
5433   }
5434 }
5435
5436 \cs_new:Npn \__xepersian_mathdigitspec_error:nxx { \msg_error:nxxx {xepersian-mathdigit
5437 \cs_new:Nn \__xepersian_mathdigitspec_msg_new:nnnn
5438   { \msg_new:nxxx {#1} {#2} { \tl_trim_spaces:n {#3} } { \tl_trim_spaces:n {#4} } }
5439 \char_set_catcode_space:n {32}
5440 \__xepersian_mathdigitspec_msg_new:nnnn {xepersian-mathdigitspec} {char-not-exist}
5441 {
5442   The font "#1" does not contain U+#2.
5443 }
5444 {
5445   Select another font and rerun xelatex.
5446 }
5447 \char_set_catcode_ignore:n {32}
5448
5449 %\__kernel_primitive:NN \iffontchar           \tex_iffontchar:D
5450 \prg_new_conditional:Nnn \__xepersian_mathdigitspec_primitive_font_char_if_exist:n {p,TF,T,F}
5451 {
5452   \tex_iffontchar:D \l_fontspec_font "#1 \scan_stop:
5453   \prg_return_true:
5454   \else:

```



```

5455     \prg_return_false:
5456     \fi:
5457   }
5458
5459 \clist_new:N \l_xepersian_mathdigitsspec_char_clist
5460
5461 \cs_new:Nn \__xepersian_mathdigitsspec_char_set_not_exist_error:nn
5462 {
5463   \clist_set:Nn \l_xepersian_mathdigitsspec_char_clist { #1 }
5464   \clist_map_inline:Nn \l_xepersian_mathdigitsspec_char_clist {
5465     \__xepersian_mathdigitsspec_primitive_font_char_if_exist:nF { ##1 }{ \__xepersian_mathdi
5466   }
5467 }
5468
5469 \cs_new:Nn \__xepersian_mathdigitsspec_char_prepend_not_exist_error:nn
5470 {
5471   \clist_put_left:Nn \l_xepersian_mathdigitsspec_char_clist { #1 }
5472   \clist_map_inline:Nn \l_xepersian_mathdigitsspec_char_clist {
5473     \__xepersian_mathdigitsspec_primitive_font_char_if_exist:nF { ##1 }{ \__xepersian_mathdi
5474   }
5475 }
5476
5477 \cs_new:Nn \__xepersian_mathdigitsspec_char_append_not_exist_error:nn
5478 {
5479   \clist_put_right:Nn \l_xepersian_mathdigitsspec_char_clist { #1 }
5480   \clist_map_inline:Nn \l_xepersian_mathdigitsspec_char_clist {
5481     \__xepersian_mathdigitsspec_primitive_font_char_if_exist:nF { ##1 }{ \__xepersian_mathdi
5482   }
5483 }
5484
5485 \cs_new:Nn \__xepersian_mathdigitsspec_char_not_exist_error:n
5486 {
5487   \__xepersian_mathdigitsspec_char_set_not_exist_error:nn {
5488     06F0 , 06F1 , 06F2 , 06F3 , 06F4 , 06F5 , 06F6 , 06F7 , 06F8 ,
5489     06F9 , 066A , 066B
5490   } { #1 }
5491 }
5492
5493 \DeclareDocumentCommand \setmathdigitfont { 0{} m 0{} }
5494 {
5495   \__xepersian_main_setmathdigitfont:nn {#1,#3} {#2}
5496 }
5497 \cs_new:Nn \__xepersian_main_setmathdigitfont:nn
5498 {
5499   \let\glb@currsize\relax
5500   \fontspec_set_family:Nnn \g__xepersian_mathdigitsspec_family_tl {Ligatures=PersianTeX,#1} {#2}
5501   \__xepersian_setmathdigitfont_hook:nn {#1} {#2}
5502   \xepersian@PackageInfo{Defining the default Persian math digits font as '#2'}
5503   \DeclareSymbolFont{OPERATORS} {\g_fontspec_encoding_tl}{\g__xepersian_mathdigitsspec_family_tl}
5504   \DeclareSymbolFont{new@mathbf@font@digits}{\g_fontspec_encoding_tl}{\g__xepersian_mathdigitsspec_family_tl}
5505   \DeclareSymbolFont{new@mathit@font@digits}{\g_fontspec_encoding_tl}{\g__xepersian_mathdigitsspec_family_tl}
5506   \DeclareSymbolFont{new@mathrm@font@digits}{\g_fontspec_encoding_tl}{\g__xepersian_mathdigitsspec_family_tl}
5507   \__xepersian_mathdigitsspec_char_not_exist_error:n { #2 }
5508   \def\persianmathdigits{%

```



```

5509 \SetMathCode{`0}{\mathalpha}{OPERATORS}{`0}
5510 \SetMathCode{`1}{\mathalpha}{OPERATORS}{`1}
5511 \SetMathCode{`2}{\mathalpha}{OPERATORS}{`2}
5512 \SetMathCode{`3}{\mathalpha}{OPERATORS}{`3}
5513 \SetMathCode{`4}{\mathalpha}{OPERATORS}{`4}
5514 \SetMathCode{`5}{\mathalpha}{OPERATORS}{`5}
5515 \SetMathCode{`6}{\mathalpha}{OPERATORS}{`6}
5516 \SetMathCode{`7}{\mathalpha}{OPERATORS}{`7}
5517 \SetMathCode{`8}{\mathalpha}{OPERATORS}{`8}
5518 \SetMathCode{`9}{\mathalpha}{OPERATORS}{`9}
5519 \SetMathCode{`%}{\mathbin}{OPERATORS}{` }
5520 \SetMathCharDef{\persiandecimalseparator}{\mathord}{OPERATORS}{"066B}
5521 \tl_set_eq:NN \mathbf \new@mathbf
5522 \tl_set_eq:NN \mathit \new@mathit
5523 \tl_set_eq:NN \mathrm \new@mathrm}
5524 }
5525
5526 \cs_set_eq:NN \__xepersian_setmathdigitfont_hook:nn \use_none:nn
5527
5528 \DeclareDocumentCommand \setmathsfdigitfont { 0{} m 0{} }
5529 {
5530   \__xepersian_main_setmathsfdigitfont:nn {#1,#3} {#2}
5531 }
5532 \cs_new:Nn \__xepersian_main_setmathsfdigitfont:nn
5533 {
5534   \fontspec_set_family:Nnn \g__xepersian_mathsfdigitfamily_tl {Ligatures=PersianTeX,#1} {#2}
5535   \__xepersian_setmathsfdigitfont_hook:nn {#1} {#2}
5536   \DeclareSymbolFont{new@mathsf@font@digits}{\g_fontspec_encoding_tl}{\g__xepersian_math
5537     \__xepersian_mathdigitsspec_char_not_exist_error:n { #2 }
5538   \def\persianmathsfdigits{\tl_set_eq:NN \mathsf \new@mathsf}
5539 }
5540
5541 \cs_set_eq:NN \__xepersian_setmathsfdigitfont_hook:nn \use_none:nn
5542
5543 \DeclareDocumentCommand \setmathtttdigitfont { 0{} m 0{} }
5544 {
5545   \__xepersian_main_setmathtttdigitfont:nn {#1,#3} {#2}
5546 }
5547 \cs_new:Nn \__xepersian_main_setmathtttdigitfont:nn
5548 {
5549   \fontspec_set_family:Nnn \g__xepersian_mathtttdigitfamily_tl {Ligatures=PersianTeX,#1} {#2}
5550   \__xepersian_setmathtttdigitfont_hook:nn {#1} {#2}
5551   \DeclareSymbolFont{new@mathtt@font@digits}{\g_fontspec_encoding_tl}{\g__xepersian_math
5552     \__xepersian_mathdigitsspec_char_not_exist_error:n { #2 }
5553   \def\persianmathtttdigits{\tl_set_eq:NN \mathtt \new@mathtt}
5554 }
5555
5556 \cs_set_eq:NN \__xepersian_setmathtttdigitfont_hook:nn \use_none:nn
5557
5558 \ExplSyntaxOff
5559 \mathchardef\decimalseparator@point="013A
5560 %{}
5561 % \catcode`.=\active
5562 % \gdef.{\begingroup\obeyspaces\futurelet\@let@token\decimalseparator@pointcheck}}

```



```

5563 \bgroup
5564 \uccode`~`~`.%
5565 \uppercase{%
5566 \egroup
5567 \def~}{\begingroup\obeyspaces\futurelet\@let@token\decimalseparator@pointcheck}
5568 \def\decimalseparator@pointcheck{\decimalseparator@check\MathDecimalSeparator\decimalseparator@
5569 \def\decimalseparator@check#1#2{%
5570 \ifx\@let@token1\endgroup#1\else
5571 \ifx\@let@token2\endgroup#1\else
5572 \ifx\@let@token3\endgroup#1\else
5573 \ifx\@let@token4\endgroup#1\else
5574 \ifx\@let@token5\endgroup#1\else
5575 \ifx\@let@token6\endgroup#1\else
5576 \ifx\@let@token7\endgroup#1\else
5577 \ifx\@let@token8\endgroup#1\else
5578 \ifx\@let@token9\endgroup#1\else
5579 \ifx\@let@token0\endgroup#1\else
5580 \ifx\@let@token\dot\endgroup#1\else
5581 \ifx\@let@token\overline\endgroup#1\else
5582 \endgroup#2%
5583 \fi
5584 \fi
5585 \fi
5586 \fi
5587 \fi
5588 \fi
5589 \fi
5590 \fi
5591 \fi
5592 \fi
5593 \fi
5594 \fi}
5595 \mathcode`.="8000\relax
5596 \def\MathDecimalSeparator{\ifx\persiandecimalseparator\undefined .\else \persiandecimalseparator}
5597 \def\DefaultMathDecimalSeparator{.}
5598 \def\DefaultInlineMathDigits{\def\SetInlineMathDigits{}}
5599 \def\DefaultDisplayMathDigits{\def\SetDisplayMathDigits{}}
5600 \def\DefaultMathDigits{%
5601 \DefaultInlineMathDigits%
5602 \DefaultDisplayMathDigits%
5603 }
5604 \def\PersianInlineMathDigits{\def\SetInlineMathDigits{%
5605 \ifx\persianmathdigits\undefined\else\persianmathdigits\fi%
5606 \ifx\persianmathsfdigits\undefined\else\persianmathsfdigits\fi%
5607 \ifx\persianmathttdigits\undefined\else\persianmathttdigits\fi}}
5608 \def\PersianDisplayMathDigits{\def\SetDisplayMathDigits{%
5609 \ifx\persianmathdigits\undefined\else\persianmathdigits\fi%
5610 \ifx\persianmathsfdigits\undefined\else\persianmathsfdigits\fi%
5611 \ifx\persianmathttdigits\undefined\else\persianmathttdigits\fi}}
5612 \def\PersianMathDigits{%
5613 \PersianInlineMathDigits%
5614 \PersianDisplayMathDigits%
5615 }
5616 \def\AutoInlineMathDigits{\def\SetInlineMathDigits{%

```



```

5617 \ifx\persianmathdigits\undefined\else\if@nonlatin\persianmathdigits\fi\fi%
5618 \ifx\persianmathsfdigits\undefined\else\if@nonlatin\persianmathsfdigits\fi\fi%
5619 \ifx\persianmathtttdigits\undefined\else\if@nonlatin\persianmathtttdigits\fi\fi}}
5620 \def\AutoDisplayMathDigits{\def\SetDisplayMathDigits{%
5621 \ifx\persianmathdigits\undefined\else\if@nonlatin\persianmathdigits\fi\fi%
5622 \ifx\persianmathsfdigits\undefined\else\if@nonlatin\persianmathsfdigits\fi\fi%
5623 \ifx\persianmathtttdigits\undefined\else\if@nonlatin\persianmathtttdigits\fi\fi}}
5624 \def\AutoMathDigits{%
5625 \AutoInlineMathDigits%
5626 \AutoDisplayMathDigits%
5627 }
5628 \AutoMathDigits
5629 \everymath\expandafter{\the\everymath\SetInlineMathDigits%
5630 \let\SetDisplayMathDigits\relax%
5631 }
5632 \everydisplay\expandafter{%
5633 \the\everydisplay\SetDisplayMathDigits%
5634 \let\SetInlineMathDigits\relax%
5635 }
5636
5637 \ExplSyntaxOn
5638 \cs_new_eq:NN \orig_MathDecimalSeparator \MathDecimalSeparator
5639
5640 \NewDocumentCommand \SwitchToDefaultMathDigits { } {
5641 \int_step_inline:nnnn { `0 } { \c_one_int } { `9 } {
5642 \SetMathCode{##1}{\mathalpha}{operators}{##1}
5643 }
5644 \SetMathCode{`}%{\mathbin}{operators}{`}%
5645 \tl_set_eq:NN \MathDecimalSeparator \DefaultMathDecimalSeparator
5646 \tl_set_eq:NN \mathbf \orig_mathbf:n
5647 \tl_set_eq:NN \mathit \orig_mathit:n
5648 \tl_set_eq:NN \mathrm \orig_mathrm:n
5649 \tl_set_eq:NN \mathsf \orig_mathsf:n
5650 \tl_set_eq:NN \mathtt \orig_mathtt:n
5651 }
5652
5653 \NewDocumentCommand \SwitchToPersianMathDigits { } {
5654 \int_step_inline:nnnn { `0 } { \c_one_int } { `9 } {
5655 \SetMathCode{##1}{\mathalpha}{OPERATORS}{##1}
5656 }
5657 \SetMathCode{`}%{\mathbin}{OPERATORS}{`}%
5658 \tl_set_eq:NN \MathDecimalSeparator \orig_MathDecimalSeparator
5659 \tl_set_eq:NN \mathbf \new@mathbf
5660 \tl_set_eq:NN \mathit \new@mathit
5661 \tl_set_eq:NN \mathrm \new@mathrm
5662 \tl_set_eq:NN \mathsf \new@mathsf
5663 \tl_set_eq:NN \mathtt \new@mathtt
5664 }
5665 \ExplSyntaxOff

```

64 File xepersian-multiplechoice.sty

```

5666 \NeedsTeXFormat{LaTeX2e}
5667 \ProvidesPackage{xepersian-multiplechoice}[2010/07/25 v0.2

```



```

5668             Multiple Choice Questionnaire class for Persian in XeLaTeX]
5669 \RequirePackage{pifont}
5670 \RequirePackage{fullpage}
5671 \RequirePackage{ifthen}
5672 \RequirePackage{calc}
5673 \RequirePackage{verbatim}
5674 \RequirePackage{tabularx}
5675 \def\@headerfont{\bfseries}
5676 \newcommand\headerfont[1]{\gdef\@headerfont{#1}}
5677 \def\@X{X}
5678 \newcommand\X[1]{\gdef\@X{#1}}
5679 \def\pbs#1{\let\tmp=\#1\let\=\tmp}
5680 \newcolumntype{D}{>{\pbs\centering}X}
5681 \newcolumntype{Q}{>{\@headerfont}X}
5682
5683 \renewcommand\tabularxcolumn[1]{m{#1}}
5684 \newcommand\makeform@nocorrection{%
5685   \addtocontents{frm}{\protect\end{tabularx}}
5686   \@starttoc{frm}}
5687 \newcommand\makeform@correction{%
5688   \addtocontents{frm}{\protect\end{tabularx}}}
5689 \newcommand\makemask@nocorrection{%
5690   \addtocontents{msk}{\protect\end{tabularx}}
5691   \@starttoc{msk}}
5692 \newcommand\makemask@correction{%
5693   \addtocontents{msk}{\protect\end{tabularx}}}
5694 \newlength\questionspace
5695 \setlength\questionspace{0pt}
5696 \newcommand\answerstitle[1]{\gdef\@answerstitle{#1}}
5697 \def\@answerstitlefont{\bfseries}
5698 \newcommand\answerstitlefont[1]{\gdef\@answerstitlefont{#1}}
5699 \def\@answernumberfont{\bfseries}
5700 \newcommand\answernumberfont[1]{\gdef\@answernumberfont{#1}}
5701 \newcounter{question}\stepcounter{question}
5702 \newcounter{@choice}
5703 \def\@initiorcheck{%
5704   \xdef\@choices{\the@choice}%
5705   \setcounter{@choice}{1}%
5706   \gdef\@arraydesc{|Q|}%
5707   \gdef\@headerline{}}%
5708 \whiledo{\not{\value{@choice}>\@choices}}{
5709   \xdef\@arraydesc{\@arraydesc D|}
5710   \def\@appendheader{\g@addto@macro\@headerline}
5711   \@appendheader{&\protect\@headerfont}
5712   \edef\@the@choice{\alph{@choice}}
5713   \expandafter\@appendheader\@the@choice
5714   \stepcounter{@choice}}%
5715 \addtocontents{frm}{%
5716   \protect\begin{tabularx}{\protect\linewidth}{\@arraydesc}
5717   \protect\hline
5718   \@headerline\protect\\\protect\hline\protect\hline}%
5719 \addtocontents{msk}{%
5720   \protect\begin{tabularx}{\protect\linewidth}{\@arraydesc}
5721   \protect\hline

```




```

5722 \headerline\protect\\\protect\hline\protect\hline}%
5723 \gdef\@initorcheck{%
5724 \ifthenelse{\value{@choice} = \@choices}{}{%
5725 \ClassError{xepersian-multiplechoice}{Question \thequestion: wrong number of choices
5726 (\the@choice\space instead of \@choices)}{%
5727 Questions must all have the same number of proposed answers.%
5728 \MessageBreak
5729 Type X <return> to quit, fix your MCQ (multiple choice question) and rerun XeLaTeX.}}%
5730 \newenvironment{question}[1]{%
5731 %% \begin{question}
5732 \begin{minipage}{\textwidth}
5733 \xdef\@formanswerline{\@questionheader}%
5734 \xdef\@maskanswerline{\@questionheader}%
5735 \fbox{\parbox[c]{\linewidth}{#1}}
5736 \vspace\questionspace\par
5737 {\@answerstitlefont\@answerstitle}
5738 \begin{list}{\@answernumberfont\alph{@choice)}~}{\usecounter{@choice}}}%
5739 %% \end{question}
5740 \end{list}
5741 \@initorcheck%
5742 \addtocontents{frm}{\@formanswerline\protect\\\protect\hline}%
5743 \addtocontents{msk}{\@maskanswerline\protect\\\protect\hline}%
5744 \end{minipage}
5745 \stepcounter{question}}
5746 \def\@truesymbol{\ding{52}~}
5747 \def\@falsesymbol{\ding{56}~}
5748 \newcommand\truesymbol[1]{\gdef\@truesymbol{#1}}
5749 \newcommand\falsesymbol[1]{\gdef\@falsesymbol{#1}}
5750 \def\@true@nocorrection{\item}
5751 \def\@false@nocorrection{\item}
5752 \def\@true@correction{\item[\@truesymbol\refstepcounter{@choice}]}
5753 \def\@false@correction{\item[\@falsesymbol\refstepcounter{@choice}]}
5754 \newcommand\true{%
5755 \xdef\@formanswerline{\@formanswerline&}%
5756 \xdef\@maskanswerline{\@maskanswerline&\@X}%
5757 \@true}%
5758 \newcommand>false{%
5759 \xdef\@formanswerline{\@formanswerline&}%
5760 \xdef\@maskanswerline{\@maskanswerline&}%
5761 \@false}%
5762 \def\@correctionstyle{\itshape}
5763 \newcommand\correctionstyle[1]{\gdef\@correctionstyle{#1}}
5764 \newenvironment{@correction}{\@correctionstyle}{}
5765 \def\@questionheader{ \thequestion}
5766 \answerstitle{ { :
5767 \DeclareOption{nocorrection}{%
5768 \let\@true\@true@nocorrection
5769 \let\@false\@false@nocorrection
5770 \let\correction\comment
5771 \let\endcorrection\endcomment
5772 \def\makeform{\makeform@nocorrection}
5773 \def\makemask{\makemask@nocorrection}}
5774 \DeclareOption{correction}{%
5775 \let\@true\@true@correction

```



```

5776 \let\@false\@false@correction
5777 \let\correction\@correction
5778 \let\endcorrection\end@correction
5779 \def\makeform{\makeform@correction}
5780 \def\makemask{\makemask@correction}}
5781 \ExecuteOptions{nocorrection}
5782 \newcommand\questiontitle[1]{\gdef\@questiontitle{#1}}
5783 \def\@questiontitlefont{\bfseries}
5784 \newcommand\questiontitlefont[1]{\gdef\@questiontitlefont{#1}}
5785 \newlength\questiontitlespace
5786 \setlength\questiontitlespace{5pt}
5787 \newlength\questionsepspace
5788 \setlength\questionsepspace{20pt}
5789 \gdef\@questionsepspace{0pt}
5790 \let\old@question\question
5791 \let\old@endquestion\endquestion
5792 \renewenvironment{question}[1]{%
5793 %% \begin{question}
5794 \vspace\@questionsepspace
5795 \fbox{\parbox[c]{0.25\linewidth}{\@questiontitlefont\@questiontitle}}
5796 \nopagebreak\vspace\questiontitlespace\par
5797 \old@question{#1}}{%
5798 %% \end{question}
5799 \old@endquestion
5800 \gdef\@questionsepspace{\questionsepspace}}
5801 \questiontitle{ \thequestion:}
5802 \ProcessOptions

```

65 File xepersian-persiancal.sty

```

5803 \NeedsTeXFormat{LaTeX2e}
5804 \ProvidesPackage{xepersian-persiancal}[2012/07/25 v0.2 provides Persian calendar]
5805
5806 \newif\ifXePersian@leap \newif\ifXePersian@kabiseh
5807 \newcount\XePersian@i \newcount\XePersian@y \newcount\XePersian@m \newcount\XePersian@d
5808 \newcount\XePersian@latini \newcount\XePersian@persiani
5809 \newcount\XePersian@latinii \newcount\XePersian@persianii
5810 \newcount\XePersian@latiniii \newcount\XePersian@persianiii
5811 \newcount\XePersian@latiniv \newcount\XePersian@persianiv
5812 \newcount\XePersian@latinv \newcount\XePersian@persianv
5813 \newcount\XePersian@latinvi \newcount\XePersian@persianvi
5814 \newcount\XePersian@latinvii \newcount\XePersian@persianvii
5815 \newcount\XePersian@latinviii \newcount\XePersian@persianviii
5816 \newcount\XePersian@latinix \newcount\XePersian@persianix
5817 \newcount\XePersian@latinx \newcount\XePersian@persianx
5818 \newcount\XePersian@latinxi \newcount\XePersian@persianxi
5819 \newcount\XePersian@latinxii \newcount\XePersian@persianxii
5820 \newcount\XePersian@persianxiii
5821
5822 \newcount\XePersian@temp
5823 \newcount\XePersian@temptwo
5824 \newcount\XePersian@tempthree
5825 \newcount\XePersian@yModHundred
5826 \newcount\XePersian@thirtytwo

```



```

5827 \newcount\XePersian@dn
5828 \newcount\XePersian@sn
5829 \newcount\XePersian@mminusone
5830
5831
5832 \XePersian@y=\year \XePersian@m=\month \XePersian@d=\day
5833 \XePersian@temp=\XePersian@y
5834 \divide\XePersian@temp by 100\relax
5835 \multiply\XePersian@temp by 100\relax
5836 \XePersian@yModHundred=\XePersian@y
5837 \advance\XePersian@yModHundred by -\XePersian@temp\relax
5838 \ifodd\XePersian@yModHundred
5839   \XePersian@leapfalse
5840 \else
5841   \XePersian@temp=\XePersian@yModHundred
5842   \divide\XePersian@temp by 2\relax
5843   \ifodd\XePersian@temp\XePersian@leapfalse
5844   \else
5845     \ifnum\XePersian@yModHundred=0%
5846       \XePersian@temp=\XePersian@y
5847       \divide\XePersian@temp by 400\relax
5848       \multiply\XePersian@temp by 400\relax
5849       \ifnum\XePersian@y=\XePersian@temp\XePersian@leaptrue\else\XePersian@leapfalse\fi
5850     \else\XePersian@leaptrue
5851     \fi
5852   \fi
5853 \fi
5854 \XePersian@latini=31\relax
5855 \ifXePersian@leap
5856   \XePersian@latinii = 29\relax
5857 \else
5858   \XePersian@latinii = 28\relax
5859 \fi
5860 \XePersian@latiniii = 31\relax
5861 \XePersian@latiniv = 30\relax
5862 \XePersian@latinv = 31\relax
5863 \XePersian@latinvi = 30\relax
5864 \XePersian@latinvii = 31\relax
5865 \XePersian@latinviii = 31\relax
5866 \XePersian@latinix = 30\relax
5867 \XePersian@latinx = 31\relax
5868 \XePersian@latinxi = 30\relax
5869 \XePersian@latinxii = 31\relax
5870 \XePersian@thirtytwo=32\relax
5871 \XePersian@temp=\XePersian@y
5872 \advance\XePersian@temp by -17\relax
5873 \XePersian@temptwo=\XePersian@temp
5874 \divide\XePersian@temptwo by 33\relax
5875 \multiply\XePersian@temptwo by 33\relax
5876 \advance\XePersian@temp by -\XePersian@temptwo
5877 \ifnum\XePersian@temp=\XePersian@thirtytwo\XePersian@kabisehfalse
5878 \else
5879   \XePersian@temptwo=\XePersian@temp
5880   \divide\XePersian@temptwo by 4\relax

```



```

5881 \multiply\XePersian@temptwo by 4\relax
5882 \advance\XePersian@temp by -\XePersian@temptwo
5883 \ifnum\XePersian@temp=\z@\XePersian@kabisehtrue\else\XePersian@kabisehfalse\fi
5884 \fi
5885 \XePersian@tempthree=\XePersian@ % Number of Leap years
5886 \advance\XePersian@tempthree by -1
5887 \XePersian@temp=\XePersian@tempthree % T := (MY-1) div 4
5888 \divide\XePersian@temp by 4\relax
5889 \XePersian@temptwo=\XePersian@tempthree % T := T - ((MY-1) div 100)
5890 \divide\XePersian@temptwo by 100\relax
5891 \advance\XePersian@temp by -\XePersian@temptwo
5892 \XePersian@temptwo=\XePersian@tempthree % T := T + ((MY-1) div 400)
5893 \divide\XePersian@temptwo by 400\relax
5894 \advance\XePersian@temp by \XePersian@temptwo
5895 \advance\XePersian@tempthree by -611 % Number of Kabise years
5896 \XePersian@temptwo=\XePersian@tempthree % T := T - ((SY+10) div 33) * 8
5897 \divide\XePersian@temptwo by 33\relax
5898 \multiply\XePersian@temptwo by 8\relax
5899 \advance\XePersian@temp by -\XePersian@temptwo
5900 \XePersian@temptwo=\XePersian@tempthree %
5901 \divide\XePersian@temptwo by 33\relax
5902 \multiply\XePersian@temptwo by 33\relax
5903 \advance\XePersian@tempthree by -\XePersian@temptwo
5904 \ifnum\XePersian@tempthree=32\advance\XePersian@temp by 1\fi % if (SY+10) mod 33=32 then Inc
5905 \divide\XePersian@tempthree by 4\relax % T := T - ((SY+10) mod 33) div 4
5906 \advance\XePersian@temp by -\XePersian@tempthree
5907 \advance\XePersian@temp by -137 % T := T - 137 Adjust the value
5908 \XePersian@persiani=31
5909 \advance\XePersian@persiani by -\XePersian@temp % now 31 - T is the persiani
5910 \XePersian@persianii = 30\relax
5911 \ifXePersian@kabiseh
5912 \XePersian@persianiii = 30\relax
5913 \else
5914 \XePersian@persianiii = 29\relax
5915 \fi
5916 \XePersian@persianiv = 31\relax
5917 \XePersian@persianv = 31\relax
5918 \XePersian@persianvi = 31\relax
5919 \XePersian@persianvii = 31\relax
5920 \XePersian@persianviii= 31\relax
5921 \XePersian@persianix = 31\relax
5922 \XePersian@persianx = 30\relax
5923 \XePersian@persianxi = 30\relax
5924 \XePersian@persianxii = 30\relax
5925 \XePersian@persianxiii= 30\relax
5926 \XePersian@dn= 0\relax
5927 \XePersian@sn= 0\relax
5928 \XePersian@mminusone=\XePersian@m
5929 \advance\XePersian@mminusone by -1\relax
5930 \XePersian@i=0\relax
5931 \ifnum\XePersian@i < \XePersian@mminusone
5932 \loop
5933 \advance \XePersian@i by 1\relax
5934 \advance\XePersian@dn by \cename XePersian@latin\romannumeral\the\XePersian@i\endcsname

```



```

5935 \ifnum\XePersian@i<\XePersian@mminusone \repeat
5936 \fi
5937 \advance \XePersian@dn by \XePersian@d
5938 \XePersian@i=1\relax
5939 \XePersian@sn = \XePersian@persiani
5940 \ifnum \XePersian@sn<\XePersian@dn
5941 \loop
5942 \advance \XePersian@i by 1\relax
5943 \advance\XePersian@sn by \csname XePersian@persian\romannumeral\the\XePersian@i\endcsname
5944 \ifnum \XePersian@sn<\XePersian@dn \repeat
5945 \fi
5946 \ifnum \XePersian@i < 4
5947 \XePersian@m = 9 \advance\XePersian@m by \XePersian@i
5948 \advance \XePersian@y by -622\relax
5949 \else
5950 \XePersian@m = \XePersian@i \advance \XePersian@m by -3\relax
5951 \advance \XePersian@y by -621\relax
5952 \fi
5953 \advance\XePersian@sn by -\csname XePersian@persian\romannumeral\the\XePersian@i%
5954 \endcsname
5955 \ifnum\XePersian@i = 1
5956 \XePersian@d = \XePersian@dn \advance \XePersian@d by 30 \advance\XePersian@d by -\XePersian@sn
5957 \else
5958 \XePersian@d = \XePersian@dn \advance \XePersian@d by -\XePersian@sn
5959 \fi
5960 \newcommand*\{persiantoday}\{%
5961 \number\XePersian@d\space%
5962 \XePersian@persian@month{\XePersian@m}\space\number\XePersian@y%
5963 }
5964 \let\persianyear\XePersian@y
5965 \let\persianmonth\XePersian@m
5966 \let\persianday\XePersian@d
5967 \def\XePersian@persian@month#1{\ifcase#1\or \or\
5968 or\
5969 or\ or\
5970 or\
5971 or\ or\
5972 or\ or\
5973 or\ or\
5974 \fi\

```



Index

Symbols	
<code>\!</code>	2390
<code>\%</code>	2531, 2533, 5519, 5644, 5657
<code>\.</code>	5561, 5564
<code>\@and</code>	3779
<code>\@math</code>	195
<code>\@maybeautodot</code>	2659, 2660, 2678, 2715, 2716, 2734, 2767, 2768, 2786
<code>\@par</code>	1917
<code>\@textdigitfont@onfalse</code>	3477
<code>\@textdigitfont@ontrue</code>	3476
<code>\@Abjad</code>	1238, 3788, 3796, 3797, 4273, 4274
<code>\@Alph</code>	2672, 2728, 2780, 4054, 4057, 4269, 4274
<code>\@DeclareMathDelimiter</code>	5375
<code>\@DeclareMathSizes</code>	5366
<code>\@False</code>	183, 185
<code>\@Kashida@onfalse</code>	1643
<code>\@Kashida@ontrue</code>	1642
<code>\@LTRfootnotetext</code>	1947
<code>\@LTRmarginparreset</code>	3408
<code>\@Latincitex</code>	73, 74, 2181, 2190, 2380, 3416, 3417
<code>\@M</code>	199, 3830, 3931, 4026
<code>\@Mi</code>	195
<code>\@Mii</code>	1840
<code>\@Miii</code>	1842
<code>\@RTL@footnotefalse</code>	3383, 3403, 4206
<code>\@RTL@footnotetrue</code>	3393, 3404, 4204
<code>\@RTLfalse</code>	165, 177, 190, 4159, 4166, 4188
<code>\@RTLfootnotetext</code>	1948
<code>\@RTLtabfalse</code>	4174
<code>\@RTLtabtrue</code>	4172
<code>\@RTLtrue</code>	4157, 4164, 4186
<code>\@Roman</code>	2674, 2730, 2782
<code>\@SepMark</code>	1776
<code>\@SetTab</code>	2807
<code>\@True</code>	178, 184
<code>\@X</code>	5677, 5678, 5756
<code>\@abjad</code>	1239, 4015, 4034, 4035, 4268, 4269
<code>\@acol</code>	2072, 2080
<code>\@acolampacol</code>	2070, 2072, 2078, 2080
<code>\@adadi</code>	1236, 2670, 2726, 2778, 3804, 3806, 3809
<code>\@addamp</code>	2071, 2079
<code>\@addtopreamble</code>	2039
<code>\@alph</code>	2673, 2729, 2781, 2808, 4053, 4056, 4268, 4273
<code>\@ampacol</code>	2070, 2078
<code>\@answernumberfont</code>	5699, 5700, 5738
<code>\@answerstyle</code>	5696, 5737
<code>\@answerstylefont</code>	5697, 5698, 5737
<code>\@appendheader</code>	5710, 5711, 5713
<code>\@arrayclassz</code>	2070
<code>\@arraydesc</code>	5706, 5709, 5716, 5720
<code>\@arrayrule</code>	2018, 2019, 2020, 2062, 2063, 2064
<code>\@author</code>	4713, 4725
<code>\@autodottrue</code>	2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2718, 2719, 2720, 2721, 2722, 2723, 2724, 2725, 2726, 2727, 2728, 2729, 2730, 2731, 2732, 2770, 2771, 2772, 2773, 2774, 2775, 2776, 2777, 2778, 2779, 2780, 2781, 2782, 2783, 2784
<code>\@auxout</code>	3422, 4331, 4335
<code>\@begin@tempboxa</code>	1917
<code>\@biblabel</code>	2182, 2191
<code>\@bibsetup</code>	2183, 2192
<code>\@bidi@inslogo@</code>	4309, 4311
<code>\@bidi@list@minipage@parbox@not@nobtrue</code>	1914, 1936
<code>\@bidi@list@minipage@parboxtrue</code>	1915, 1937
<code>\@bidi@logo</code>	3747
<code>\@bidi@logo@</code>	3743, 4311
<code>\@bidi@logo@hb@xt@columnwidth</code>	3744
<code>\@bidi@pdfcreator</code>	3749
<code>\@bidi@pdfm@markfalse</code>	4318
<code>\@bidi@pdfm@marktrue</code>	4316
<code>\@bidi@perpage@footnotefalse</code>	

.....	4357	\@dblfpsep	3738		
\@bidi@perpage@footnotetrue	4355	\@dblfpstop	3737	
\@bidityftesidenote@LTRmarginfont	115	\@defaultunits	3514, 3518	
\@bidityftesidenote@RTLmarginfont	117	\@dgroup	177	
\@bsphack	1839	\@dmath	165, 194	
\@capttype	..	1827, 1890, 2137, 2147	\@doendpe	2471	
\@ccclvi	5309, 5315, 5339	\@dseries	190	
\@chapapp	..	30, 131, 142, 149, 161, 1314, 1326, 1782, 2604, 2611, 2618, 2626, 2708, 2760	\@eha	5329, 5355	
\@chclass	..	1952, 1960, 1968, 1983, 1997, 2002, 2017, 2033, 2053, 2061, 2091, 2114, 2128	\@empty	180, 1834, 2194, 2204, 2207, 2293, 2296, 2425, 3418, 3421, 3889, 3895, 3898, 3901, 4006, 4311, 4724, 4725, 4726, 4727		
\@chnum	1954, 1955, 1956, 1957, 1958, 1959, 1969, 1976, 1990, 2003, 2010, 2026, 2039, 2055, 2056, 2057, 2058, 2059, 2060, 2074, 2082, 2092, 2099, 2121		\@emptytoks	179	
\@choices	..	5704, 5708, 5724, 5726	\@enGroup	1228	
\@cite	2169, 2176, 2188, 2204, 2293, 3419		\@enLabel	..	1219, 1220, 1221, 1222, 1223, 1224, 1225, 1226	
\@cite@ofmt	3427	\@enOther	1230	
\@citea	2209, 2223, 2237, 2246, 2247, 2248, 2253, 2268, 2276, 2277, 2278, 2312, 2328, 2346, 3418, 3420		\@enSpace	1227	
\@citeb	2205, 2207, 2209, 2212, 2214, 2215, 2217, 2240, 2271, 2294, 2296, 2298, 2301, 2303, 2304, 2306, 3419, 3421, 3422, 3423, 3426, 3427		\@end@tempboxa	1932	
\@citex	2180, 2189	\@endpbox	2046, 2047	
\@class	2036	\@endpetrue	3392, 3402	
\@classz	2036	\@enhook	1231	
\@correction	5777	\@enloop@	1218	
\@correctionstyle	5762, 5763, 5764		\@entemp	..	1219, 1220, 1221, 1222, 1223, 1224, 1225, 1226, 1227, 1228, 1229	
\@ctrerr	3795, 3800	\@enum@	1229	
\@currbox	..	1847, 1893, 1897, 2136, 2140, 2146, 2150	\@extra@b@citeb	2209, 2215, 2217, 2240, 2271, 2298, 2304, 2306		
\@currenvir	2454, 2456, 2457, 2632, 2687, 2739		\@extrafootnotefeaturesfalse	4226	
\@customlogo	4813, 4822	\@extrafootnotefeaturestrue	4224
\@custommagazinenam	..	4582, 4815	\@false	5761, 5769, 5776	
\@customminilogo	4814, 4828	\@false@correction	..	5753, 5776	
\@customwwwTxt	..	4543, 4546, 4598	\@false@nocorrection	..	5751, 5769	
\@date	4716, 4726	\@falsesymbol	...	5747, 5749, 5753	
\@dblfpbot	3739	\@firstampfalse	2072, 2080	
			\@firstofone	1543, 1544, 2207, 2296, 3421, 5312, 5336		
			\@firstoftwo	2945, 2951, 2957	
			\@float@HH	2133, 2134	
			\@float@Hx	2132, 2133	
			\@float@	2133, 2144	
			\@floatboxreset	..	1903, 2142, 2152	
			\@floatcapt	2137, 2147	
			\@floatpenalty	..	1840, 1842, 1845	
			\@flstylefalse	2139, 2149	
			\@flstyletrue	2139, 2149	
			\@fltovf	1895	



<code>\@footnotetext</code>	1946	2004, 2005, 2006, 2008, 2053,
<code>\@for</code>	2205, 2294, 3419, 4119	2054, 2070, 2078, 2092, 2093,
<code>\@formanswerline</code> 5733, 5742, 5755,		2094, 2095, 2097
5759		
<code>\@fpbot</code>	3736	<code>\@latex@error</code>
<code>\@fps</code>	1828, 1829, 1831, 1834, 1851	5327, 5353
<code>\@fpsadddefault</code>	1832, 1835	<code>\@latex@warning</code>
<code>\@fpsep</code>	3735, 3738	3425
<code>\@fptop</code>	3734, 3736, 3737, 3739	<code>\@latinAlpha</code>
<code>\@freelist</code>	1847	4054, 4057
<code>\@gobble</code>	1229	<code>\@latalph</code>
<code>\@harfi</code> 12, 20, 31, 34, 43, 49, 55, 61,		2808, 4053, 4056, 4059
132, 143, 150, 162, 1237, 1304,		<code>\@let@token</code> 5562, 5567, 5570, 5571,
1315, 1327, 1565, 1783, 2605,		5572, 5573, 5574, 5575, 5576,
2612, 2619, 2627, 2653, 2669,		5577, 5578, 5579, 5580, 5581
2709, 2725, 2761, 2777, 3798,		<code>\@list@extra</code> 3623, 3630, 3639, 3646,
3801, 3802		3654, 3661, 3669, 3677, 3684,
<code>\@headerfont</code> 5675, 5676, 5681, 5711		3693, 3697, 3702, 3706, 3711,
<code>\@headerline</code> 5707, 5710, 5718, 5722		3715, 3720
<code>\@ifclassloaded</code> 4089, 4092, 4093,		<code>\@listI</code>
4094, 4095, 4096, 4097, 4098,		3537, 3632
4099, 4100, 4101, 4102, 4103,		<code>\@listdepth</code>
4104, 4105, 4106, 4107, 4108,		1949
4109, 4110, 4111, 4112, 4113,		<code>\@listi</code> 3537, 3554, 3571, 3626, 3632,
4114, 4115, 4232, 4244, 4256		3722
<code>\@ifdefinable</code>	2489, 2491	<code>\@listi@footnotesize</code> . 3571, 3657
<code>\@ifdefinitionfileloaded</code> 1824,		<code>\@listi@small</code>
1967, 2000, 2090, 2131, 4069,		3554, 3642
4070		<code>\@listii</code>
<code>\@ifnextchar</code> 2133, 2374, 2380, 3416		3672
<code>\@ifnum</code> 2311, 2313, 2315, 2322, 2323,		<code>\@listiii</code>
2326, 2338, 2361, 2363		3687
<code>\@ifpackageloaded</code> 76, 1698, 1702,		<code>\@listiv</code>
2383, 2387, 2479, 2487, 4071,		3700
4072, 4073, 4074, 4075, 4076,		<code>\@listv</code>
4077, 4078, 4079, 4080, 4081,		3709
4082, 4083, 4084, 4085, 4086,		<code>\@listvi</code>
4087, 4088, 4089, 4090, 4091		3718
<code>\@ifstar</code>	2373	<code>\@m</code>
<code>\@ifundefined</code> 72, 2209, 2215, 2298,		2186, 3420, 3829, 3930, 4024
2304, 3423		<code>\@mainmatterfalse</code> . 126, 137, 155,
<code>\@ignoretrue</code>	201	1308, 2683
<code>\@iiiminipage</code>	1933	<code>\@maskanswerline</code> 5734, 5743, 5756,
<code>\@iiiparbox</code>	1911	5760
<code>\@indexfile</code>	4234, 4246, 4258	<code>\@memfront</code>
<code>\@initorcheck</code>	5703, 5723, 5741	1774
<code>\@inlabelfalse</code>	168	<code>\@minipagefalse</code>
<code>\@input@</code>	4236, 4248, 4260	3413
<code>\@lastchclass</code>	1952, 1953, 1969,	<code>\@minipagerestore</code>
1970, 1971, 1972, 1974, 2003,		1950
		<code>\@minipagetrue</code>
		3412
		<code>\@minus</code> 3485, 3487, 3491, 3493, 3499,
		3501, 3505, 3507, 3681
		<code>\@mpLTRfootnotetext</code>
		1947
		<code>\@mpRTLfootnotetext</code>
		1948
		<code>\@mpargs</code>
		1939
		<code>\@mpfn</code>
		1945
		<code>\@mpfootnotetext</code>
		1946
		<code>\@mplistdepth</code>
		1949
		<code>\@namedef</code>
		2163, 2217, 2306, 2470
		<code>\@one</code>
		1606, 1857, 1863, 1956, 1957,
		1960, 1969, 1979, 1980, 1984,
		2003, 2013, 2014, 2018, 2019,
		2020, 2057, 2058, 2062, 2063,
		2064, 2092, 2102, 2103, 2115,
		2311, 2323, 2325, 2338, 2346,
		3370, 3371, 3463, 3816, 3857,



3864, 3876, 3881, 3917, 3958,
 3965, 3977, 3982, 4127, 4368,
 4369, 4370, 4371, 4372, 5319,
 5324, 5343, 5350
 \@next 1847
 \@nextchar 1975, 1977, 1978, 1979,
 1980, 1981, 1982, 1984, 1985,
 1986, 1987, 1988, 1991, 1992,
 1993, 1994, 1995, 1996, 2009,
 2011, 2012, 2013, 2014, 2015,
 2016, 2018, 2019, 2020, 2021,
 2022, 2023, 2024, 2027, 2028,
 2029, 2030, 2031, 2032, 2044,
 2046, 2047, 2098, 2100, 2101,
 2102, 2103, 2104, 2105, 2106,
 2107, 2108, 2109, 2110, 2111,
 2112, 2113, 2115, 2116, 2117,
 2118, 2119, 2122, 2123, 2124,
 2126, 2127
 \@nextchar 2125
 \@nil . 2400, 2404, 2405, 2410, 2412,
 3847, 3850, 3948, 3951
 \@nnil 3514, 3518, 3522, 3523
 \@nodocument 1826
 \@nonlatinfalse 3358, 4179
 \@nonlatintrue 3372, 4181
 \@onelevel@sanitize 1829
 \@parboxrestore 1902, 1917, 1944,
 2141, 2151
 \@parboxto 1920, 1929
 \@parmoderr 1845
 \@pboxswfalse 1913, 1935
 \@pboxswtrue 1927
 \@plus 3485, 3487, 3491, 3493, 3499,
 3501, 3505, 3507, 3681, 3734,
 3735
 \@ppsavesec 25
 \@preamble 2073, 2081
 \@preamblecmds 5380
 \@preamerr 1963, 1997, 2033, 2067,
 2128
 \@ptsize 3517
 \@questionheader 5733, 5734, 5765
 \@questionsepspace . 5789, 5794,
 5800
 \@questiontitle 5782, 5795
 \@questiontitlefont . 5783, 5784,
 5795
 \@resets@pp 24, 1549, 1550
 \@roman 2675, 2731, 2783
 \@safe@activesfalse . . 2208, 2297
 \@safe@activestrue . . 2206, 2295
 \@secondoftwo . . . 2947, 2953, 2959
 \@setfontsize . . 3531, 3548, 3565,
 3576, 3582, 3588, 3594, 3600,
 3606, 3612, 4513, 4519, 4521,
 4524, 4531, 4537, 4538, 4539,
 4540, 4541
 \@setfypsbit 1867, 1870, 1873, 1876,
 1879, 1882
 \@setminipage 1951
 \@setnobreak 2142, 2152
 \@sharp 2075, 2076, 2077, 2083, 2084,
 2085
 \@smemfront 1775
 \@sptoken 1227
 \@startpbox 2046, 2047
 \@starttoc 3763, 5686, 5691
 \@stop 2660, 2716, 2768
 \@sx@xepersian@localize@verbatim
 2163
 \@tabclassz 2078
 \@tartibi 9, 16, 39, 45, 51, 57,
 123, 134, 145, 157, 1235, 1300,
 1310, 1322, 1562, 1777, 1778,
 2600, 2607, 2614, 2622, 2630,
 2671, 2685, 2727, 2737, 2779,
 3910, 3912, 3915
 \@tempa 1219, 1220, 1221, 1222, 1223,
 1224, 1225, 1226, 1227, 1228,
 1229, 1230, 1233, 2410, 2412,
 2495, 2496, 2497, 2498, 2499,
 2500, 2501, 2502, 2503, 2504,
 2505, 3522, 3523
 \@tempb 3520, 3523, 3540, 3557, 3574,
 3580, 3586, 3592, 3598, 3604,
 3610
 \@tempboxa 1940
 \@tempc 2425, 2438, 2448, 2450, 2451,
 2454, 2462
 \@tempcnta 1849, 1855, 1857, 1861,
 1863, 1885, 1886, 1892, 1893,
 2037, 2320, 2321, 2322, 2325,
 2326, 4118, 4121, 4127
 \@tempcntb 1890, 1891, 1892
 \@tempdima 1916, 1917, 1938, 1942,
 3513, 3514, 3515, 3519, 3521,
 3532, 3539, 3540, 3549, 3556,
 3557, 3566, 3573, 3574, 3577,
 3579, 3580, 3583, 3585, 3586,



3589, 3591, 3592, 3595, 3597,
 3598, 3601, 3603, 3604, 3607,
 3609, 3610, 3613
 \@tempdimb 1919, 1920, 3518, 3519,
 3525, 3526, 3528, 3532, 3540,
 3542, 3543, 3545, 3549, 3557,
 3559, 3560, 3562, 3566, 3574,
 3577, 3580, 3583, 3586, 3589,
 3592, 3595, 3598, 3601, 3604,
 3607, 3610, 3613, 3616, 3618,
 3620, 3634, 3636, 3649, 3651,
 3664, 3666, 3680, 3723, 3724,
 3726, 3728, 3730, 3735, 3740,
 4382, 4383
 \@tempdimc 3515, 3516, 3517, 3519,
 3520, 3521, 3539, 3556, 3573,
 3579, 3585, 3591, 3597, 3603,
 3609
 \@tempskipa 4386, 4387
 \@tempswafalse . 2338, 3416, 3621,
 3637, 3652, 3667, 3682, 3695,
 3704, 3713
 \@tempswatru . . 2337, 3416, 3623,
 3639, 3654, 3669, 3684, 3697,
 3706, 3715
 \@temptokena 2411, 2418, 2423, 2429,
 2436, 2446, 2460
 \@testpach 1952, 1968, 2002, 2053,
 2091
 \@tfor 1850, 2495
 \@thanks 4718, 4724
 \@the@choice 5712, 5713
 \@title 4706, 4727
 \@true 5757, 5768, 5775
 \@true@correction . . . 5752, 5775
 \@true@nocorrection . . 5750, 5768
 \@truesymbol 5746, 5748, 5752
 \@verbatim 2160, 2163, 2468, 2470,
 2481
 \@vobeyspaces 2160, 2468
 \@warning 2467
 \@x@xepersian@localize@verbatim
 2160
 \@xDeclareMathDelimiter . . 5375
 \@xepersian@@baselineskip@scale
 . . 3347, 3356, 3369, 3379
 \@xepersian@@computeautoilgfalse
 4325
 \@xepersian@@computeautoilgtrue
 4323
 \@xepersian@@fontsize@scale . .
 . . 3346, 3351, 3368, 3378
 \@xepersian@info 2913, 2938, 2940
 \@xepersian@pdfcustomproperties
 3753
 \@xfloat 1825, 2132, 2133
 \@xxDeclareMathDelimiter . 5374
 \@xxxii 1891
 @\ 1804, 1805
 @\ 1800, 1801, 1803
 @\ 2382
 \[. 2390
 \\
 2157, 2390, 4674, 4989, 4990, 5252,
 5255, 5304, 5679, 5718, 5722,
 5742, 5743
 \{ 2156, 2390
 \}
 2156, 2390
 \]
 2390
 \^
 2391
 _
 3024, 3027, 3040, 3044, 3048, 3051,
 3063, 3085, 3089, 3090, 3097,
 3100, 3112, 3116, 3123, 3128,
 3131, 3147, 3152, 3155, 3202,
 3205, 3218, 3222, 3226, 3229,
 3242, 3246, 3250, 3253, 3266,
 3270, 3274, 3277, 3290, 3294,
 3298, 3301, 3314, 3318, 3322,
 3325, 3338, 3342, 5436, 5437,
 5440, 5449, 5450, 5461, 5465,
 5469, 5473, 5477, 5481, 5485,
 5487, 5495, 5497, 5501, 5507,
 5526, 5530, 5532, 5535, 5537,
 5541, 5545, 5547, 5550, 5552,
 5556
 \\
 4990
 \~
 2391, 2531, 5564
 _ 1502, 1504, 3420, 3853, 3859, 3878,
 3884, 3954, 3960, 3979, 3989,
 4589, 4598
A
 \abj@num@i 4020, 4037, 4044
 \abj@num@ii 4022, 4041, 4048
 \abj@num@iii 4024, 4045, 4051
 \abj@num@iv 4026, 4049
 \Abjad 1238, 1243, 3796
 \abjad 1239, 1244, 4034
 \abjad@zero 4036, 4040



<code>\Abjadnumeral</code>	3797		1716, 1717, 1718, 1719, 1720,
<code>\abjadnumeral</code>	4035		1721, 1722, 1723, 1724, 1725,
<code>\abovedisplayshortskip</code> . .	3526,		1726, 1727, 1728, 1729, 1730,
	3534, 3543, 3551, 3560, 3568,		1731, 1732, 1733, 1734, 1735,
	4516, 4517, 4527, 4528, 4534,		1736, 1737, 1738, 1739, 1740,
	4535		1741, 1742, 1743, 1744, 1745,
<code>\abovedisplayskip</code> . .	3524, 3529,		1746, 1747, 1748, 1749, 1750,
	3533, 3541, 3546, 3550, 3558,		1751, 1752, 1753, 1754, 1755,
	3563, 3567, 4514, 4515, 4525,		1756, 1757, 1758, 1759, 1760,
	4526, 4532, 4533		1761, 1762, 1763, 1764, 1765,
<code>\abstractname</code>	3776		1766
<code>\active</code>	2391, 5561	<code>\aliasfontfeatureoption</code> .	1767,
<code>\adadi</code>	1220, 1236, 1241, 2663, 2719,		1768, 1769, 1770, 1771, 1772
	2771, 3803	<code>\alloc@</code>	5309
<code>\adadinumeral</code>	3809	<code>\Alph</code>	1222, 1535, 1536, 2665, 2721,
<code>\AddEnumerateCounter</code>	1235, 1236,		2773
	1237, 1238, 1239	<code>\alph</code>	1223, 2666, 2722, 2774, 2815,
<code>\addfontfeature</code>	4347		5712, 5738
<code>\addfontfeatures</code> . .	165, 177, 190	<code>\alpha@elt</code>	5368
<code>\addtocontents</code>	5685, 5688, 5690,	<code>\alpha@list</code>	5368
	5693, 5715, 5719, 5742, 5743	<code>\anappendixtrue</code>	1784
<code>\addtolength</code>	3516, 4741, 4742, 4745,	<code>\and</code>	4731
	5164, 5165, 5166, 5167, 5231	<code>\answernumberfont</code>	5700
<code>\addtoversion</code>	5367	<code>\answerstyle</code>	5696, 5766
<code>\adl@argarraydashrule</code>	2020, 2064	<code>\answerstylefont</code>	5698
<code>\adl@arraydashrule</code>	2019, 2063	<code>\appendix</code>	10, 17, 40, 46, 52, 58,
<code>\adl@arrayrule</code>	2018, 2062		128, 139, 146, 158, 1301, 1311,
<code>\adl@box</code>	2044, 2046, 2047		1323, 1532, 1533, 1563, 1779,
<code>\adl@class@iiiorvii</code>	2050, 2087		2601, 2608, 2615, 2623, 2631,
<code>\adl@class@start</code>	2049, 2086		2636, 2647, 2656, 2658, 2686,
<code>\adl@endmbox</code>	2045		2691, 2702, 2712, 2714, 2738,
<code>\adl@putlrc</code>	2041, 2042, 2043, 2075,		2743, 2754, 2764, 2766
	2076, 2077, 2083, 2084, 2085	<code>\appendixautorefname</code>	1520
<code>\adl@startmbox</code>	2044	<code>\appendixname</code>	11, 19, 30,
<code>\advance</code>	1505, 1857, 1863, 1886,		131, 142, 149, 161, 1314, 1326,
	1892, 2325, 3463, 3465, 4127,		1564, 1782, 2604, 2611, 2618,
	4505, 4509, 4777, 4780, 5324,		2626, 2708, 2760, 3773
	5350, 5837, 5872, 5876, 5882,	<code>\arabic</code>	1226
	5886, 5891, 5894, 5895, 5899,	<code>\arrayrulewidth</code>	5246
	5903, 5904, 5906, 5907, 5909,	<code>\articlesep</code>	5228
	5929, 5933, 5934, 5937, 5942,	<code>\AtBeginDocument</code>	71, 1531, 1659,
	5943, 5947, 5948, 5950, 5951,		2163, 2370, 2475, 3767, 4309,
	5953, 5956, 5958		4503, 4507
<code>\aftergroup</code>	3623, 3639, 3654, 3669,	<code>\AtEndOfClass</code>	4501
	3684, 3697, 3706, 3715	<code>\author</code>	4729
<code>\ALG@name</code>	5, 7	<code>\authorandplace</code>	5202
<code>\algorithmicensure</code>	3	<code>\AutoDisplayMathDigits</code> . .	4149,
<code>\algorithmicrequire</code>	2		5620, 5626
<code>\ALGS@name</code>	6, 7	<code>\autofootnoterule</code>	4192
<code>\aliasfontfeature</code>	1714, 1715,	<code>\AutoInlineMathDigits</code>	4141, 5616,



	5625		
\AutoMathDigits	. 4133, 5624, 5628		
B			
\backrefpagesname 63		
\baselineskip	.. 3466, 3469, 4419, 4421, 4423, 4426, 4427, 4429		
\begin	2384, 2385, 2635, 2641, 2646, 2690, 2696, 2701, 2742, 2748, 2753, 3403, 3404, 3761, 4557, 4560, 4613, 4628, 4641, 4647, 4668, 4699, 4705, 4712, 4736, 4790, 4796, 4868, 4871, 4876, 4883, 4898, 4913, 4930, 4964, 4982, 4987, 5007, 5014, 5015, 5036, 5038, 5039, 5061, 5066, 5067, 5103, 5104, 5112, 5138, 5146, 5152, 5153, 5161, 5191, 5215, 5247, 5248, 5263, 5275, 5289, 5716, 5720, 5731, 5732, 5738, 5793		
\beginngroup	. 173, 2155, 2372, 2388, 2468, 2470, 2530, 2964, 2966, 3622, 3638, 3653, 3668, 3683, 3696, 3705, 3714, 5316, 5340, 5562, 5567		
\beginL 3413, 4589, 4990		
\beginR	4593, 4594, 4595, 4606, 4607, 4608, 4813, 4814, 4815, 4833, 4854, 4855, 4856, 4857, 4858, 4859, 5010, 5105		
\belowdisplayskip	.. 3527, 3536, 3544, 3553, 3561, 3570, 4517, 4528, 4535		
\belowdisplayskip	.. 3529, 3535, 3546, 3552, 3563, 3569, 4515, 4526, 4533		
\bfseries	. 2210, 2299, 3423, 3745, 4549, 4555, 4574, 4582, 4610, 4626, 4645, 4659, 4663, 4688, 4693, 4697, 4822, 4828, 5675, 5697, 5699, 5783		
\bgroup	1228, 1900, 1940, 2141, 2151, 5312, 5336, 5563		
\bibname 3780		
\bidi@footnotetext@font	. 1489		
\bidi@LTRfootnotetext@font 1491		
\bidi@RTLfootnotetext@font 1493		
\bidi@thebibliography@font@hook 4060		
\bidi@AfterEndPreamble	... 4064		
\bidi@appto 2798, 2802		
\bidi@AtEndPreamble 4345		
\bidi@beamer@today 85		
\bidi@column@status	.. 4332, 4336		
\bidi@csdefcs 816, 1691		
\bidi@csletcs	511, 1691, 1700, 1701, 1704, 1705		
\bidi@digits@charclass	.. 3064, 3065, 3066, 3067, 3068, 3069, 3071, 3072, 3073, 3074, 3075, 3076, 3077, 3078		
\bidi@firstcolumn@status@write 4330, 4338		
\bidi@font@@outputpage	... 3429		
\bidi@isloaded	. 1650, 1651, 1652, 1653, 1654, 1655, 1656, 1657, 1658, 1661, 1664, 1667, 1670, 1673, 1676, 1679, 1682, 1685		
\bidi@lastcolumn@status@write 4334, 4339		
\bidi@newrobustcmd	. 3381, 3382, 3765		
\bidi@patchcmd	. 4346, 4382, 4386, 4398, 4404, 4410, 4418		
\bidi@reflect@box 3766		
\bidi@sepmark@charclass	. 3068, 3069		
\blacktriangleleft	.. 1500, 1502		
\blacktriangleright	.. 1500, 1502		
\bm@b 1908		
\bm@c 1905		
\bm@l 1906		
\bm@r 1907		
\bm@s 1910		
\bm@t 1909		
\bm@ 1909		
\bm@ 1907		
\bm@ 1908		
\bm@ 1905		
\bm@ 1906		
\bm@ 1910		
\bool 5362		
\boolean	.. 4490, 4502, 4511, 4615, 4630, 4649, 4670, 4866, 4867, 4897, 4929, 4963, 4981, 5005, 5035, 5059, 5086		
\box 179		



<code>\BR@Latincitex</code>	64, 74	<code>\ClassWarning</code>	2633, 2688, 2740, 4472, 4474, 4476, 4746, 4760
<code>\BRorg@Latincitex</code>	65, 73	<code>\cleardoubleoddpaper</code>	2682
C			
<code>\C</code>	2392	<code>\cleardoublepage</code>	15, 125, 136, 154, 1307
<code>\c</code>	5394, 5397, 5405, 5413, 5421, 5429, 5641, 5654	<code>\clearpage</code>	2682, 4850
<code>\c@book</code>	1777	<code>\clist</code>	5459, 5463, 5464, 5471, 5472, 5479, 5480
<code>\c@chapter</code>	18, 20, 31, 132, 143, 150, 162, 1315, 1327, 1783, 2605, 2612, 2619, 2627, 2709, 2761	<code>\closeout</code>	4234, 4246, 4258
<code>\c@mpfootnote</code>	1945, 4059	<code>\color@begingroup</code>	1941
<code>\c@part</code>	9, 16, 39, 45, 51, 57, 123, 134, 145, 157, 1300, 1310, 1322, 1562, 1778, 2600, 2607, 2614, 2622, 2630, 2685, 2737	<code>\color@vbox</code>	1898, 2140, 2150
<code>\c@section</code>	10, 12, 18, 34, 43, 49, 55, 61, 1304, 1563, 1565, 2653	<code>\columnlines</code>	4446, 4447, 4479, 4808
<code>\c@subsection</code>	10, 1563	<code>\columnsep</code>	4742, 5165
<code>\catcode</code>	1689, 2155, 2156, 2157, 2391, 5561	<code>\columnseprule</code>	4808
<code>\ccname</code>	3782	<code>\columntitle</code>	5159
<code>\cdp@elt</code>	5365	<code>\columnwidth</code>	1901, 1943, 2141, 2151, 4741, 5164
<code>\cdp@list</code>	5365	<code>\comment</code>	5770
<code>\centering</code>	4752, 5040, 5680	<code>\contentsname</code>	3761, 3770
<code>\cftchapname</code>	2827	<code>\copyright</code>	4598
<code>\cftfigname</code>	2833	<code>\correction</code>	5770, 5777
<code>\cftparaname</code>	2831	<code>\correctionstyle</code>	5763
<code>\cftsecname</code>	2828	<code>\count</code>	1893, 4776, 4777, 4779, 4780, 4789, 4795
<code>\cftsubfigname</code>	2834	<code>\count@</code>	2037
<code>\cftsubparaname</code>	2832	<code>\cs</code>	2478, 2480, 3027, 3044, 3051, 3085, 3100, 3116, 3131, 3133, 3138, 3155, 3157, 3162, 3205, 3222, 3229, 3246, 3253, 3270, 3277, 3294, 3301, 3318, 3325, 3342, 5389, 5390, 5391, 5392, 5393, 5436, 5437, 5461, 5469, 5477, 5485, 5497, 5526, 5532, 5541, 5547, 5556, 5638
<code>\cftsubsecname</code>	2829	<code>\csname</code>	1693, 1695, 1696, 1890, 1930, 2135, 2138, 2145, 2148, 2165, 2472, 2489, 2490, 2491, 2492, 2493, 2658, 2714, 2766, 2965, 2968, 2974, 2976, 3427, 3624, 3640, 3655, 3670, 3685, 3698, 3707, 3716, 3796, 3801, 3804, 3910, 4034, 4399, 4401, 4405, 4407, 4411, 4413, 5315, 5318, 5323, 5324, 5339, 5342, 5346, 5347, 5350, 5385, 5387, 5934, 5943, 5953
<code>\cftsubsubsecname</code>	2830	<code>\currenttime</code>	4572
<code>\cftsubtabname</code>	2836	<code>\customlogo</code>	4813
<code>\cfttabname</code>	2835	<code>\custommagazine</code>	4815
<code>\chapterautorefname</code>	1521	<code>\customminilogo</code>	4814
<code>\chaptername</code>	19, 1329, 3781		
<code>\char</code>	5439, 5447		
<code>\chardef</code>	1585, 1586, 1587, 1589, 1590, 1591, 1592, 1593, 3435, 5309		
<code>\charlist</code>	1614, 1615, 1617, 1621		
<code>\citation</code>	3422		
<code>\citenumfont</code>	2349		
<code>\citeyear</code>	2171		
<code>\citeyearpar</code>	2171		
<code>\ClassError</code>	4887, 4919, 4953, 4973, 4994, 5019, 5044, 5070, 5093, 5725		



<code>\customwwwTxt</code>	4543	1518, 1519, 1520, 1521, 1522, 1523, 1524, 1525, 1526, 1527, 1528, 1529, 1533, 1545, 1550, 1563, 1565, 1595, 1614, 1616, 1617, 1622, 1647, 1648, 1787, 1788, 1789, 1790, 1791, 1792, 1793, 1794, 1795, 1825, 1827, 1828, 1830, 1911, 1933, 1939, 1945, 1952, 1968, 2002, 2036, 2049, 2050, 2053, 2070, 2078, 2086, 2087, 2091, 2133, 2134, 2137, 2144, 2147, 2160, 2161, 2170, 2173, 2185, 2186, 2196, 2199, 2212, 2227, 2257, 2289, 2293, 2318, 2380, 2394, 2398, 2400, 2401, 2404, 2410, 2412, 2414, 2430, 2433, 2449, 2450, 2453, 2466, 2468, 2471, 2488, 2533, 2791, 2838, 2846, 2854, 2862, 2870, 2878, 2886, 2894, 2902, 2903, 2904, 2905, 2961, 2962, 2963, 2969, 2970, 2974, 3345, 3348, 3353, 3367, 3383, 3384, 3393, 3394, 3406, 3407, 3408, 3417, 3420, 3522, 3623, 3639, 3654, 3669, 3684, 3697, 3706, 3715, 3768, 3769, 3770, 3771, 3772, 3773, 3774, 3775, 3776, 3777, 3778, 3779, 3780, 3781, 3782, 3783, 3784, 3785, 3786, 3788, 3796, 3798, 3801, 3810, 3815, 3824, 3850, 3863, 3874, 3888, 3894, 3897, 3900, 3904, 3916, 3925, 3951, 3964, 3975, 3993, 3998, 4005, 4015, 4034, 4036, 4037, 4041, 4045, 4049, 4055, 4059, 4117, 4267, 4272, 4284, 4288, 4296, 4300, 4304, 4330, 4334, 4543, 4813, 4814, 4815, 5309, 5311, 5335, 5508, 5538, 5553, 5567, 5568, 5569, 5596, 5597, 5598, 5599, 5600, 5604, 5608, 5612, 5616, 5620, 5624, 5675, 5677, 5679, 5697, 5699, 5703, 5710, 5746, 5747, 5750, 5751, 5752, 5753, 5762, 5765, 5772, 5773, 5779, 5780, 5783, 5967
D		
<code>\dollarbegin</code>	2041, 2042, 2043	
<code>\dollarend</code>	2041, 2042, 2043	
<code>\date</code>	4571, 4582, 4730, 5199	
<code>\datename</code>	3778	
<code>\day</code>	5832	
<code>\dblfloatsep</code>	3732	
<code>\dbltextfloatsep</code>	3733	
<code>\decimalseparator@check</code> .	5568, 5569	
<code>\decimalseparator@point</code> .	5559, 5568	
<code>\decimalseparator@pointcheck</code> 5562, 5567, 5568	
<code>\DeclareDocumentCommand</code> .	3022, 3046, 3087, 3095, 3121, 3126, 3145, 3150, 3200, 3224, 3248, 3272, 3296, 3320, 5493, 5528, 5543	
<code>\DeclareMathAccent</code>	5373	
<code>\DeclareMathAlphabet</code>	5372	
<code>\DeclareMathDelimiter</code>	5374	
<code>\DeclareMathRadical</code>	5376	
<code>\DeclareMathSizes</code>	5365	
<code>\DeclareMathSymbol</code>	5373	
<code>\DeclareMathVersion</code>	5367	
<code>\DeclareOption</code> .	4468, 4469, 4470, 4471, 4473, 4475, 4477, 4478, 4479, 4480, 4481, 5767, 5774	
<code>\DeclareOptionX</code> .	4277, 4283, 4287, 4291, 4295, 4299, 4303	
<code>\DeclareRobustCommand</code> .	2371, 3031, 3056, 3103, 3175, 3178, 3181, 3184, 3187, 3190, 3209, 3233, 3257, 3281, 3305, 3329, 3415	
<code>\DeclareSymbolFont</code> .	5370, 5503, 5504, 5505, 5506, 5536, 5551	
<code>\DeclareSymbolFontAlphabet</code> .	5377	
<code>\DeclareSymbolFontAlphabet@</code> 5377	
<code>\DeclareTextFontCommand</code> .	3193, 3194, 3195, 3196, 3197, 3198	
<code>\def</code>	2, 3, 5, 6, 7, 10, 12, 15, 17, 20, 63, 64, 77, 121, 165, 177, 190, 197, 201, 1218, 1219, 1220, 1221, 1222, 1223, 1224, 1225, 1226, 1497, 1499, 1501, 1503, 1514, 1515, 1516, 1517,	
<code>\def@NAT@last@yr</code>	2328, 2330	
<code>\DefaultDisplayMathDigits</code> .	4151,	



5599, 5602
 \defaultfontfeatures 4278
 \DefaultInlineMathDigits 4143,
 5598, 5601
 \DefaultMathDecimalSeparator .
 5597, 5645
 \DefaultMathDigits .. 4135, 5600
 \define@choicekey .. 4131, 4139,
 4147, 4155, 4162, 4170, 4177,
 4184, 4190, 4202, 4208, 4214,
 4218, 4222, 4228, 4241, 4253,
 4265, 4307, 4314, 4321, 4328,
 4343, 4353
 \define@key 2494
 \define@mathalphabet 5367
 \define@mathgroup 5367
 \deflatinfont 3145
 \defpersianfont 3121
 \depth 2502, 2503
 \DigitsDotDashInterCharToks ..
 3069
 \dimexpr .. 1605, 3349, 3351, 3354,
 3356, 3469, 3519, 3673, 3688,
 3701, 3710, 3719, 4383, 4387,
 4392, 4393, 4394
 \ding 5746, 5747
 \display@setup 166, 191
 \divide 4782, 4783, 5834, 5842, 5847,
 5874, 5880, 5888, 5890, 5893,
 5897, 5901, 5905
 \do 1852, 2205, 2294, 2495, 3419, 4119,
 5380
 \document@select@group . . . 5335
 \dorestore@version 5369
 \dosetclass 1615, 1616, 1620
 \dot 5580
 \doublebox 5121, 5174
 \dquad 199, 201
 \dseries@display@setup . . . 191

E

\e@alloc@intercharclass@top ..
 3064, 3065
 \edef . 1920, 1975, 2009, 2073, 2081,
 2098, 2207, 2296, 2456, 2913,
 2939, 2968, 2971, 3421, 3517,
 3520, 3530, 3547, 3564, 3575,
 3581, 3587, 3593, 3599, 3605,
 3611, 3626, 3642, 3657, 3672,
 3687, 3700, 3709, 3718, 4122,
 5712
 \edition 4840
 \editionFormat 4549, 4552
 \editorialAuthorFormat .. 4692,
 5256
 \editorialTitleFormat 4690, 4691
 \egroup 5566
 \else . 2, 3, 5, 7, 32, 63, 121, 169, 199,
 1219, 1220, 1221, 1222, 1223,
 1224, 1225, 1226, 1227, 1228,
 1229, 1318, 1333, 1340, 1348,
 1355, 1363, 1370, 1378, 1385,
 1392, 1399, 1406, 1413, 1420,
 1427, 1434, 1441, 1448, 1455,
 1462, 1469, 1476, 1483, 1489,
 1500, 1502, 1504, 1514, 1515,
 1516, 1517, 1518, 1519, 1520,
 1521, 1522, 1523, 1524, 1525,
 1526, 1527, 1528, 1529, 1619,
 1647, 1648, 1660, 1663, 1666,
 1669, 1672, 1675, 1678, 1681,
 1684, 1787, 1788, 1789, 1790,
 1791, 1792, 1793, 1794, 1795,
 1833, 1841, 1846, 1856, 1862,
 1915, 1918, 1923, 1924, 1925,
 1926, 1927, 1937, 1952, 1953,
 1954, 1955, 1956, 1957, 1958,
 1959, 1960, 1961, 1962, 1963,
 1969, 1970, 1971, 1973, 1974,
 1977, 1978, 1979, 1980, 1981,
 1982, 1984, 1985, 1986, 1987,
 1988, 1991, 1992, 1993, 1994,
 1995, 1996, 2003, 2004, 2005,
 2007, 2008, 2011, 2012, 2013,
 2014, 2015, 2016, 2018, 2019,
 2020, 2021, 2022, 2023, 2024,
 2027, 2028, 2029, 2030, 2031,
 2032, 2052, 2053, 2054, 2055,
 2056, 2057, 2058, 2059, 2060,
 2062, 2063, 2064, 2065, 2066,
 2067, 2092, 2093, 2094, 2096,
 2097, 2100, 2101, 2102, 2103,
 2104, 2105, 2106, 2107, 2108,
 2109, 2110, 2111, 2112, 2113,
 2115, 2116, 2117, 2118, 2119,
 2122, 2123, 2124, 2125, 2126,
 2127, 2139, 2149, 2174, 2187,
 2219, 2224, 2233, 2236, 2250,
 2254, 2263, 2267, 2270, 2282,



2286, 2287, 2308, 2329, 2343,	5028, 5029, 5030, 5053, 5054,
2345, 2348, 2362, 2364, 2375,	5055, 5079, 5080, 5081, 5106,
2398, 2409, 2422, 2424, 2427,	5107, 5110, 5140, 5144, 5155,
2442, 2444, 2450, 2458, 2466,	5156, 5193, 5197, 5226, 5257,
2493, 2496, 2497, 2498, 2499,	5258, 5272, 5284, 5297, 5685,
2500, 2501, 2502, 2503, 2504,	5688, 5690, 5693, 5739, 5740,
2661, 2682, 2717, 2769, 2794,	5744, 5798
2811, 2827, 2828, 2829, 2830,	<code>\end@correction</code> 5778
2831, 2832, 2833, 2834, 2835,	<code>\endcomment</code> 5771
2836, 2842, 2850, 2858, 2866,	<code>\endcorrection</code> 5771, 5778
2874, 2882, 2890, 2897, 2906,	<code>\endcsname</code> 1693, 1695, 1696, 1890,
2946, 2952, 2958, 2985, 3082,	1930, 2135, 2138, 2145, 2148,
3083, 3429, 3444, 3455, 3482,	2165, 2472, 2489, 2490, 2491,
3483, 3484, 3486, 3489, 3490,	2492, 2493, 2658, 2714, 2766,
3492, 3496, 3497, 3498, 3500,	2965, 2968, 2974, 2976, 3427,
3503, 3504, 3506, 3768, 3769,	3624, 3640, 3655, 3670, 3685,
3770, 3771, 3772, 3773, 3774,	3698, 3707, 3716, 3796, 3801,
3775, 3776, 3777, 3778, 3779,	3804, 3910, 4034, 4399, 4401,
3780, 3781, 3782, 3783, 3784,	4405, 4407, 4411, 4413, 5315,
3785, 3786, 3795, 3800, 3818,	5318, 5323, 5324, 5339, 5342,
3820, 3828, 3829, 3830, 3831,	5346, 5348, 5350, 5385, 5387,
3832, 3833, 3834, 3835, 3853,	5934, 5943, 5954
3868, 3882, 3895, 3898, 3919,	<code>\endgroup</code> . 2393, 2471, 2534, 2964,
3921, 3929, 3930, 3931, 3932,	2972, 3625, 3641, 3656, 3671,
3933, 3934, 3935, 3936, 3954,	3686, 3699, 3708, 3717, 5320,
3969, 3982, 3983, 3986, 4017,	5344, 5570, 5571, 5572, 5573,
4019, 4021, 4023, 4025, 4126,	5574, 5575, 5576, 5577, 5578,
4237, 4249, 4261, 4428, 4759,	5579, 5580, 5581, 5582
5237, 5312, 5325, 5331, 5336,	<code>\endL</code> 4589, 4990
5351, 5357, 5454, 5570, 5571,	<code>\endlatin</code> 3384, 3392
5572, 5573, 5574, 5575, 5576,	<code>\endlTR</code> 3384
5577, 5578, 5579, 5580, 5581,	<code>\endMakeFramed</code> 1508
5596, 5605, 5606, 5607, 5609,	<code>\endmath</code> 196
5610, 5611, 5617, 5618, 5619,	<code>\endpersian</code> 3394, 3402
5621, 5622, 5623, 5840, 5844,	<code>\endquestion</code> 5791
5849, 5850, 5857, 5878, 5883,	<code>\endR</code> . 4593, 4594, 4595, 4606, 4607,
5913, 5949, 5957	4608, 4813, 4814, 4815, 4833,
<code>\empty</code> 1618	4854, 4855, 4856, 4857, 4858,
<code>\enclname</code> 3783	4859, 5010, 5105
<code>\encodingdefault</code> 3039, 3111, 3217,	<code>\endRTL</code> 3394
3241, 3265, 3289, 3313, 3337	<code>\ends@math</code> 196
<code>\end</code> . . 1615, 1616, 1621, 1622, 2384,	<code>\endtrivlist</code> 2161, 2471
2385, 2456, 2467, 2635, 2639,	<code>\end</code> . . . 2161, 2165, 2471, 2472
2643, 2645, 2690, 2694, 2698,	<code>\ensuremath</code> 2942
2700, 2742, 2746, 2750, 2752,	<code>\eq@addpunct</code> 201
3403, 3404, 3764, 4557, 4562,	<code>\eq@group</code> 169, 178
4619, 4633, 4643, 4652, 4675,	<code>\eq@GRP@first@dmath</code> 178
4714, 4717, 4720, 4737, 4792,	<code>\eq@prelim</code> 169, 186
4798, 4875, 4881, 4885, 4911,	<code>\eq@setnumber</code> 172
4917, 4951, 4971, 4986, 4992,	<code>\eq@setup@a</code> 174



<code>\eq@startup</code>	175	489, 490, 491, 492, 493, 494,
<code>\eq@wdCond</code>	193	495, 496, 497, 498, 499, 500,
<code>\eqcommand</code>	205, 206,	501, 502, 503, 504, 505, 506,
	207, 208, 209, 210, 211, 212,	507, 508, 509, 510, 512, 513,
	213, 214, 215, 216, 217, 218,	514, 515, 516, 517, 518, 519,
	219, 220, 221, 222, 223, 224,	520, 521, 522, 523, 524, 525,
	225, 226, 227, 228, 229, 230,	526, 527, 528, 529, 530, 531,
	231, 232, 233, 234, 235, 236,	532, 533, 534, 535, 536, 537,
	237, 238, 239, 240, 241, 242,	538, 539, 540, 541, 542, 543,
	243, 244, 245, 246, 247, 248,	544, 545, 546, 547, 548, 549,
	249, 250, 251, 252, 253, 254,	550, 551, 552, 553, 554, 555,
	255, 256, 257, 258, 259, 260,	556, 557, 558, 559, 560, 561,
	261, 262, 263, 264, 265, 266,	562, 563, 564, 565, 566, 567,
	267, 268, 269, 270, 271, 272,	568, 569, 570, 571, 572, 573,
	273, 274, 275, 276, 277, 278,	574, 575, 576, 577, 578, 579,
	279, 280, 281, 282, 283, 284,	580, 581, 582, 583, 584, 585,
	285, 286, 287, 288, 289, 290,	586, 587, 588, 589, 590, 591,
	291, 292, 293, 294, 295, 296,	592, 593, 594, 595, 596, 597,
	297, 298, 299, 300, 301, 302,	598, 599, 600, 601, 602, 603,
	303, 304, 305, 306, 307, 308,	604, 605, 606, 607, 608, 609,
	309, 310, 311, 312, 313, 314,	610, 611, 612, 613, 614, 615,
	315, 316, 317, 318, 319, 320,	616, 617, 618, 619, 620, 621,
	321, 322, 323, 324, 325, 326,	622, 623, 624, 625, 626, 627,
	327, 328, 329, 330, 331, 332,	628, 629, 630, 631, 632, 633,
	333, 334, 335, 336, 337, 338,	634, 635, 636, 637, 638, 639,
	339, 340, 341, 342, 343, 344,	640, 641, 642, 643, 644, 645,
	345, 346, 347, 348, 349, 350,	646, 647, 648, 649, 650, 651,
	351, 352, 353, 354, 355, 356,	652, 653, 654, 655, 656, 657,
	357, 358, 359, 360, 361, 362,	658, 659, 660, 661, 662, 663,
	363, 364, 365, 366, 367, 368,	664, 665, 666, 667, 668, 669,
	369, 370, 371, 372, 373, 374,	670, 671, 672, 673, 674, 675,
	375, 376, 377, 378, 379, 380,	676, 677, 678, 679, 680, 681,
	381, 382, 383, 384, 385, 386,	682, 683, 684, 685, 686, 687,
	387, 388, 389, 390, 391, 392,	688, 689, 690, 691, 692, 693,
	393, 394, 395, 396, 397, 398,	694, 695, 696, 697, 698, 699,
	399, 400, 401, 402, 403, 404,	700, 701, 702, 703, 704, 705,
	405, 406, 407, 408, 409, 410,	706, 707, 708, 709, 710, 711,
	411, 412, 413, 414, 415, 416,	712, 713, 714, 715, 716, 717,
	417, 418, 419, 420, 421, 422,	718, 719, 720, 721, 722, 723,
	423, 424, 425, 426, 427, 428,	724, 725, 726, 727, 728, 729,
	429, 430, 431, 432, 433, 434,	730, 731, 732, 733, 734, 735,
	435, 436, 437, 438, 439, 440,	736, 737, 738, 739, 740, 741,
	441, 442, 443, 444, 445, 446,	742, 743, 744, 745, 746, 747,
	447, 448, 449, 450, 451, 452,	748, 749, 750, 751, 752, 753,
	453, 454, 455, 456, 457, 458,	754, 755, 756, 757, 758, 759,
	459, 460, 461, 462, 463, 464,	760, 761, 762, 763, 764, 765,
	465, 466, 467, 468, 469, 470,	766, 767, 768, 769, 770, 771,
	471, 472, 473, 474, 475, 476,	772, 773, 774, 775, 776, 777,
	477, 478, 479, 480, 481, 482,	778, 779, 780, 781, 782, 783,
	483, 484, 485, 486, 487, 488,	784, 785, 786, 787, 788, 789,



790, 791, 792, 793, 794, 795,
796, 797, 798, 799, 800, 801,
802, 803, 804, 805, 806, 807,
808, 809, 810, 811, 812, 813,
814, 815, 817, 818, 819, 820,
821, 822, 823, 824, 825, 826,
827, 828, 829, 830, 831, 832,
833, 834, 835, 836, 837, 838,
839, 840, 841, 842, 843, 844,
845, 846, 847, 848, 849, 850,
851, 852, 853, 854, 855, 856,
857, 858, 859, 860, 861, 862,
863, 864, 865, 866, 867, 868,
869, 870, 871, 872, 873, 874,
875, 876, 877, 878, 879, 880,
881, 882, 883, 884, 885, 886,
887, 888, 889, 890, 891, 892,
893, 894, 895, 896, 897, 898,
899, 900, 901, 902, 903, 904,
905, 906, 907, 908, 909, 910,
911, 912, 913, 914, 915, 916,
917, 918, 919, 920, 921, 922,
923, 924, 925, 926, 927, 928,
929, 930, 931, 932, 933, 934,
935, 936, 937, 938, 939, 940,
941, 942, 943, 944, 945, 946,
947, 948, 949, 950, 951, 952,
953, 954, 955, 956, 957, 958,
959, 960, 961, 962, 963, 964,
965, 966, 967, 968, 969, 970,
971, 972, 973, 974, 975, 976,
977, 978, 979, 980, 981, 982,
983, 984, 985, 986, 987, 988,
989, 990, 991, 992, 993, 994,
995, 996, 997, 998, 999, 1000,
1001, 1002, 1003, 1004, 1005,
1006, 1007, 1008, 1009, 1010,
1011, 1012, 1013, 1014, 1015,
1016, 1017, 1018, 1019, 1020,
1021, 1022, 1023, 1024, 1025,
1026, 1027, 1028, 1029, 1030,
1031, 1032, 1033, 1034, 1035,
1036, 1037, 1038, 1039, 1040,
1041, 1042, 1043, 1044, 1045,
1046, 1047, 1048, 1049, 1050,
1051, 1052, 1053, 1054, 1055,
1056, 1057, 1058, 1059, 1060,
1061, 1062, 1063, 1064, 1065,
1066, 1067, 1068, 1069, 1070,
1071, 1072, 1073, 1074, 1075,
1076, 1077, 1078, 1079, 1080,
1081, 1082, 1083, 1084, 1085,
1086, 1087, 1088, 1089, 1090,
1091, 1092, 1093, 1094, 1095,
1096, 1097, 1098, 1099, 1100,
1101, 1102, 1103, 1104, 1105,
1106, 1107, 1108, 1109, 1110,
1111, 1112, 1113, 1114, 1115,
1116, 1117, 1118, 1119, 1120,
1121, 1122, 1123, 1124, 1125,
1126, 1127, 1128, 1129, 1130,
1131, 1132, 1133, 1134, 1135,
1136, 1137, 1138, 1139, 1140,
1141, 1142, 1143, 1144, 1145,
1146, 1147, 1158, 1159, 1160,
1161, 1162, 1163, 1164, 1165,
1166, 1167, 1168, 1169, 1170,
1171, 1172, 1173, 1174, 1175,
1176, 1177, 1178, 1179, 1180,
1181, 1182, 1183, 1184, 1185,
1186, 1187, 1188, 1189, 1190,
1191, 1192, 1193, 1194, 1195,
1196, 1197, 1198, 1199, 1200,
1201, 1202, 1203, 1204, 1205,
1206, 1207, 1208, 1209, 1210,
1211, 1212, 1213, 1214, 1215,
1216, 1691
\EqEnvironment 1252, 1694
\eqenvironment 1246, 1247, 1248,
1249, 1250, 1251, 1253, 1254,
1255, 1256, 1257, 1258, 1259,
1260, 1261, 1262, 1263, 1264,
1265, 1266, 1267, 1268, 1269,
1270, 1271, 1272, 1273, 1274,
1275, 1276, 1277, 1278, 1279,
1280, 1281, 1282, 1283, 1284,
1285, 1286, 1287, 1289, 1290,
1291, 1292, 1293, 1294, 1295,
1296, 1297, 1298, 1692
\eqstyle 171
\equal 4788, 4943, 5115, 5120, 5125,
5130, 5135, 5168, 5173, 5178,
5183, 5188
\equationautorefname 1514
\escapechar 2967, 5317, 5341
\everydisplay 166, 5632, 5633
\everyjob 2939, 2940
\everymath 5629
\everypar 3386, 3396, 3413
\ExecuteOptions 5781



<code>\ExecuteOptionsX</code>	4360	<code>\fboxsep</code>	1497, 1499, 1501, 1503, 4740, 4933, 4965, 5037, 5065, 5113, 5162
<code>\exp</code>	3031, 3033, 3034, 3035, 3056, 3058, 3059, 3060, 3103, 3105, 3106, 3107, 3136, 3138, 3139, 3140, 3160, 3162, 3163, 3164, 3209, 3211, 3212, 3213, 3233, 3235, 3236, 3237, 3257, 3259, 3260, 3261, 3281, 3283, 3284, 3285, 3305, 3307, 3308, 3309, 3329, 3331, 3332, 3333	<code>\fi</code>	2, 3, 5, 7, 35, 63, 68, 86, 121, 165, 167, 168, 169, 177, 188, 190, 199, 1232, 1318, 1335, 1342, 1350, 1357, 1365, 1372, 1380, 1387, 1394, 1401, 1408, 1415, 1422, 1429, 1436, 1443, 1450, 1457, 1464, 1471, 1478, 1485, 1489, 1500, 1502, 1504, 1514, 1515, 1516, 1517, 1518, 1519, 1520, 1521, 1522, 1523, 1524, 1525, 1526, 1527, 1528, 1529, 1541, 1611, 1620, 1647, 1648, 1662, 1665, 1668, 1671, 1674, 1677, 1680, 1683, 1686, 1787, 1788, 1789, 1790, 1791, 1792, 1793, 1794, 1795, 1836, 1837, 1843, 1858, 1859, 1864, 1865, 1868, 1871, 1874, 1877, 1880, 1883, 1887, 1888, 1896, 1914, 1915, 1921, 1928, 1931, 1936, 1937, 1956, 1957, 1958, 1959, 1963, 1964, 1965, 1979, 1980, 1981, 1982, 1997, 1998, 2013, 2014, 2015, 2016, 2033, 2034, 2048, 2057, 2058, 2059, 2060, 2067, 2068, 2072, 2077, 2080, 2085, 2088, 2102, 2103, 2104, 2105, 2128, 2129, 2139, 2149, 2161, 2179, 2197, 2218, 2220, 2231, 2235, 2244, 2245, 2249, 2261, 2266, 2270, 2274, 2275, 2279, 2284, 2285, 2286, 2287, 2307, 2309, 2331, 2339, 2347, 2348, 2357, 2358, 2364, 2367, 2377, 2398, 2413, 2431, 2451, 2464, 2467, 2493, 2505, 2533, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2682, 2718, 2719, 2720, 2721, 2722, 2723, 2724, 2725, 2726, 2727, 2728, 2729, 2730, 2731, 2732, 2733, 2770, 2771, 2772, 2773, 2774, 2775, 2776, 2777, 2778, 2779, 2780, 2781, 2782, 2783, 2784, 2785, 2796, 2813, 2827, 2828,
<code>\expandafter</code>	166, 1615, 1621, 1695, 1696, 1850, 1851, 1975, 2009, 2098, 2135, 2138, 2145, 2148, 2165, 2207, 2296, 2412, 2417, 2418, 2423, 2428, 2429, 2435, 2436, 2437, 2438, 2445, 2446, 2447, 2448, 2450, 2459, 2460, 2461, 2462, 2472, 2489, 2490, 2491, 2492, 2945, 2947, 2951, 2953, 2957, 2959, 2964, 2965, 2968, 2971, 2972, 2974, 2975, 3421, 3523, 3796, 3801, 3804, 3819, 3825, 3910, 3920, 3926, 4020, 4022, 4024, 4026, 4034, 5312, 5331, 5336, 5345, 5346, 5347, 5357, 5629, 5632, 5713		
<code>\expandedtitle</code>	5109		
<code>\ExplSyntaxOff</code>	2164, 2486, 3344, 5382, 5558, 5665		
<code>\ExplSyntaxOn</code>	2162, 2474, 2990, 5361, 5388, 5637		
<code>\extract@alph@from@version</code>	5345		
F			
<code>\f@baselineskip</code>	3362, 3376, 3616, 3723, 4419, 4421		
<code>\f@family</code>	3082, 3083		
<code>\f@size</code>	3362, 3376		
<code>\f@ur</code>	1602, 3435, 3451, 3452, 3453, 3456, 3457, 3458		
<code>\false</code>	5758		
<code>\falsesymbol</code>	5749		
<code>\familydefault</code>	3038, 3110, 3216, 3240, 3264, 3288, 3312, 3336		
<code>\fancyfoot</code>	4853, 4857, 4858, 4859		
<code>\fancyhead</code>	4852, 4854, 4855, 4856		
<code>\FancyVerbLineautorefname</code>	1527		
<code>\fbox</code>	4737, 4752, 4967, 5735, 5795		
<code>\fboxrule</code>	1497, 1499, 1501, 1503, 4809		



2829, 2830, 2831, 2832, 2833,	\FirstFrameCommand 1499
2834, 2835, 2836, 2844, 2852,	\firstimage . 4961, 4974, 4975, 4977
2860, 2868, 2876, 2884, 2892,	\firstTextFormat 4622, 4624
2899, 2906, 2948, 2954, 2960,	\firstTitleFormat 4610, 4616, 4617
2978, 2979, 2987, 3082, 3083,	\float@box 2136, 2146
3390, 3400, 3422, 3429, 3443,	\float@endH 2135, 2145
3448, 3449, 3450, 3454, 3459,	\floatsep 3727, 3731, 3732
3460, 3461, 3462, 3471, 3482,	\flushright 4610, 4629, 4648
3483, 3484, 3488, 3490, 3494,	\font 1605, 3439
3495, 3497, 3498, 3502, 3504,	\font@name 4399, 4401, 4405, 4407,
3508, 3509, 3510, 3630, 3646,	4411, 4413
3661, 3677, 3693, 3702, 3711,	\fontcharwd 1605
3720, 3768, 3769, 3770, 3771,	\fontencoding . . 3033, 3059, 3105,
3772, 3773, 3774, 3775, 3776,	3139, 3163, 3211, 3235, 3259,
3777, 3778, 3779, 3780, 3781,	3283, 3307, 3331
3782, 3783, 3784, 3785, 3786,	\fontfamily 3034, 3058, 3106, 3138,
3795, 3800, 3822, 3836, 3848,	3162, 3177, 3180, 3183, 3186,
3853, 3854, 3857, 3859, 3860,	3189, 3192, 3212, 3236, 3260,
3872, 3876, 3878, 3879, 3881,	3284, 3308, 3332
3884, 3886, 3892, 3895, 3898,	\fontsize 3362, 3376
3902, 3907, 3923, 3937, 3949,	\fontspec . 2163, 2481, 3029, 3053,
3954, 3955, 3958, 3960, 3961,	3102, 3133, 3157, 3207, 3231,
3973, 3977, 3979, 3980, 3982,	3255, 3279, 3303, 3327, 5500,
3988, 3989, 3991, 3996, 4003,	5534, 5549
4009, 4027, 4028, 4029, 4030,	\foot 4605
4031, 4032, 4039, 4040, 4043,	\footdir@debugfalse 4212
4044, 4047, 4048, 4050, 4051,	\footdir@debugtrue 4210
4063, 4126, 4138, 4146, 4154,	\footins 3725
4160, 4167, 4175, 4182, 4189,	\footnote 4702
4201, 4207, 4213, 4217, 4221,	\footnoteautorefname 1515
4227, 4239, 4240, 4251, 4252,	\footnoterule 4701
4263, 4264, 4276, 4312, 4319,	\footnotesep 3724, 4427, 4429
4326, 4340, 4351, 4358, 4380,	\footnotesize . 113, 115, 117, 1318,
4430, 4431, 4433, 4762, 4763,	1319, 1320, 1489, 1491, 1493,
4968, 4985, 5149, 5223, 5242,	3564, 3565, 4530, 4531, 4565,
5269, 5294, 5312, 5330, 5331,	4598, 4663, 4687, 4688, 4700
5336, 5356, 5357, 5456, 5583,	\foottextfont 1318
5584, 5585, 5586, 5587, 5588,	\FrameCommand 1497
5589, 5590, 5591, 5592, 5593,	\FrameRestore 1505
5594, 5596, 5605, 5606, 5607,	\Frefchapname . . . 1329, 1398, 1400
5609, 5610, 5611, 5617, 5618,	\frefchapname 1396
5619, 5621, 5622, 5623, 5849,	\Frefenumname . . . 1330, 1405, 1407
5851, 5852, 5853, 5859, 5883,	\frefenumname 1403
5884, 5904, 5915, 5936, 5945,	\Frefeqname 1337, 1412, 1414
5952, 5959, 5974	\frefeqname 1410
\figureautorefname 1517	\Freffigname 1344, 1377, 1419, 1421
\figurename 1344, 3768	\freffigname 1417
\finishsetclass 1618, 1622	\Freffigshortname 1375, 1468, 1470
\firstarticle . . 4864, 4888, 4889,	\freffigshortname 1466
4891	\Freffnname 1345, 1426, 1428



<code>\frefnname</code>	1424	
<code>\Frefonname</code>	1352, 1433, 1435	
<code>\frefonname</code>	1431	
<code>\Frefpgname</code>	1359, 1384, 1440, 1442	
<code>\frefpgname</code>	1438	
<code>\Frefpgshortname</code>	1382, 1475, 1477	
<code>\frefpgshortname</code>	1473	
<code>\Frefsecname</code>	1360, 1447, 1449	
<code>\frefsecname</code>	1445	
<code>\Frefseenname</code>	1367, 1454, 1456	
<code>\frefseenname</code>	1452	
<code>\Freftabname</code>	1374, 1461, 1463	
<code>\freftabname</code>	1459	
<code>\Freftabshortname</code>	1389, 1482, 1484	
<code>\freftabshortname</code>	1480	
<code>\frenchspacing</code>	2160, 2468	
<code>\frontmatter</code>	15, 124, 135, 153, 1306, 2681	
<code>\futurelet</code>	2403, 5562, 5567	
G		
<code>\g</code>	3033, 3039, 3059, 3105, 3111, 3139, 3163, 3211, 3217, 3235, 3241, 3259, 3265, 3283, 3289, 3307, 3313, 3331, 3337, 5362, 5500, 5503, 5504, 5505, 5506, 5534, 5536, 5549, 5551	
<code>\g@addto@macro</code>	2656, 2658, 2712, 2714, 2764, 2766, 5710	
<code>\G@refundefinedtrue</code>	3424	
<code>\gdef</code>	43, 49, 55, 61, 131, 132, 142, 143, 149, 150, 161, 162, 1304, 1314, 1315, 1326, 1327, 1535, 1536, 1552, 1554, 1782, 1783, 2532, 2604, 2605, 2611, 2612, 2618, 2619, 2626, 2627, 2653, 2708, 2709, 2760, 2761, 4543, 4813, 4814, 4815, 5562, 5676, 5678, 5696, 5698, 5700, 5706, 5707, 5723, 5748, 5749, 5763, 5782, 5784, 5789, 5800	
<code>\get@cdp</code>	5371	
<code>\getanddefine@fonts</code>	4398, 4404, 4410, 5318, 5342	
<code>\Gin@boolkey</code>	2488	
<code>\glb@currsize</code>	5499	
<code>\global</code>	73, 74, 168, 178, 179, 180, 181, 182, 183, 184, 185, 193, 1893, 1897, 2217, 2306, 4722, 4723, 4724, 4725, 4726, 4727, 4728, 4729, 4730, 4731, 5324, 5350	
<code>\globaldefs</code>	5319, 5343	
<code>\glsaddprotectedpagefmt</code>	1510, 1511, 1512	
<code>\goodbreak</code>	5300	
<code>\grid</code>	4504, 4508, 4770	
<code>\Grot@x</code>	2496, 2497, 2498, 2499	
<code>\Grot@y</code>	2500, 2501, 2502, 2503, 2504, 2505	
<code>\group</code>	2481	
<code>\group@elt</code>	5370	
<code>\group@list</code>	5370	
<code>\grp@aligned</code>	184	
<code>\GRP@box</code>	179	
<code>\grp@eqs@numbered</code>	183	
<code>\grp@hasNumber</code>	188	
<code>\GRP@label</code>	180	
<code>\grp@linewidth</code>	182	
<code>\GRP@queue</code>	179	
<code>\grp@setnumber</code>	188	
<code>\grp@shiftnumber</code>	185	
<code>\grp@wdL</code>	181	
<code>\grp@wdNum</code>	182	
<code>\grp@wdR</code>	181	
<code>\grp@wdT</code>	181	
H		
<code>\harfi</code>	1219, 1237, 1242, 1776, 2662, 2718, 2770, 3801	
<code>\harfinumeral</code>	3802	
<code>\hbox</code>	2044, 2799, 2803, 3423, 3765, 3766	
<code>\headDateTimeFormat</code>	4569, 4571	
<code>\headerfont</code>	5676	
<code>\headheight</code>	4803	
<code>\heading</code>	4592	
<code>\headrulewidth</code>	4804, 4860	
<code>\headtoname</code>	3785	
<code>\height</code>	2500, 2501	
<code>\hfil</code>	2040, 2041, 2042, 2043, 2075, 2076, 2077, 2083, 2084, 2085	
<code>\hline</code>	5253, 5717, 5718, 5721, 5722, 5742, 5743	
<code>\hrule</code>	1600, 5136, 5142, 5189, 5195, 5240, 5280	
<code>\hrulefill</code>	4818, 4823, 4837	
<code>\hsize</code>	1505, 1901, 1917, 1942, 1943, 2141, 2151	
<code>\hskip</code>	1604, 2042, 2043, 2085	



`\hspace` 4571, 4589, 4818, 4824, 4836,
 4838, 5016
`\hss` 1929, 3745
`\Huge` .. 3611, 3612, 4541, 4610, 4666
`\huge` 3605, 3606, 4540
`\Hy@AlphNoErr` 1552, 1554
`\Hy@appendixstring` .. 1537, 1556
`\Hy@backout` 69, 77
`\Hy@chapapp` 1537, 1556
`\HyOrg@appendix` 1532, 1538
`\HyOrg@resets@pp` 1549, 1557
`\hyper@natlinkbreak` .. 2239, 2270
`\hyper@natlinkstart` 77

I

`\if` . 169, 188, 1854, 1860, 1866, 1869,
 1872, 1875, 1878, 1881, 1884,
 1915, 1922, 1923, 1924, 1925,
 1937, 1954, 1955, 1956, 1957,
 1958, 1959, 1960, 1961, 1962,
 1963, 1977, 1978, 1979, 1980,
 1981, 1982, 1984, 1985, 1986,
 1987, 1988, 1991, 1992, 1993,
 1994, 1995, 1996, 2011, 2012,
 2013, 2014, 2015, 2016, 2018,
 2019, 2020, 2021, 2022, 2023,
 2024, 2027, 2028, 2029, 2030,
 2031, 2032, 2055, 2056, 2057,
 2058, 2059, 2060, 2062, 2063,
 2064, 2065, 2066, 2067, 2100,
 2101, 2102, 2103, 2104, 2105,
 2106, 2107, 2108, 2109, 2110,
 2111, 2112, 2113, 2115, 2116,
 2117, 2118, 2119, 2122, 2123,
 2124, 2125, 2126, 2127, 2222,
 2252, 2270, 2280, 2286, 2287,
 2348, 2364, 2396, 2416, 2422,
 2424, 2434, 2442, 2444, 2466,
 2496, 2497, 2498, 2499, 2500,
 2501, 2502, 2503, 2504, 2505
`\if@textdigitfont@on` 3082, 3083,
 3474
`\if@bidi@algorithmicloaded@` ..
 1660
`\if@bidi@algorithmloaded@` 1663
`\if@bidi@backrefloaded@` .. 1666
`\if@bidi@csdef` 1693
`\if@bidi@csprimitive` 1691
`\if@bidi@csundef` 3070, 3759, 4014,
 4065

`\if@bidi@enumerateloaded@` 1669
`\if@bidi@enumitemloaded@` . 1672
`\if@bidi@fancyrefloaded@` . 1675
`\if@bidi@tocloftloaded@` .. 1678
`\if@bidi@urlloaded@` 1681
`\if@bidi@variorefloaded@` . 1684
`\if@chapter@pp` 28
`\if@extrafootnotefeatures` 4377
`\if@filesw` 3422
`\if@hboxRconstruct` .. 1914, 1936
`\if@inlabel` 168
`\if@Kashida@on` 1594, 1596
`\if@LTRbibitems` 4061
`\if@newlist` 2161
`\if@nonlatin` 2792, 3082, 3083, 5617,
 5618, 5619, 5621, 5622, 5623
`\if@noskipsec` 167
`\if@pboxsw` 1931
`\if@RTL` 2, 3, 5, 7, 63,
 121, 165, 177, 190, 1331, 1338,
 1346, 1353, 1361, 1368, 1376,
 1383, 1390, 1397, 1404, 1411,
 1418, 1425, 1432, 1439, 1446,
 1453, 1460, 1467, 1474, 1481,
 1500, 1502, 1504, 1514, 1515,
 1516, 1517, 1518, 1519, 1520,
 1521, 1522, 1523, 1524, 1525,
 1526, 1527, 1528, 1529, 1647,
 1648, 1787, 1788, 1789, 1790,
 1791, 1792, 1793, 1794, 1795,
 1915, 1937, 2827, 2828, 2829,
 2830, 2831, 2832, 2833, 2834,
 2835, 2836, 2839, 2847, 2855,
 2863, 2871, 2879, 2887, 2895,
 2906, 3768, 3769, 3770, 3771,
 3772, 3773, 3774, 3775, 3776,
 3777, 3778, 3779, 3780, 3781,
 3782, 3783, 3784, 3785, 3786
`\if@RTL@footnote` 1318, 1489
`\if@RTLmain` 3429
`\if@RTLtab` 1956, 1957, 1958, 1959,
 1979, 1980, 1981, 1982, 2013,
 2014, 2015, 2016, 2057, 2058,
 2059, 2060, 2102, 2103, 2104,
 2105
`\if@tempswa` 2339, 3630, 3646, 3661,
 3677, 3693, 3702, 3711, 3720
`\if@twoside` 2682
`\if@xepersian@@computeautoilg`
 3431, 4417



<code>\ifadl@usingarypkg</code>	2001	<code>\Ifstr</code>	2632, 2687, 2739	
<code>\ifBR@verbose</code>	66	<code>\ifthenelse</code>	4490, 4502, 4511, 4615, 4630, 4649, 4670, 4788, 4866, 4867, 4897, 4929, 4943, 4963, 4981, 5005, 5035, 5059, 5086, 5115, 5120, 5125, 5130, 5135, 5168, 5173, 5178, 5183, 5188, 5724	
<code>\ifcase</code>	2039, 2070, 2074, 2078, 2082, 2221, 2251, 2344, 3789, 3798, 3826, 3889, 3895, 3898, 3901, 3905, 3927, 3994, 3999, 4006, 4038, 4042, 4046, 4050, 4121, 4132, 4140, 4148, 4156, 4163, 4171, 4178, 4185, 4191, 4203, 4209, 4215, 4219, 4223, 4229, 4242, 4254, 4266, 4308, 4315, 4322, 4329, 4344, 4354, 5967	<code>\ifvoid</code>	3388, 3398	
<code>\ifdim</code>	198, 2944, 2950, 2956, 3440, 3441, 3445, 3446, 3451, 3452, 3456, 3457, 3466, 3482, 3483, 3484, 3490, 3497, 3498, 3504, 4423, 4427, 4750, 5235	<code>\ifwritexviii</code>	2982, 4231, 4243, 4255	
<code>\iffontchar</code>	3439, 5449	<code>\ifx</code>	1219, 1220, 1221, 1222, 1223, 1224, 1225, 1226, 1227, 1228, 1229, 1618, 1831, 1834, 1918, 2138, 2148, 2225, 2226, 2228, 2255, 2256, 2258, 2327, 2345, 2405, 2454, 2493, 2660, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2716, 2718, 2719, 2720, 2721, 2722, 2723, 2724, 2725, 2726, 2727, 2728, 2729, 2730, 2731, 2732, 2768, 2770, 2771, 2772, 2773, 2774, 2775, 2776, 2777, 2778, 2779, 2780, 2781, 2782, 2783, 2784, 2965, 2973, 3082, 3083, 5312, 5336, 5570, 5571, 5572, 5573, 5574, 5575, 5576, 5577, 5578, 5579, 5580, 5581, 5596, 5605, 5606, 5607, 5609, 5610, 5611, 5617, 5618, 5619, 5621, 5622, 5623	
<code>\ifhmode</code>	1838	<code>\ifXePersian@kabiseh</code>	5806, 5911	
<code>\ifHy@implicit</code>	1530	<code>\ifXePersian@leap</code>	5806, 5855	
<code>\ifinner</code>	1844	<code>\IfxepersianPackageVersion</code>	2955	
<code>\IfLTXAtLeastTF</code>	2655, 2711, 2763	<code>\IfxepersianPackageVersionBefore</code>	2949	
<code>\ifmmode</code>	1926, 5314, 5338	<code>\IfxepersianPackageVersionLater</code>	2943	
<code>\ifNAT@full</code>	2219, 2308	<code>\ifxetex</code>	4743, 4966, 4983	
<code>\ifNAT@longnames</code>	2215, 2304	<code>\ignorespaces</code>	202, 2143, 2153, 3025, 3049, 3091, 3098, 3203, 3227, 3251, 3275, 3299, 3323, 4561, 4614, 4624, 4629, 4637, 4642, 4648, 4656, 4916, 4942, 5091	
<code>\ifNAT@numbers</code>	2168, 2375	<code>\image</code>	4738	
<code>\ifNAT@super</code>	2169	<code>\immediate</code>	3422, 4234, 4235, 4246, 4247, 4258, 4259	
<code>\ifNAT@swa</code>	2221, 2286, 2310, 2362	<code>\includegraphics</code>	4753, 4967, 4984	
<code>\ifnum</code>	86, 199, 1885, 1952, 1953, 1969, 1970, 1971, 1972, 1974, 2003, 2004, 2005, 2006, 2008, 2053, 2054, 2092, 2093, 2094, 2095, 2097, 2533, 2809, 2983, 3464, 3816, 3818, 3827, 3828, 3829, 3830, 3831, 3832, 3833, 3834, 3851, 3853, 3855, 3857, 3859, 3864, 3875, 3876, 3878, 3880, 3881, 3884, 3917, 3919, 3928, 3929, 3930, 3931, 3932, 3933, 3934, 3935, 3952, 3954, 3956, 3958, 3960, 3965, 3976, 3977, 3979, 3981, 3982, 3984, 3989, 4016, 4018, 4020, 4022, 4024, 4026, 4040, 4044, 4048, 4051, 5147, 5221, 5267, 5292, 5315, 5339, 5845, 5849, 5877, 5883, 5904, 5931, 5935, 5940, 5944, 5946, 5955			
<code>\ifodd</code>	1855, 1861, 5838, 5843			
<code>\ifRtoL</code>	91			



`\indexEntryFormat` ... 4559, 4561
`\indexEntryPageFormat` 4565, 4567
`\indexEntryPageTxt` .. 4564, 4567
`\indexEntrySeparator` . 4563, 5091
`\indexFormat` 4555, 4557
`\indexitem` . 5084, 5094, 5095, 5097
`\indexname` 3774
`\init@restore@version` 5321, 5369
`\innerAuthorFormat` .. 4687, 5204
`\innerPlaceFormat` ... 4688, 5204
`\innerSubtitleFormat` . 4677, 4678
`\innerTextFinalMark` .. 4689, 5225
`\innerTitleFormat` 4666, 4671, 4672
`\input` 1707, 1708, 1709, 1710, 1711,
1712, 1713, 4069, 4070, 4071,
4072, 4073, 4074, 4075, 4076,
4077, 4078, 4079, 4080, 4081,
4082, 4083, 4084, 4085, 4086,
4087, 4088, 4089, 4090, 4091,
4092, 4093, 4094, 4095, 4096,
4097, 4098, 4099, 4100, 4101,
4102, 4103, 4104, 4105, 4106,
4107, 4108, 4109, 4110, 4111,
4112, 4113, 4114, 4115, 4216,
4220, 4378, 4379
`\insert@column` . 2041, 2042, 2043,
2044, 2046, 2047
`\int` .. 5394, 5397, 5405, 5413, 5421,
5429, 5641, 5654
`\intermath@penalty` 201
`\intextsep` 3731
`\iranicdefault` . 3171, 3183, 3328,
3336
`\iranicfamily` .. 3181, 3182, 3195,
3329
`\item` 5750, 5751, 5752, 5753
`\itemautorefname` 1516
`\itemsep` .. 3629, 3645, 3660, 3676,
3692
`\itshape` 4059, 5762

J
`\jobname` .. 4235, 4236, 4247, 4248,
4259, 4260

K
`\KashidaOff` 1643
`\KashidaOn` 1642, 1645
`\kern` 2173, 3389, 3399, 3766
`\keys` 2992, 2999, 3007, 3014

`\keyval@eq@alias@key` . 1699, 1703
`\KOMAClassName` . 2633, 2656, 2688,
2712, 2740, 2764
`\KV@sp@def` 4120

L
`\l` 2994, 2995, 2996, 3003, 3009, 3010,
3011, 3018, 3029, 3030, 3034,
3053, 3058, 3102, 3106, 3207,
3208, 3212, 3231, 3232, 3236,
3255, 3256, 3260, 3279, 3280,
3284, 3303, 3304, 3308, 3327,
3328, 3332, 5452, 5459, 5463,
5464, 5471, 5472, 5479, 5480
`\label` 5220, 5266, 5290
`\labelsep` . 3673, 3688, 3701, 3710,
3719
`\labelwidth` 3673, 3688, 3701, 3710,
3719
`\LARGE` 3599, 3600, 4539, 4626, 4690,
4693, 4706, 4708
`\Large` 3593, 3594, 4538, 4645, 4695,
4822, 5105, 5139
`\large` 3587, 3588, 4537, 4549, 4555,
4635, 4654, 4677, 4697, 4710,
4716, 4828
`\lastbox` 3387, 3397
`\LastFrameCommand` 1503
`\lastpenalty` 199
`\lastskip` 198
`\latin` 3383, 3385
`\LatinAlphs` 3383, 3403, 4055
`\Latincite` 2371, 3415
`\latinfont` . 3103, 3359, 3361, 4279
`\latintoday` 3406
`\lccode` 2390, 2391, 2392, 2531
`\leaders` 1600
`\leavevmode` .. 167, 168, 1912, 1934,
2161, 3417, 3765
`\leftfootnoterule` 4194
`\leftmargin` 3626, 3642, 3657, 3672,
3673, 3687, 3688, 3700, 3701,
3709, 3710, 3718, 3719
`\leftmargini` 3626, 3642, 3657
`\leftmarginii` 3672
`\leftmarginiii` 3687
`\leftmarginiv` 3700
`\leftmarginv` 3709
`\leftmarginvi` 3718



<code>\mathsurround</code>	195	<code>\NAT@close</code>	2184, 2195
<code>\mathtt</code>	5393, 5553, 5650, 5663	<code>\NAT@cmprs</code>	2315, 2361
<code>\mbox</code>	2175	<code>\NAT@cmt</code>	2286, 2364
<code>\meaning</code>	2968, 2971	<code>\NAT@ctype</code>	2221, 2251, 2311, 2313, 2344, 2352, 2354, 2363, 2372
<code>\MessageBreak</code>	2230, 2231, 2260, 2261, 2635, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2690, 2692, 2693, 2694, 2695, 2696, 2697, 2698, 2699, 2700, 2701, 2742, 2744, 2745, 2746, 2747, 2748, 2749, 2750, 2751, 2752, 2753, 4066, 4888, 4920, 4954, 4974, 4995, 4998, 5020, 5045, 5071, 5094, 5097, 5728	<code>\NAT@date</code>	2195, 2212, 2222, 2223, 2234, 2242, 2247, 2252, 2265, 2272, 2277, 2280, 2287
<code>\MidFrameCommand</code>	1501	<code>\NAT@def@citea</code>	2249, 2281, 2342
<code>\minilogo</code>	4827, 5041	<code>\NAT@def@citea@box</code>	2350
<code>\minraggedcols</code>	4466, 4467, 4505, 4509, 5147, 5221, 5267, 5292	<code>\NAT@def@citea@close</code>	2283
<code>\mlfttitle</code>	1791	<code>\NAT@exlab</code>	2228, 2232, 2258, 2262
<code>\mltttitle</code>	1792	<code>\NAT@fullfalse</code>	2373
<code>\month</code>	5832	<code>\NAT@fulltrue</code>	2373
<code>\msg</code>	5436, 5438	<code>\NAT@hyper@</code>	2223, 2232, 2234, 2237, 2246, 2247, 2248, 2253, 2262, 2265, 2268, 2276, 2277, 2278, 2313, 2349
<code>\mtctitle</code>	1790	<code>\NAT@hyper@citea@space</code>	2352, 2354, 2356
<code>\multido</code>	4789, 4795	<code>\NAT@idxtxt</code>	2184, 2195
<code>\multiply</code>	1891, 5835, 5848, 5875, 5881, 5898, 5902	<code>\NAT@ifcat@num</code>	2316, 2319
<code>\mylogo</code>	4832	<code>\NAT@last@nm</code>	2213, 2225, 2255, 2302, 2345
N			
<code>\NAT@@close</code>	2287, 2366	<code>\NAT@last@num</code>	2302, 2319, 2320, 2338
<code>\NAT@@Latin@@citetp</code>	2374, 2378, 2379, 2380	<code>\NAT@last@yr</code>	2213, 2226, 2256, 2293, 2327, 2361
<code>\NAT@@open</code>	2270, 2346	<code>\NAT@last@yr@mbox</code>	2323, 2333
<code>\NAT@alias</code>	2248, 2278, 2313, 2356	<code>\NAT@Latin@cites</code>	2373, 2374
<code>\NAT@all@names</code>	2216, 2219, 2305, 2308	<code>\NAT@Latin@citex</code>	2190, 2198, 2199
<code>\NAT@aysep</code>	2240	<code>\NAT@Latin@citexnum</code>	2181, 2288, 2289
<code>\NAT@biblabel</code>	2191	<code>\NAT@mbox</code>	2170, 2175, 2346, 2349, 2366
<code>\NAT@biblabelnum</code>	2182	<code>\NAT@merge</code>	2323, 2338
<code>\NAT@bibsetnum</code>	2183	<code>\NAT@name</code>	2184, 2195, 2216, 2220, 2305, 2309
<code>\NAT@bibsetup</code>	2192	<code>\NAT@nm</code>	2204, 2213, 2219, 2220, 2223, 2225, 2238, 2246, 2253, 2255, 2269, 2276, 2293, 2302, 2308, 2309, 2317, 2318, 2322, 2326, 2345
<code>\NAT@cite</code>	2188	<code>\NAT@nmfmt</code>	2223, 2238, 2246, 2253, 2269, 2276
<code>\NAT@cite@list</code>	2205, 2294	<code>\NAT@num</code>	2184, 2293, 2302, 2316, 2317, 2338, 2349
<code>\NAT@citea@mbox</code>	2339	<code>\NAT@open</code>	2184, 2195
<code>\NAT@citenum</code>	2176	<code>\NAT@parse</code>	2214, 2303
<code>\NAT@citesuper</code>	2169	<code>\NAT@partrue</code>	2372
<code>\NAT@citeundefined</code>	2210, 2300		
<code>\NAT@citex</code>	2189		
<code>\NAT@citexnum</code>	2180		



<code>\NAT@penalty</code>	2186, 2194, 2330, 2345		4645, 4646, 4654, 4655, 4657,
<code>\NAT@reset@citea</code> 2203, 2292		4658, 4659, 4660, 4663, 4664,
<code>\NAT@reset@parser</code>	... 2201, 2290		4666, 4667, 4677, 4678, 4679,
<code>\NAT@set@cites</code> 2167, 2370		4680, 4681, 4682, 4687, 4688,
<code>\NAT@sort@cites</code> 2202, 2291		4689, 4690, 4691, 4692, 4693,
<code>\NAT@space</code>	. 2172, 2177, 2193, 2345		4694, 4695, 4696, 4697, 4698,
<code>\NAT@spacechar</code>	. 2177, 2184, 2193,		4733, 4738, 4770, 4802, 4816,
	2195, 2233, 2240, 2264, 2270,		4827, 4832, 4840, 4864, 4895,
	2346, 2348		4927, 4961, 4980, 5084, 5102,
<code>\NAT@super@kern</code>	. 2173, 2178, 2346		5109, 5151, 5159, 5202, 5208,
<code>\NAT@swafalse</code> 2376		5228, 5245, 5274, 5299, 5383,
<code>\NAT@swatrue</code> 2372		5384, 5386, 5676, 5678, 5684,
<code>\NAT@temp</code>	.. 2227, 2228, 2257, 2258		5687, 5689, 5692, 5696, 5698,
<code>\NAT@test</code>	.. 2313, 2346, 2352, 2354		5700, 5748, 5749, 5754, 5758,
<code>\NAT@year</code>	.. 2204, 2213, 2226, 2256		5763, 5782, 5784, 5960
<code>\NAT@yrsep</code> 2225, 2255, 2345	<code>\newcount</code>	. 3432, 4462, 4463, 4466,
<code>\natexlab</code> 2185, 2196		4768, 4769, 5807, 5808, 5809,
<code>\navardefault</code>	.. 3172, 3186, 3256,		5810, 5811, 5812, 5813, 5814,
	3264		5815, 5816, 5817, 5818, 5819,
<code>\navarfamilly</code>	3184, 3185, 3196, 3257		5820, 5822, 5823, 5824, 5825,
<code>\NeedsTeXFormat</code>	2901, 4437, 5306,		5826, 5827, 5828, 5829
	5666, 5803	<code>\newcounter</code> 5701, 5702
<code>\new@mathalphabet</code> 5372	<code>\newdimen</code>	.. 3433, 3434, 4766, 4767
<code>\new@mathbf</code> 5395, 5521, 5659	<code>\NewDocumentCommand</code>	. 3124, 3148,
<code>\new@mathgroup</code>	.. 5309, 5310, 5365		5395, 5403, 5411, 5419, 5427,
<code>\new@mathit</code> 5403, 5522, 5660		5640, 5653
<code>\new@mathrm</code> 5411, 5523, 5661	<code>\newenvironment</code>	1692, 2384, 2385,
<code>\new@mathsf</code> 5419, 5538, 5662		3385, 3395, 3403, 3404, 4735,
<code>\new@mathtt</code> 5427, 5553, 5663		4841, 5003, 5033, 5057, 5211,
<code>\new@mathversion</code> 5370		5260, 5286, 5730, 5764
<code>\new@symbolfont</code> 5371	<code>\newfam</code> 5310
<code>\newboolean</code>	4448, 4450, 4452, 4454,	<code>\newfontface</code> 2790
	4456, 4458, 4460	<code>\newfontlanguage</code> 2989
<code>\newcolumnntype</code> 5680, 5681	<code>\newfontscript</code> 2988
<code>\newcommand</code>	.. 90, 1642, 1643, 1689,	<code>\newif</code>	. 1594, 2982, 3431, 3474, 5806
	1691, 1692, 1694, 1699, 1703,	<code>\newlength</code>	4440, 4441, 4442, 4443,
	2198, 2288, 2374, 2379, 2815,		4444, 4446, 5694, 5785, 5787
	2906, 2941, 2943, 2949, 2955,	<code>\newmathalphabet</code> 5366
	3082, 3083, 3169, 3170, 3171,	<code>\newmathalphabet@</code> 5366
	3172, 3173, 3174, 3436, 3476,	<code>\newmathalphabet@@</code> 5366
	3477, 3481, 3513, 3753, 3758,	<code>\newpage</code>	... 4233, 4245, 4257, 4851
	3803, 3806, 3909, 3912, 4391,	<code>\newsavebox</code> 4734
	4445, 4500, 4544, 4545, 4548,	<code>\newsection</code> 5208
	4549, 4550, 4555, 4556, 4559,	<code>\next</code>	. 1618, 1620, 1621, 2397, 2398,
	4560, 4563, 4564, 4565, 4566,		2399, 2403, 2405, 2408, 2412,
	4569, 4570, 4574, 4575, 4578,		2413, 2415, 2421, 2426, 2430,
	4579, 4580, 4581, 4584, 4587,		2432, 2441, 2443, 2449, 2452,
	4592, 4597, 4600, 4602, 4605,		2456, 2463, 2465
	4610, 4611, 4622, 4623, 4626,	<code>\nobreak</code> 1599, 2170
	4627, 4635, 4636, 4639, 4640,	<code>\noexpand</code>	. 2396, 2416, 2422, 2424,



2434, 2442, 2444, 2456, 2457,
 2466, 3531, 3537, 3548, 3554,
 3565, 3571, 3576, 3582, 3588,
 3594, 3600, 3606, 3612, 3630,
 3646, 3661, 3677, 3693, 3702,
 3711, 3720, 5322
`\nohyphens` . 4616, 4631, 4650, 4671
`\noindent` . 4561, 4576, 4614, 4624,
 4629, 4637, 4642, 4648, 4656,
 4661, 4665, 4669, 4818, 4835,
 4916, 4942, 4967, 5014, 5091,
 5105, 5139, 5154, 5192, 5249,
 5277, 5302, 5304
`\non@alpherr` 5331, 5357
`\nopagebreak` 5796
`\normalcolor` 1899, 2140, 2150
`\normalfont` 3041, 3113, 3219, 3243,
 3267, 3291, 3315, 3339, 3359,
 3360, 3373, 3374
`\normalsize` 3411, 3530, 3531, 3615,
 4512, 4513, 4559, 5154, 5192
`\not` 5708
`\not@math@alphabet` . 3176, 3179,
 3182, 3185, 3188, 3191
`\null` 4703, 4719
`\number` 3816, 3818, 3819, 3917, 3919,
 3920, 4020, 4022, 4024, 4026,
 5323, 5347, 5961, 5962
`\numexpr` . . 5398, 5406, 5414, 5422,
 5430

O
`\obeyspaces` 5562, 5567
`\old@endquestion` 5791, 5799
`\old@question` 5790, 5797
`\or` 2041, 2042, 2043, 2045, 2046, 2070,
 2071, 2072, 2076, 2077, 2078,
 2079, 2080, 2084, 2085, 2246,
 2247, 2248, 2276, 2277, 2278,
 2351, 2353, 2355, 3789, 3790,
 3791, 3792, 3793, 3794, 3798,
 3799, 3800, 3837, 3838, 3839,
 3840, 3841, 3842, 3843, 3844,
 3845, 3846, 3850, 3889, 3890,
 3891, 3892, 3895, 3898, 3901,
 3902, 3905, 3906, 3907, 3938,
 3939, 3940, 3941, 3942, 3943,
 3944, 3945, 3946, 3947, 3951,
 3994, 3995, 3996, 3999, 4000,
 4001, 4002, 4003, 4006, 4007,
 4008, 4009, 4038, 4039, 4042,
 4043, 4046, 4047, 4050, 4124,
 4134, 4136, 4142, 4144, 4150,
 4152, 4158, 4165, 4173, 4180,
 4187, 4193, 4195, 4197, 4199,
 4205, 4211, 4225, 4271, 4310,
 4317, 4324, 4337, 4349, 4356,
 5967, 5968, 5969, 5970, 5971,
 5972, 5973
`\orig` . 5389, 5390, 5391, 5392, 5393,
 5396, 5404, 5412, 5420, 5428,
 5638, 5646, 5647, 5648, 5649,
 5650, 5658
`\originaltoday` 3405, 3406
`\Ovalbox` 5131, 5184
`\ovalbox` 5126, 5179
`\overline` 5581

P
`\p@` 2173, 3482, 3483, 3484, 3485, 3487,
 3490, 3491, 3493, 3497, 3498,
 3499, 3501, 3504, 3505, 3516,
 3519, 3681, 4704
`\PackageError` . . 1661, 1664, 1667,
 1670, 1673, 1676, 1679, 1682,
 1685, 3760, 3811, 4066, 4232,
 4238, 4244, 4250, 4256, 4262
`\PackageInfo` . . . 67, 79, 3467, 3468,
 4424, 4425, 5383
`\PackageWarning` 2211, 2300, 4012,
 4230
`\PackageWarningNoLine` 2228, 2258
`\page@free` 4748, 4750
`\pageautorefname` 1529
`\pagegoal` 5230
`\pagename` 1359, 3784
`\pagenumbering` . 15, 127, 138, 156,
 1309, 1775, 2683
`\pageref` . . 2881, 2883, 2889, 2891,
 4589, 5087
`\pagesFormat` 4663, 4665
`\pagestyle` 4806
`\pagetotal` 5231
`\par` . . . 10, 17, 24, 40, 46, 52, 58, 128,
 139, 146, 158, 816, 1301, 1311,
 1323, 1563, 1779, 2601, 2608,
 2615, 2623, 2650, 2705, 2757,
 4706, 4708, 4714, 4716, 4717,
 5206, 5291, 5736, 5796
`\paragraphautorefname` 1525



<code>\parallel</code>	4571	<code>\pookdefault</code>	3173, 3189, 3280, 3288
<code>\parbox</code>	5735, 5795	<code>\pookfamily</code>	3187, 3188, 3197, 3281
<code>\parindent</code>	3389, 3399	<code>\postmath</code>	201
<code>\parsep</code>	3617, 3628, 3629, 3633, 3644, 3645, 3648, 3659, 3660, 3663, 3675, 3676, 3690	<code>\PrefixCurrentTab</code>	2815
<code>\partautorefname</code>	1519	<code>\premath</code>	197
<code>\partname</code>	3777	<code>\prepnext@tok</code>	2038, 2048
<code>\partopsep</code>	3681, 3691, 3740	<code>\prg</code>	5450, 5453, 5455
<code>\PassOptionsToClass</code>	4468, 4469, 4470	<code>\printindex</code>	4233, 4245, 4257
<code>\pbs</code>	5679, 5680	<code>\process@table</code>	5369
<code>\pdflastxpos</code>	1576	<code>\ProcessOptions</code>	4482, 5802
<code>\pdfsavepos</code>	1575	<code>\ProcessOptionsX</code>	4375
<code>\pdfstringdefDisableCommands</code>	1542	<code>\proofname</code>	3786
<code>\penalty</code>	195, 201, 2186, 3420	<code>\protect</code>	4888, 4889, 4891, 4920, 4921, 4923, 4954, 4955, 4957, 4974, 4975, 4977, 4995, 4996, 4998, 5094, 5095, 5097, 5685, 5688, 5690, 5693, 5711, 5716, 5717, 5718, 5720, 5721, 5722, 5742, 5743
<code>\persian</code>	3393, 3395	<code>\protected@write</code>	4331, 4335
<code>\PersianAlphs</code>	3393, 3404, 4267, 4272, 4436	<code>\providecommand</code>	4011
<code>\persianday</code>	86, 5966	<code>\ProvidePersianTranslation</code>	90, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108
<code>\persiandecimalseparator</code>	5520, 5596	<code>\ProvidesClass</code>	4438
<code>\PersianDisplayMathDigits</code>	4153, 5608, 5614	<code>\ProvidesFile</code>	1, 4, 8, 14, 23, 38, 44, 50, 56, 62, 82, 89, 111, 120, 122, 133, 144, 152, 164, 204, 1157, 1217, 1234, 1245, 1288, 1299, 1305, 1317, 1321, 1328, 1487, 1495, 1509, 1513, 1560, 1567, 1646, 1649, 1688, 1773, 1786, 1796, 2166, 2529, 2599, 2606, 2613, 2621, 2629, 2680, 2736, 2788, 2806, 2826, 2837
<code>\persianfont</code>	3031, 3373, 3375	<code>\ProvidesPackage</code>	2907, 5307, 5667, 5804
<code>\PersianInlineMathDigits</code>	4145, 5604, 5613	<code>\providetranslation</code>	91
<code>\PersianMathDigits</code>	4137, 5612	<code>\prq</code>	2961
<code>\persianmathdigits</code>	5508, 5605, 5609, 5617, 5621	<code>\ptctitle</code>	1787
<code>\persianmathsfdigits</code>	5538, 5606, 5610, 5618, 5622		
<code>\persianmathttdigits</code>	5553, 5607, 5611, 5619, 5623		
<code>\persianmonth</code>	86, 5965		
<code>\persiansfdefault</code>	3169, 3177, 3208, 3216		
<code>\persiansffamily</code>	3175, 3176, 3193, 3209		
<code>\persiantoday</code>	3407, 5960		
<code>\persianttdefault</code>	3170, 3180, 3232, 3240		
<code>\persianttfamily</code>	3178, 3179, 3194, 3233		
<code>\persianyear</code>	86, 5964		
<code>\pictureCaptionFormat</code>	4659, 4661		
<code>\plftitle</code>	1788		
<code>\plq</code>	2962		
<code>\plttitle</code>	1789		

Q

<code>\quad</code>	3747
<code>\question</code>	5790
<code>\questionsepspace</code>	5787, 5788, 5800
<code>\questionspace</code>	5694, 5695, 5736
<code>\questiontitle</code>	5782, 5801
<code>\questiontitlefont</code>	5784



`\questiontitlespace` . 5785, 5786, 5796
R
`\raggedFormat` .. 4500, 5148, 5222, 5268, 5293
`\RaggedLeft` 4500
`\raisebox` 4546, 4551
`\redeflatinfont` 3150
`\redefpersianfont` 3126
`\ref` 2896, 2898
`\refname` 121, 3775
`\refstepcounter` 5752, 5753
`\reftextafter` 2854
`\reftextbefore` 2862
`\reftextcurrent` 2870
`\reftextfaceafter` 2838
`\reftextfacebefore` 2846
`\reftextfaraway` 2878
`\reftextlabelrange` 2894
`\reftextpagerange` 2886
`\reftextvario` .. 2841, 2843, 2849, 2851, 2857, 2859, 2865, 2867, 2873, 2875
`\relax` .. 86, 1609, 1689, 1886, 1918, 2053, 2054, 2075, 2076, 2077, 2138, 2148, 2172, 2178, 2222, 2252, 2280, 2287, 2293, 2320, 2327, 2338, 2493, 2660, 2716, 2768, 2809, 2965, 2983, 3350, 3351, 3355, 3356, 3469, 3514, 3518, 3701, 3710, 3719, 4121, 4132, 4140, 4148, 4156, 4163, 4171, 4178, 4185, 4191, 4203, 4209, 4215, 4219, 4223, 4229, 4242, 4254, 4266, 4308, 4315, 4322, 4329, 4338, 4339, 4344, 4350, 4354, 4383, 4387, 4393, 4394, 4395, 4419, 4421, 4482, 4701, 4722, 4723, 4728, 4729, 4730, 4731, 5312, 5326, 5336, 5352, 5385, 5387, 5398, 5406, 5414, 5422, 5430, 5499, 5595, 5630, 5634, 5834, 5835, 5837, 5842, 5847, 5848, 5854, 5856, 5858, 5860, 5861, 5862, 5863, 5864, 5865, 5866, 5867, 5868, 5869, 5870, 5872, 5874, 5875, 5880, 5881, 5888, 5890, 5893, 5897, 5898, 5901, 5902, 5905, 5910, 5912, 5914, 5916, 5917, 5918, 5919, 5920, 5921, 5922, 5923, 5924, 5925, 5926, 5927, 5929, 5930, 5933, 5938, 5942, 5948, 5950, 5951
`\renewcommand` 9, 16, 24, 30, 31, 34, 39, 40, 45, 46, 51, 52, 57, 58, 85, 115, 117, 123, 124, 128, 134, 135, 139, 145, 146, 153, 157, 158, 1300, 1301, 1306, 1310, 1311, 1318, 1319, 1320, 1322, 1323, 1329, 1330, 1337, 1344, 1345, 1352, 1359, 1360, 1367, 1374, 1375, 1382, 1389, 1396, 1403, 1410, 1417, 1424, 1431, 1438, 1445, 1452, 1459, 1466, 1473, 1480, 1489, 1491, 1493, 1562, 1774, 1776, 1777, 1778, 1779, 2167, 2184, 2195, 2600, 2601, 2607, 2608, 2614, 2615, 2622, 2623, 2630, 2631, 2659, 2681, 2685, 2686, 2715, 2737, 2738, 2767, 2807, 2827, 2828, 2829, 2830, 2831, 2832, 2833, 2834, 2835, 2836, 3429, 3743, 3749, 4060, 4233, 4245, 4257, 4512, 4519, 4521, 4523, 4530, 4537, 4538, 4539, 4540, 4541, 4593, 4594, 4595, 4606, 4607, 4608, 4699, 4804, 4840, 4860, 5199, 5209, 5214, 5683
`\RenewDocumentCommand` 3129, 3153
`\renewenvironment` ... 1496, 5792
`\repeat` 3464, 5935, 5944
`\RequirePackage` 2909, 2910, 2911, 2912, 4439, 4484, 4485, 4486, 4487, 4488, 4489, 4491, 4493, 4495, 4496, 4497, 4498, 4499, 5669, 5670, 5671, 5672, 5673, 5674
`\reserved@a` 1850, 1854, 1860, 1866, 1869, 1872, 1875, 1878, 1881, 1884
`\reserved@b` 1830, 1831
`\reset@font` 2210, 2299, 3360, 3374, 3409, 3423
`\resetlatinfont` .. 113, 115, 1318, 1319, 1489, 1491, 2798, 3345, 3381, 3383, 3403, 3410, 3429,



4062

`\restore@mathversion` 5369

`\restoreapp` 36

`\rightfootnoterule` 4196

`\rightline` 5203

`\rl` 1544, 3382, 3407

`\RLE` 3382

`\rmdefault` 3030, 3038, 3110

`\Roman` 1225, 2667, 2723, 2775

`\roman` 1224, 2668, 2724, 2776

`\romannumeral` 2676, 2732, 2784,
5934, 5943, 5953

`\RTL` 3393

`\RTLfoottextfont` 1320

`\rule` 4563, 4689, 4791, 4797, 4884,
4916

S

`\sayehdefault` 3174, 3192, 3304,
3312

`\sayehfamily` 3190, 3191, 3198, 3305

`\scan` 5452

`\scriptsize` 3575, 3576, 4521

`\secondarticle` 4895, 4920, 4921,
4923

`\secondSubtitleFormat` 4635, 4637

`\secondTextFormat` 4639, 4642

`\secondTitleFormat` 4626, 4631,
4632

`\section` 3761

`\sectionautorefname` 1522

`\sectionname` 11, 1564

`\select@group` 5311

`\selectfont` 3035, 3060, 3083, 3107,
3140, 3164, 3177, 3180, 3183,
3186, 3189, 3192, 3213, 3237,
3261, 3285, 3309, 3333, 3363,
3377, 3470

`\set@@mathdelimiter` 5376

`\set@fontsize` 4382, 4386, 4418

`\set@mathaccent` 5373

`\set@mathchar` 5373

`\set@mathdelimiter` 5375

`\set@mathsymbol` 5374

`\setboolean` 2816, 2817, 4449, 4451,
4453, 4455, 4457, 4459, 4461,
4477, 4478, 4480, 4481, 4843,
4861, 5006, 5031, 5060, 5082

`\setbox` 179, 1897, 1940, 2044, 2046,
2047, 2137, 2140, 2147, 2150,
2799, 2803, 3387, 3397

`\setclass` 1614, 1624, 1625, 1626,
1627, 1628, 1629, 1630, 1631

`\setcounter`
. 27, 29, 33, 41, 42, 47, 48, 53,
54, 59, 60, 129, 130, 140, 141,
147, 148, 159, 160, 1302, 1303,
1312, 1313, 1324, 1325, 1780,
1781, 2602, 2603, 2609, 2610,
2616, 2617, 2624, 2625, 2651,
2652, 2706, 2707, 2758, 2759,
2810, 2814, 2818, 2819, 2820,
2821, 2822, 2823, 2824, 4721,
5705

`\setdigitfont` 3087

`\SetDisplayMathDigits` 5599, 5608,
5620, 5630, 5633

`\SetEnumerateShortLabel` 1240,
1241, 1242, 1243, 1244

`\setfontsize` 3513, 4123, 4125

`\SetInlineMathDigits` 5598, 5604,
5616, 5629, 5634

`\setiranicfont` 3320

`\setkeys` 170, 187

`\setlatinmonofont` 3119

`\setlatinsansfont` 3118

`\setlatintextfont` 3095, 4435

`\setlength` 1916, 1919, 1938, 3485,
3487, 3491, 3493, 3499, 3501,
3505, 3507, 3515, 3519, 3521,
3529, 3539, 3540, 3546, 3556,
3557, 3563, 3573, 3574, 3579,
3580, 3585, 3586, 3591, 3592,
3597, 3598, 3603, 3604, 3609,
3610, 3616, 3681, 3723, 3724,
3731, 3732, 3733, 3734, 3735,
3736, 3737, 3738, 3739, 4447,
4479, 4514, 4515, 4516, 4517,
4525, 4526, 4527, 4528, 4532,
4533, 4534, 4535, 4740, 4744,
4785, 4786, 4803, 4808, 4809,
4933, 4965, 5037, 5062, 5065,
5113, 5114, 5162, 5163, 5229,
5230, 5246, 5695, 5786, 5788

`\setLTRcitationfont` 113

`\SetMathAlphabet` 5372

`\SetMathAlphabet@` 5372

`\SetMathCharDef` 5386, 5520

`\SetMathCode` 5384, 5509, 5510, 5511,
5512, 5513, 5514, 5515, 5516,



5517, 5518, 5519, 5642, 5644,
 5655, 5657
 \setmathdigitfont 5493
 \setmathsfdigitfont 5528
 \setmathttdigitfont 5543
 \setmonofont 3119
 \setnavarfont 3248
 \setpersianfont . 117, 1320, 1493,
 2802, 3367, 3382, 3393, 3404,
 3429
 \setpersianmonofont 3224
 \setpersiansansfont 3200
 \setpookfont 3272
 \setsansfont 3118
 \setsayehfont 3296
 \SetSymbolFont 5371
 \SetSymbolFont@ 5371
 \settexitdigitfont 3046
 \settexitfont 3022, 4067
 \setthesection 1776
 \sf@size 4405, 4407
 \sffamily 4544
 \shadowbox 5116, 5169
 \shadowsize 5114, 5163, 5167
 \shortarticleitem 5299
 \shortarticleItemTitleFormat .
 4697, 4698
 \shortarticleSubtitleFormat ..
 4695, 4696
 \shortarticleTitleFormat 4693,
 4694
 \sixt@on 1849, 1886
 \skip 3725
 \slftitle 1794
 \slttitle 1795
 \small 3547, 3548, 3762, 4523, 4524,
 4578, 4582, 4588, 4659, 4681,
 4700
 \smash 3765
 \SOUL@tt ... 2789, 2791, 2799, 2803
 \SOUL@tt@latin 2789, 2795
 \SOUL@tt@nonlatin ... 2790, 2793
 \SOUL@ttwidth 2800, 2804
 \space 2212, 2301, 2907, 2924, 3426,
 3750, 3754, 4018, 4747, 4748,
 4888, 4889, 4891, 4920, 4921,
 4923, 4954, 4955, 4957, 4974,
 4975, 4977, 4995, 4996, 4998,
 5094, 5095, 5097, 5204, 5726,
 5961, 5962
 \SplitFootnoteRule 4198
 \ssf@size 4411, 4413
 \stctitle 1793
 \stepcounter . 26, 2812, 5701, 5714,
 5745
 \str .. 3038, 3110, 3216, 3240, 3264,
 3288, 3312, 3336
 \string . 67, 1975, 2009, 2098, 2467,
 2635, 2636, 2639, 2641, 2643,
 2645, 2646, 2647, 2690, 2691,
 2694, 2696, 2698, 2700, 2701,
 2702, 2742, 2743, 2746, 2748,
 2750, 2752, 2753, 2754, 3422,
 4332, 4336, 4399, 4401, 4405,
 4407, 4411, 4413
 \strip@pt . 3349, 3354, 3469, 3517,
 4392
 \subparagraphautorefname . 1526
 \subsectionautorefname ... 1523
 \subsubsectionautorefname 1524
 \SwitchToDefaultMathDigits 5640
 \SwitchToPersianMathDigits 5653
 \symnew@mathbf@font@digits 5398
 \symnew@mathit@font@digits 5406
 \symnew@mathrm@font@digits 5414
 \symnew@mathsf@font@digits 5422
 \symnew@mathtt@font@digits 5430

 T
 \tableautorefname 1518
 \tablename 1374, 1391, 3769
 \tabularxcolumn 5683
 \tartibi .. 1221, 1235, 1240, 2664,
 2720, 2772, 3909
 \tartibinumeral 3915
 \test 1617, 1618, 1619
 \tex 5449, 5452
 \textbf 2, 3, 1498, 1500, 1502, 1504,
 5105, 5139, 5154, 5192
 \textblockorigin 4765
 \textdegree 4579
 \TextDigitFontOff 3477
 \TextDigitFontOn 3476, 3479
 \textfloatsep 3729, 3733
 \textheight 4772, 4797
 \textiranic 3195
 \textit 4690
 \textnavar 3196
 \textpersiansf 3193
 \textpersiantt 3194



<code>\textpook</code>	3197	<code>\thirdTitleFormat</code>	4645, 4650, 4651
<code>\textsayah</code>	3198	<code>\thispagestyle</code>	4844, 4849
<code>\textsc</code>	4692	<code>\thr@@</code>	1608, 1972, 1991, 1992, 2006, 2027, 2028, 2054, 2066, 2067, 2095, 2122, 2123
<code>\textsf</code>	3747	<code>\timestamp</code>	4682, 4879, 4909, 4945
<code>\textsuperscript</code>	2170	<code>\timestampFormat</code>	4681, 4683
<code>\texttt</code>	4549	<code>\timestampSeparator</code>	4680, 4685
<code>\textwidth</code>	1943, 4771, 4791, 5103, 5732	<code>\timestampTxt</code>	4679, 4684
<code>\textwidthfootnoterule</code>	4200	<code>\tiny</code>	3581, 3582, 4519
<code>\tf@size</code>	4399, 4401	<code>\title</code>	4728
<code>\thanks</code>	4702, 4722	<code>\TitleBarFrame</code>	1498, 1500, 1502, 1504
<code>\the</code>	86, 166, 171, 1601, 1603, 1607, 1609, 1920, 2418, 2423, 2429, 2436, 2446, 2460, 2939, 3440, 3441, 3442, 3445, 3446, 3447, 3451, 3452, 3453, 3456, 3457, 3458, 3520, 3532, 3533, 3534, 3535, 3536, 3549, 3550, 3551, 3552, 3553, 3566, 3567, 3568, 3569, 3570, 3577, 3583, 3589, 3595, 3601, 3607, 3613, 3627, 3628, 3643, 3644, 3658, 3659, 3674, 3675, 3689, 3691, 4747, 4748, 5233, 5629, 5633, 5934, 5943, 5953	<code>\tl</code>	2994, 2995, 2996, 3003, 3009, 3010, 3011, 3018, 3030, 3039, 3111, 3118, 3119, 3208, 3217, 3232, 3241, 3256, 3265, 3280, 3289, 3304, 3313, 3328, 3337, 5363, 5380, 5438, 5521, 5522, 5523, 5538, 5553, 5645, 5646, 5647, 5648, 5649, 5650, 5658, 5659, 5660, 5661, 5662, 5663
<code>\the@choice</code>	5704, 5726	<code>\tmp</code>	5679
<code>\thebook</code>	1777	<code>\today</code>	3405, 3407, 5200
<code>\thechapter</code>	20, 31, 132, 143, 150, 162, 1315, 1327, 1776, 1783, 2605, 2612, 2619, 2627, 2709, 2761	<code>\topsep</code>	3619, 3627, 3635, 3643, 3650, 3658, 3665, 3674, 3679, 3689, 3692
<code>\theClass</code>	1614, 1619	<code>\TPHorizModule</code>	4560, 4785, 4884, 4916, 4967, 5014, 5015, 5038, 5039, 5062
<code>\theHchapter</code>	1536, 1554	<code>\TPVertModule</code>	4786
<code>\theHsection</code>	1535, 1552	<code>\true</code>	5754
<code>\thempfn</code>	1945	<code>\truesymbol</code>	5748
<code>\thempfootnote</code>	1945, 4059	<code>\ttdefault</code>	3082, 3083
<code>\theoremautorefname</code>	1528	<code>\tw@</code>	1600, 1867, 1870, 1952, 1958, 1959, 1961, 1971, 1981, 1982, 2005, 2015, 2016, 2053, 2059, 2060, 2065, 2094, 2104, 2105, 2313, 3440, 3441, 3442, 3445, 3446, 3447
<code>\thepage</code>	2212, 2229, 2259, 2301, 3426, 4589	<code>\twocolumnstableofcontents</code>	3758
<code>\thepart</code>	9, 16, 39, 45, 51, 57, 123, 134, 145, 157, 1300, 1310, 1322, 1562, 1778, 2600, 2607, 2614, 2622, 2630, 2685, 2737	<code>\typeout</code>	2938, 2940, 4733
<code>\thequestion</code>	5725, 5765, 5801		
<code>\thesection</code>	12, 34, 43, 49, 55, 61, 1304, 1565, 2653		
<code>\thirdarticle</code>	4927, 4954, 4955, 4957		
<code>\thirdSubtitleFormat</code>	4654, 4656		
<code>\thirdTextFormat</code>	4657, 4658		

U

<code>\uccode</code>	5564
<code>\Umathchardef</code>	5387
<code>\Umathcode</code>	5385
<code>\Umathcodenum</code>	2533
<code>\undefined</code>	1807, 5596, 5605, 5606, 5607, 5609, 5610, 5611, 5617,



5618, 5619, 5621, 5622, 5623
\unhbox 1929
\unpenalty 201
\unskip 198, 2083, 2084, 2085, 2170,
2233, 2264
\unvbox 1929
\uppercase 5565
\Url@actpercent 2532
\Url@Edit 2532
\Url@String 2532
\use .. 3031, 3044, 3054, 3085, 3103,
3116, 3134, 3138, 3158, 3162,
3209, 3222, 3233, 3246, 3257,
3270, 3281, 3294, 3305, 3318,
3329, 3342, 5526, 5541, 5556
\use@mathgroup 5322
\usebox 4737
\usecounter 5738
\usefonttheme 83
\UseOneTimeHook . 2656, 2712, 2764

V

\value 2809, 5708, 5724
\ vbox . 1900, 1917, 1922, 1923, 1940,
2047, 2137, 2141, 2147, 2151,
5276, 5302
\ vcenter 1926, 1927
\ verbatim@ 1693
\ verbatim@addtoline . 2402, 2417,
2428, 2435, 2437, 2445, 2447,
2459, 2461
\ verbatim@finish 2455
\ verbatim@processline 2406, 2419,
2439
\ verbatim@startline . 2395, 2407,
2420, 2440
\ version@elt 5368
\ version@list 5368
\ vfil 4703, 4719
\ voidb@x 179
\ vrb@catcodes 2389
\ vskip 4704, 4707, 4709, 4715
\ vspace 4739, 4758, 4820, 4830, 4873,
4877, 4900, 4903, 4907, 4914,
4932, 4936, 4940, 4949, 5008,
5012, 5068, 5089, 5137, 5141,
5160, 5190, 5194, 5239, 5241,
5251, 5254, 5279, 5281, 5301,
5303, 5736, 5794, 5796
\ vss 1929

\vtop 1924, 1925, 2046

W

\ wd 2800, 2804
\ weatherFormat 4574, 4576
\ weatheritem 4980, 4995, 4996, 4998
\ weatherTempFormat .. 4578, 4988
\ weatherUnits 4579, 4990
\ whiledo 5708
\ width 1506, 2498, 2499
\ write 3422, 4235, 4247, 4259
\ writexviiifalse 2986
\ writexviiitru e 2984

X

\ X 5678
\ x 2968, 2973
\ xdef . 1537, 1556, 4399, 4401, 4405,
4407, 4411, 4413, 5322, 5704,
5709, 5733, 5734, 5755, 5756,
5759, 5760
\ XePersian . 1545, 3747, 3765, 4598
\ xepersian 2476, 2478
\ xepersian@adadi ... 3825, 3850
\ xepersian@adadi@tartibi 3926,
3951
\ xepersian@baselineskip@scale
3347, 3353, 3365, 3369, 3371,
3379, 4300, 4387
\ xepersian@fontsize@branch ..
..... 4117, 4292
\ xepersian@fontsize@scale 3346,
3348, 3364, 3368, 3370, 3378,
4288, 4383, 4394
\ xepersian@latin@baselineskip@scale
.... 3355, 3365, 4304
\ xepersian@latin@fontsize@scale
.... 3350, 3364, 4296
\ xepersian@math@fontsize@scale
..... 4284, 4392
\ xepersian@start@switch@textdigitfont
3064, 3066, 3069, 3071, 3073,
3075, 3077, 3082, 4346
\ xepersian@stop@switch@textdigitfont
3065, 3067, 3068, 3072, 3074,
3076, 3078, 3083
\ xepersian@update@math@fontsize
.. 4391, 4401, 4407, 4413
\ xepersian@A 1592, 1624, 1638, 1640,
3075, 3076



\expersian@adadi 3819, 3824
\expersian@adadi@tartibi 3920,
3925
\expersian@cmds@temp . 2963, 2981
\expersian@coltitsize 4441, 5164,
5165, 5166, 5167, 5170, 5175,
5180, 5185
\expersian@computeautoilg 3436,
4422
\expersian@cx . . . 4768, 4773, 4790
\expersian@cy . . . 4769, 4774, 4796
\XePersian@d 5807, 5832, 5937, 5956,
5958, 5961, 5966
\expersian@d 1589, 1626, 1627, 1628,
1629, 1633, 1634, 1635, 1637,
1638, 3071, 3072
\expersian@dahgan 3883, 3904, 3987
\expersian@dahgan@tartibi 3985,
3993
\XePersian@dn . . 5827, 5926, 5934,
5937, 5940, 5944, 5956, 5958
\expersian@dx . . 4766, 4771, 4782,
4785
\expersian@dy . . 4767, 4772, 4783,
4786
\expersian@edition . 4548, 4552,
4588, 4708, 4840
\expersian@editionLogo . . 4550,
4818, 4836
\expersian@editorialTit . 5245,
5264
\expersian@editorialTitle 4691,
5250
\expersian@everyjob . . 2939, 2940
\expersian@firstText . 4623, 4879
\expersian@firstTitle 4611, 4874
\expersian@fmbx 4734, 4736, 4737
\expersian@footcenter 4600, 4607,
4859
\expersian@footleft . 4602, 4606,
4858
\expersian@footright 4597, 4608,
4857
\expersian@frag 4120, 4122, 4123,
4125
\expersian@gridcolumns . . 4463,
4465, 4504, 4508
\expersian@gridrows . 4462, 4464,
4504, 4508
\expersian@headcenter 4584, 4594,
4856
\expersian@headDateTime . 4570,
4824, 4838
\expersian@headleft . 4581, 4593,
4855
\expersian@headright 4587, 4595,
4854
\XePersian@i 5807, 5930, 5931, 5933,
5934, 5935, 5938, 5942, 5943,
5946, 5947, 5950, 5953, 5955
\expersian@ilg . 3433, 3437, 3441,
3442, 3446, 3447, 3465
\expersian@imgsize . 4440, 4741,
4742, 4744, 4753, 4754
\expersian@incolumntitle 5151,
5170, 5175, 5180, 5185
\expersian@indexEntry 4560, 5087
\expersian@indexEntryPage 4566,
5087
\expersian@indexFrameTitle 4556,
5063
\expersian@indexwidth 4444, 4563,
5062, 5066, 5067
\expersian@inexpandedtitle 5102,
5117, 5122, 5127, 5132
\expersian@innerSubtitle 4678,
5218
\expersian@innerTitle 4667, 5217
\XePersian@kabisehfalsh . 5877,
5883
\XePersian@kabisehtrue . . . 5883
\expersian@kashida . 1595, 1633,
1634, 1635, 1636, 1637, 1638,
1639
\expersian@kashidachar . . 1587,
1601, 1603, 1605, 1607, 1609
\expersian@L 1590, 1630, 1634, 1635,
1636, 1639, 1640, 3073, 3074
\XePersian@latini . . . 5808, 5854
\XePersian@latinii . 5809, 5856,
5858
\XePersian@latiniii . . 5810, 5860
\XePersian@latiniv . . 5811, 5861
\XePersian@latinix . . 5816, 5866
\XePersian@latinv . . . 5812, 5862
\XePersian@latinvi . . 5813, 5863
\XePersian@latinvii . . 5814, 5864
\XePersian@latinviii . 5815, 5865
\XePersian@latinx . . . 5817, 5867
\XePersian@latinxi . . 5818, 5868



\XePersian@latinxii . . 5819, 5869
\XePersian@leapfalse 5839, 5843,
5849
\XePersian@leaptrue . . 5849, 5850
\XePersian@localize@verbatim@
1693, 2397, 2398, 2400, 2408,
2421, 2430, 2441, 2449, 2463
\XePersian@localize@verbatim@@
. 2400, 2401
\XePersian@localize@verbatim@@@
. 2403, 2404
\XePersian@localize@verbatim@@@testend
. 2443, 2453
\XePersian@localize@verbatim@rescan
. 2457, 2466
\XePersian@localize@verbatim@start
. . 2394, 2469, 2470, 2481
\XePersian@localize@verbatim@test
. . . . 2412, 2414, 2415
\XePersian@localize@verbatim@testend
. 2426, 2433
\XePersian@lrm 1586, 1598
\XePersian@m 5807, 5832, 5928, 5947,
5950, 5962, 5965
\XePersian@milyoongan 3852, 3863
\XePersian@milyoongan@tartibi
. 3953, 3964
\XePersian@mminusone 5829, 5928,
5929, 5931, 5935
\XePersian@ncol 4795, 4796
\XePersian@ncolumns . 4445, 5146,
5147, 5214
\XePersian@nrow 4789, 4790
\XePersian@numberoutofrange . .
. . . . 3810, 3821, 3922
\XePersian@numberstring . 3807,
3815
\XePersian@numberstring@tartibi
. 3913, 3916
\XePersian@PackageInfo . . 5383,
5502
\XePersian@pageleft . 4443, 5230,
5231, 5233, 5235
\XePersian@pageneed . 4442, 4744,
4745, 4747, 4750, 5229, 5235
\XePersian@pages 4664, 4899, 4931,
5216
\XePersian@persian@@@releasename
. 2905, 2906
\XePersian@persian@month 5962,
5967
\XePersian@persiani . 5808, 5908,
5909, 5939, 5956
\XePersian@persianii . 5809, 5910
\XePersian@persianiii 5810, 5912,
5914
\XePersian@persianiv . 5811, 5916
\XePersian@persianix . 5816, 5921
\XePersian@persianv . . 5812, 5917
\XePersian@persianvi . 5813, 5918
\XePersian@persianvii 5814, 5919
\XePersian@persianviii . . 5815,
5920
\XePersian@persianx . . 5817, 5922
\XePersian@persianxi . 5818, 5923
\XePersian@persianxii 5819, 5924
\XePersian@persianxiii . . 5820,
5925
\XePersian@pictureCaption 4660,
4756, 4970
\XePersian@R 1591, 1625, 1637, 1639,
3077, 3078
\XePersian@releasename . . 2904,
2906, 2907, 2924, 3750, 3754
\XePersian@sadgan . . 3856, 3861,
3865, 3869, 3874, 3957, 3970
\XePersian@sadgan@tartibi 3962,
3966, 3975
\XePersian@save@@@family 3082,
3083
\XePersian@say . 4733, 5213, 5233,
5236, 5238, 5262, 5288
\XePersian@secondSubtitle 4636,
4905
\XePersian@secondText 4640, 4909
\XePersian@secondTitle . . 4627,
4901
\XePersian@section . 4580, 4585,
5209
\XePersian@setlength 3481, 3524,
3526, 3527, 3541, 3543, 3544,
3558, 3560, 3561, 3617, 3619,
3633, 3635, 3648, 3650, 3663,
3665, 3679, 3725, 3727, 3729,
3740
\XePersian@shellescape . . . 2983
\XePersian@shortarticleItemTitle
. 4698, 5302
\XePersian@shortarticleSubtitle
. 4696, 5282



`\xepersian@shortarticleTit` 5274,
5289
`\xepersian@shortarticleTitle` .
..... 4694, 5278
`\XePersian@sn` .. 5828, 5927, 5939,
5940, 5943, 5944, 5953, 5958
`\xepersian@strutilg` . 3434, 3437,
3452, 3453, 3457, 3458, 3465,
3466, 3469, 4423, 4426
`\xepersian@tartibi` .. 3913, 3998
`\xepersian@tcl` . 3432, 3437, 3439,
3440, 3441, 3442, 3445, 3446,
3447, 3451, 3452, 3453, 3456,
3457, 3458, 3463, 3464
`\XePersian@temp` 5822, 5833, 5834,
5835, 5837, 5841, 5842, 5843,
5846, 5847, 5848, 5849, 5871,
5872, 5873, 5876, 5877, 5879,
5882, 5883, 5887, 5888, 5891,
5894, 5899, 5904, 5906, 5907,
5909
`\xepersian@tempa` 4131, 4139, 4147,
4155, 4162, 4170, 4177, 4184,
4190, 4202, 4208, 4214, 4218,
4222, 4228, 4241, 4253, 4265,
4307, 4314, 4321, 4328, 4343,
4353
`\xepersian@tempb` 4131, 4132, 4139,
4140, 4147, 4148, 4155, 4156,
4162, 4163, 4170, 4171, 4177,
4178, 4184, 4185, 4190, 4191,
4202, 4203, 4208, 4209, 4214,
4215, 4218, 4219, 4222, 4223,
4228, 4229, 4241, 4242, 4253,
4254, 4265, 4266, 4307, 4308,
4314, 4315, 4321, 4322, 4328,
4329, 4343, 4344, 4353, 4354
`\XePersian@tempthree` 5824, 5885,
5886, 5887, 5889, 5892, 5895,
5896, 5900, 5903, 5904, 5905,
5906
`\XePersian@temptwo` . 5823, 5873,
5874, 5875, 5876, 5879, 5880,
5881, 5882, 5889, 5890, 5891,
5892, 5893, 5894, 5896, 5897,
5898, 5899, 5900, 5901, 5902,
5903
`\xepersian@textdigitfont` 3056,
3082, 4347
`\xepersian@thirdSubtitle` 4655,
4938
`\xepersian@thirdText` . 4658, 4945
`\xepersian@thirdTitle` 4646, 4934
`\XePersian@thirtytwo` 5826, 5870,
5877
`\xepersian@tmp` 4119, 4120
`\xepersian@V` 1593, 1631
`\xepersian@value` 4122, 4125
`\xepersian@version` . 2902, 2907,
2924, 2942, 2944, 2950, 2956,
3750, 3754
`\xepersian@weather` .. 4575, 5010
`\xepersian@www` 4545, 4818
`\xepersian@wwwFormat` . 4544, 4546
`\XePersian@y` 5807, 5832, 5833, 5836,
5846, 5849, 5871, 5885, 5948,
5951, 5962, 5964
`\xepersian@yekani` .. 3856, 3884,
3888, 3895, 3898, 3957
`\xepersian@yekanii` . 3807, 3869,
3894, 3970
`\xepersian@yekaniiii` . 3865, 3897,
3966
`\xepersian@yekaniv` . 3876, 3900,
3977
`\xepersian@yekanv` ... 3989, 4005
`\XePersian@yModHundred` .. 5825,
5836, 5837, 5838, 5841, 5845
`\xepersian@zwwj` .. 1585, 1597, 1610
`\xepersian@date` . 2903, 2907, 2924,
3750
`\xepersian@Init` 4501, 4802
`\xepersian@releasename` 2906
`\xepersian@version` 2941
`\XeTeXcharclass` 1619
`\XeTeXcharglyph` 1601, 1603, 1607,
1609, 3440, 3441, 3442, 3445,
3446, 3447, 3451, 3452, 3453,
3456, 3457, 3458
`\XeTeXglyphbounds` .. 1600, 1602,
1606, 1608, 3440, 3441, 3442,
3445, 3446, 3447, 3451, 3452,
3453, 3456, 3457, 3458
`\XeTeXinterchartoks` . 1633, 1634,
1635, 1636, 1637, 1638, 1639,
1640, 3064, 3065, 3066, 3067,
3068, 3069, 3071, 3072, 3073,
3074, 3075, 3076, 3077, 3078
`\xpg@warning` 4011, 4016, 4018



Y
 \y 2969, 2971, 2973
 \year 5832

Z
 \z 2970, 2971
 \z@ .. 10, 18, 181, 182, 193, 195, 1563,
 1845, 1945, 1949, 1954, 1955,
 1963, 1973, 1977, 1978, 1983,
 1997, 2007, 2011, 2012, 2017,
 2033, 2055, 2056, 2067, 2085,
 2096, 2100, 2101, 2114, 2128,
 2315, 2361, 2363, 2372, 2496,
 2497, 2504, 2505, 2799, 2800,
 2803, 2804, 3066, 3067, 3387,
 3388, 3397, 3398, 3437, 3440,
 3445, 3451, 3456, 3482, 3483,
 3484, 3490, 3497, 3498, 3504,
 3526, 3543, 3560, 3681, 3690,
 3734, 3851, 3853, 3855, 3859,
 3875, 3878, 3884, 3952, 3954,
 3956, 3960, 3976, 3979, 3989,
 4018, 4040, 4044, 4048, 4051,
 4118, 5883

☒
 \ 1148, 1785, 2381
 \ 1809, 1811, 1814, 1821
 \ 1814
 \ .. 1799, 1806, 1807, 1810, 1811,
 1819, 1821
 \ 1804, 1805, 1809, 1816
 \ 1797, 1803, 1804, 1809, 1814, 1815
 \ .. 1149, 1150, 1151, 1152, 1153,
 1154, 1155, 1156, 1807
 \ . 1809, 1810, 1815, 1816, 1818,
 1819
 \ 1809, 1814
 \ 1809, 1810, 1815, 1819
 \ 1804, 1805
 \ 1809, 1811, 1816, 1821
 @ \ 1798, 1802

☒
 @ \ 2506, 2507, 2508, 2509, 2510,
 2511, 2512, 2513, 2514, 2515,
 2516, 2517, 2518, 2519, 2520,
 2521, 2522, 2523, 2524, 2525,
 2526, 2527
 @ \ 1798

\ 1804
 \ 1798, 1802
 \ 2160, 2468
 \ 2382
 \ 1805, 2157, 2158

☒
 \ 1797
 \ 1800
 \ 1799, 1801

